ADVANCED MATERIALS

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.11.2024

Revision: 04.11.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### · 1.1 Product identifier

· Trade name: 100 PMMA Series Resists in Anisole

· Article number:

*M630001, M630002, M630003, M630004, M630504, M630005, M630006, M630007, M630008, M630009, M630010* 

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use SU16 Manufacture of computer, electronic and optical products, electrical equipment
- Product category PC30 Photo-chemicals
- Application of the substance / the mixture Photoresist
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Kayaku Advanced Materials, Inc. 200 Flanders Road Westborough, MA 01581 Tel: (617) 965-5511 Fax: (617) 965-5818
- Further information obtainable from: Product Safety Email: productsafety@kayakuam.com

• 1.4 Emergency telephone number: Kayaku Advanced Materials : 617-965-5511

Chemtrec USA Emergency : 800-424-9300 (24 hr) Chemtrec International Emergency : 703-527-3887 (24 hr)

## **SECTION 2: Hazards identification**

• 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.

# GHS07

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

*Eye Irrit. 2* H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

## · 2.2 Label elements

• *Labelling according to Regulation (EC) No 1272/2008* The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

EU

IAL5Safety data sheetaccording to Regulation (EC) No 1907/2006, Article 31 ADVANCED MATERIALS

Printing date 04.11.2024

ҜѦ҄҅҄ѴѦҜҴ҅

Version number 5 (replaces version 4)

Revision: 04.11.2024

Trade name: 100 PMMA Series Resists in Anisole

(Contd. of page 1)
07
rning
ning components of labelling:
nts
e liquid and vapour.
finhaled.
in irritation.
rious eye irritation.
e respiratory irritation.
tatements
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Keep container tightly closed.
Ground and bond container and receiving equipment.
Use explosion-proof [electrical/ventilating/lighting] equipment.
Use non-sparking tools.
Take action to prevent static discharges.
Avoid breathing dust/fume/gas/mist/vapours/spray.
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
IF ON SKIN: Wash with plenty of soap and water.
<i>IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.</i>
38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
present and easy to do. Continue rinsing.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
In case of fire: Use to extinguish: Alcohol resistant foam, Fire-extinguishing powder, Carbon
dioxide.
Store in a well-ventilated place. Keep cool.
Dispose of contents/container in accordance with local/regional/national/international
regulations.
regulations. Is
regulations. Is and vPvB assessment
regulations. ds and vPvB assessment able.
regulations. ds and vPvB assessment able. cable.
regulations. <b>Is</b> <b>and vPvB assessment</b> able. cable. <b>f endocrine-disrupting properties</b>
regulations. ds and vPvB assessment able. cable. cable. if endocrine-disrupting properties edients are included in the list established in accordance with Article 59(1) for having endocrine
regulations. ds and vPvB assessment able. cable. of endocrine-disrupting properties edients are included in the list established in accordance with Article 59(1) for having endocrine rties.
regulations. ds and vPvB assessment able. cable. cable. if endocrine-disrupting properties edients are included in the list established in accordance with Article 59(1) for having endocrine

ADVANCED MATERIALS

## Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.11.2024

*Version number 5 (replaces version 4)* 

Revision: 04.11.2024

Trade name: 100 PMMA Series Resists in Anisole

(Contd. of page 2)

1-20%

#### **SECTION 3:** Composition/information on ingredients

· 3.2 Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

 CAS: 100-66-3
 Anisole
 80-100%

 EINECS: 202-876-1
 Image: Flam. Liq. 3, H226; Image: Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335
 80-100%

• Additional Components:

9010-88-2 *Poly(methyl methacrylate-co-ethyl acrylate)* 

• *Additional information:* For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4:** First aid measures

• 4.1 Description of first aid measures

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. • *After skin contact:* Immediately wash with water and soap and rinse thoroughly.

• After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

• After swallowing: If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

## **SECTION 5:** Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents:

Alcohol resistant foam

Fire-extinguishing powder

Carbon dioxide

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture

Containers may explode due to pressure increase when container is exposed to extreme heat. Vapors may travel a considerable distance to a source of ignition and flash back along vapor trail.

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

## **SECTION 6:** Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources.

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

EU -

according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.11.2024

*Version number 5 (replaces version 4)* 

Revision: 04.11.2024

Trade name: 100 PMMA Series Resists in Anisole

(Contd. of page 3)

• 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). *Ensure adequate ventilation.* 

Do not flush with water or aqueous cleansing agents

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaust at the workplace. Prevent formation of aerosols. Use only under yellow light

· Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Use explosion-proof apparatus / fittings and spark-proof tools.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and containers:

Store in inert atmosphere or keep well sealed to prevent the formation of peroxides and other oxidation products.

· Information about storage in one common storage facility: Do not store together with oxidising and acidic materials. Do not store together with alkalis (caustic solutions).

· Further information about storage conditions: Protect from heat and direct sunlight. Store receptacle in a well ventilated area.

Store in cool, dry conditions in well sealed containers.

· 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Keep away from food and beverages.

Immediately remove all soiled and contaminated clothing

Avoid contact with the eyes and skin.

• **Respiratory protection:** Use suitable respiratory protective device in case of insufficient ventilation.

(Contd. on page 5)

EU



according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.11.2024

ADVANCED MATERIALS

Version number 5 (replaces version 4)

Revision: 04.11.2024

Trade name: 100 PMMA Series Resists in Anisole

(Contd. of page 4)

Protective gloves

· Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- · Material of gloves Nitrile rubber, NBR
- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye/face protection



Tightly sealed goggles

· Body protection: Long-sleeved work clothes

## **SECTION 9: Physical and chemical properties**

## 0 1 1

<ul> <li>9.1 Information on basic physical a</li> </ul>	ind chemical properties	
• General Information		
· Physical state	Liquid	
· Colour:	Clear to light yellow	
· Odour:	Strong	
· Odour threshold:	Not determined.	
• Melting point/freezing point:	Undetermined.	
· Boiling point or initial boiling poin	t	
and boiling range	184 °C	
· Flammability	Not applicable.	
Lower and upper explosion limit		
· Lower:	Not determined.	
· Upper:	Not determined.	
Flash point:	43 °C	
Auto-ignition temperature:	475 °C	
Decomposition temperature:	Not determined.	
· pH	Not determined.	
Viscosity:		
Kinematic viscosity	Not determined.	
Dynamic:	Not determined.	
Solubility		
water:	Not miscible or difficult to mix.	
Partition coefficient n-octanol/wate	er	
(log value)	Not determined.	
Vapour pressure at 20 °C:	0.4 hPa	
Density and/or relative density		
Density:	See Other information	
		(Contd. on page

EU



ADVANCED MATERIALS according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.11.2024

KAYAKL

Version number 5 (replaces version 4)

*Revision:* 04.11.2024

Trade name: 100 PMMA Series Resists in Anisole

Vapour density	Not deter	mined.				(Contd. of page
9.2 Other information	Name	Number	Sn Grav	Vol.(%by wt.)	VOC(q/L)	
5.2 Other information	100A1	M630001	0.996	0 01.(700y WI.)	0 = 0	
	100A1 100A2	M630002	0.997	0	0	
	100A2 100A3	M630002 M630003	0.999	0	$\begin{array}{c} 0\\ 0\end{array}$	
	100A5 100A4	M630004	1.001	0	0	
	100A4.5	M630504	1.001	0	$\begin{array}{c} 0\\ 0\end{array}$	
	100A4.5 100A5	M630005	1.002	0	0	
	100A5 100A6	M630006	1.005	0	$\begin{array}{c} 0\\ 0\end{array}$	
	100A0 100A7	M630007	1.005	0	0	
	100A7 100A8	M630008	1.009	0	0	
	100A8 100A9	M630009	1.011	0	0	
	100A9 100A10	M630010	1.022	0	$0 \\ 0$	
Appaguguag	100410	<i>M030010</i>	1.022	0	0	
Appearance: Form:	Liquid					
Form. Important information on protection of						
health and environment, and on safety.						
Ignition temperature:		a not colfioni	ting			
	Product is not selfigniting. Product is not explosive. However, formation of explosive air/vapor			ina airthanan		
Explosive properties:		are possible.	ave. nowe	ver, jormation	oj explos	ive air/vapou
	mixiuresi					
Change in condition		are possible.				
		•				
Change in condition Evaporation rate	Not deter	•				
		•				
Evaporation rate Information with regard to physical hazard classes	Not deterr	mined.				
Evaporation rate Information with regard to physical hazard classes Explosives	Not deterr	mined. cable.				
Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases	Not deterr Not applia Not applia	mined. cable. cable.				
Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols	Not deterr Not applie Not applie Not applie	mined. cable. cable. cable. cable.				
Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases	Not detern Not applia Not applia Not applia Not applia	mined. cable. cable. cable. cable. cable.				
Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure	Not detern Not applia Not applia Not applia Not applia Not applia	mined. cable. cable. cable. cable. cable. cable.				
Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure	Not detern Not applia Not applia Not applia Not applia Not applia Flammab	mined. cable. cable. cable. cable. cable. le liquid and	vapour.			
Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids	Not detern Not applia Not applia Not applia Not applia Not applia Flammab Not applia	mined. cable. cable. cable. cable. cable. le liquid and cable.	! vapour.			
Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids	Not detern Not applia Not applia Not applia Not applia Flammab Not applia Not applia	mined. cable. cable. cable. cable. le liquid and cable. cable. cable.	l vapour.			
Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids	Not detern Not applia Not applia Not applia Not applia Flammab Not applia	mined. cable. cable. cable. cable. le liquid and cable. cable. cable.	vapour.			
Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids	Not detern Not applia Not applia Not applia Not applia Flammab Not applia Not applia	mined. cable. cable. cable. cable. le liquid and cable. cable. cable. cable.	vapour.			
Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	Not detern Not applia Not applia Not applia Not applia Flammab Not applia Not applia Not applia	mined. cable. cable. cable. cable. le liquid and cable. cable. cable. cable. cable.	l vapour.			
Evaporation rate Information with regard to physical	Not detern Not applia Not applia Not applia Not applia Flammab Not applia Not applia Not applia Not applia	mined. cable. cable. cable. cable. le liquid and cable. cable. cable. cable. cable.	! vapour.			
Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Self-heating substances and mixtures	Not detern Not applia Not applia Not applia Not applia Not applia Not applia Not applia Not applia Not applia	mined. cable. cable. cable. cable. le liquid and cable. cable. cable. cable. cable. cable.	! vapour.			
Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit	Not detern Not applia Not applia Not applia Not applia Not applia Not applia Not applia Not applia Not applia	mined. cable. cable. cable. cable. cable. cable. cable. cable. cable. cable. cable.	! vapour.			
Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	Not detern Not applia Not applia Not applia Not applia Not applia Not applia Not applia Not applia Not applia Not applia	mined. cable. cable. cable. cable. cable. cable. cable. cable. cable. cable. cable. cable.	l vapour.			
Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	Not detern Not applia Not applia	mined. cable. cable. cable. cable. cable. le liquid and cable. cable. cable. cable. cable. cable. cable. cable.	l vapour.			
Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids	Not detern Not applia Not applia	mined. cable. cable. cable. cable. cable. le liquid and cable. cable. cable. cable. cable. cable. cable. cable. cable. cable.	l vapour.			

## SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

• 10.2 Chemical stability Stable

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 7)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.11.2024

*Version number 5 (replaces version 4)* 

Revision: 04.11.2024

Trade name: 100 PMMA Series Resists in Anisole

(Contd. of page 6)

· 10.4 Conditions to avoid Heat, flames and sparks. Extremes of temperature and direct sunlight. *Contact with incompatible materials.* 

• 10.5 Incompatible materials: Strong Oxidizing Agents, Strong Acids, Strong Bases

• 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide Phenol

methyl methacrylate

#### **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity

Harmful if inhaled.

· LD/LC50 values relevant for classification:

#### 100-66-3 Anisole

LD50 3700 mg/kg (Rat) Oral Dermal LD50 >5000 mg/kg (rabbit)

• Primary irritant effect:

· Skin corrosion/irritation

Causes skin irritation.

· Serious eve damage/irritation

Causes serious eye irritation.

• **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

• Germ cell mutagenicity Based on available data, the classification criteria are not met.

• Carcinogenicity Based on available data, the classification criteria are not met.

- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- STOT-single exposure

May cause respiratory irritation.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

## **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity:

100-66-3 Anisole

EC50/24 h 40 mg/l (daphnia magna)

EC50/96 hr 162 mg/l (green algae)

LC50/48 hr 120 mg/L (Cyprinus carpio (common carp))

· 12.2 Persistence and degradability No further relevant information available.

· 12.3 Bioaccumulative potential No further relevant information available.

· 12.4 Mobility in soil No further relevant information available.

(Contd. on page 8)

## ADVANCED MATERIALS

according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.11.2024

ADVANCED MATERIALS

Version number 5 (replaces version 4)

Revision: 04.11.2024

Trade name: 100 PMMA Series Resists in Anisole

(Contd. of page 7)

· 12.5 Results of PBT and vPvB assessment

- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

## **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Disposal must be made in accordance with International, National, and regional regulations.

• Uncleaned packaging:

• *Recommendation: Disposal must be made according to official regulations.* 

14.1 UN number or ID number ADR, IMDG, IATA	UN1866	
· 14.2 UN proper shipping name		
ADR	1866 RESIN SOLUTION	
· IMDG, IATA	RESIN SOLUTION	
· 14.3 Transport hazard class(es)		
ADR, IMDG, IATA		
· Class	3 Flammable liquids.	
· Label	3	
· 14.4 Packing group		
· ADR, IMDG, IATA	III	
· 14.5 Environmental hazards:		
Marine pollutant:	No	
· 14.6 Special precautions for user	Warning: Flammable liquids.	
	30	
• Hazard identification number (Kemler code):	50	

according to Regulation (EC) No 1907/2006, Article 31

Printing date 04.11.2024

ADVANCED MATERIALS

Version number 5 (replaces version 4)

Revision: 04.11.2024

Trade name: 100 PMMA Series Resists in Anisole

		(Contd. of page 8
· 14.7 Maritime transport in bulk accord	ding to IMO	
instruments	Not applicable.	
· Transport/Additional information:		
·ADR		
· Limited quantities (LQ)	5L	
· Transport category	3	
• Tunnel restriction code	D/E	
· UN "Model Regulation":	UN1866, RESIN SOLUTION, 3, III	

#### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

• DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.

(Contd. on page 10)

EU

IAL5Safety data sheetaccording to Regulation (EC) No 1907/2006, Article 31

Printing date 04.11.2024

Version number 5 (replaces version 4)

Revision: 04.11.2024

Trade name: 100 PMMA Series Resists in Anisole

KAYAKU°

ADVANCED MATERIALS

	(Contd. of pag
Classification according to Regulation (EC) No 1272/2008	
Art. 9(1) of Regulation (EC) No. 1272/2008 was used for classification purposes.	
Department issuing SDS: Product safety department	
Contact: Tom Cole, EHS Manager (tcole@kayakuam.com)	
Revision History:	
The manufacturer's information in Section 1, the product hazard information in S	Section ? and the compon
hazard information in Section 3 have been updated.	section 2 and the compon
Version number of previous version: 4	
Abbreviations and acronyms:	
RID: Règlement international concernant le transport des marchandises dangereuses par chemin d	le fer (Regulations Concerning
International Transport of Dangerous Goods by Rail)	
ICAO: International Civil Aviation Organisation	
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agre Carriage of Dangerous Goods by Road)	ement Concerning the Internatio
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Flam. Liq. 3: Flammable liquids – Category 3	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 2: Specific typest event twicity (circle supersympt) – Category 2	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	