

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.01.2022

#### Version number 4

Revision: 28.01.2022

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### · 1.1 Product identifier

• Trade name: 100 PMMA Series Resists in Anisole

• Article number:

*M630001, M630002, M630003, M630004, M630504, M630005, M630506, M630007, M630508, M630009, M630010* 

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use SU16 Manufacture of computer, electronic and optical products, electrical equipment
- Product category PC30 Photo-chemicals
- Application of the substance / the mixture Photoresist
- · 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Manufacturer: Kayaku Advanced Materials 200 Flanders Road Westborough, MA 01581 Telephone: (617) 965-5511 Fax: (617) 965-5818

Importer: A-Gas Electronic Materials Unit 3, IO Centre Swift Valley Rugby, Warwickshire CV21 1TW, UK Tel: +44-0-1788-537535 Fax: +44-0-1788-535835 Website: www.agasem.com Email: customerservice.em@agas.com

Further information obtainable from: Product Safety
Email: productsafety@kayakuAM.com
1.4 Emergency telephone number: Kayaku Advanced Materials : 617-965-5511 Chemtrec USA Emergency : 800-424-9300 (24 hr) Chemtrec International Emergency : 703-527-3887 (24 hr)

# SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008

flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



Acute Tox. 4 H332 Harmful if inhaled.

(Contd. on page 2)

GB



Printing date 28.01.2022

Version number 4

Revision: 28.01.2022

#### Trade name: 100 PMMA Series Resists in Anisole

ci	(Contd. of pag
	315 Causes skin irritation.
Eye Irrit. 2 H.	319 Causes serious eye irritation.
STOT SE 3 H	335 May cause respiratory irritation.
	ding to Regulation (EC) No 1272/2008 lassified and labelled according to the CLP regulation.
GHS02 GHS	507
Signal word Wa	urning
	ning components of labelling:
Anisole	
Hazard stateme	
	le liquid and vapour. finhalad
H332 Harmful i H315 Causes sk	
	in irritation. rious eye irritation.
	e respiratory irritation.
<b>Precautionary</b> s P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
F210	
P233	smoking. Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P304+P341	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a positic comfortable for breathing.
<i>P305+P351+P</i> .	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use to extinguish: Alcohol resistant foam, Fire-extinguishing powder, Card dioxide.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/internatio regulations.
2.3 Other hazar	8
	and vPvB assessment
<b>PBT:</b> Not appli	
11	(Contd. on pag



Printing date 28.01.2022

Version number 4

Revision: 28.01.2022

Trade name: 100 PMMA Series Resists in Anisole

(Contd. of page 2)

· vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

#### · 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

#### · Dangerous components:

CAS: 100-66-3 EINECS: 202-876-1 Anisole Flam. Liq. 3, H226; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335

80-100%

1-20%

#### · Additional Components:

9010-88-2 Poly(methyl methacrylate-co-ethyl acrylate)

• Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

• After swallowing: If symptoms persist consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing agents: Alcohol resistant foam Fire-extinguishing powder

Carbon dioxide

• For safety reasons unsuitable extinguishing agents: Water with full jet

Water

- 5.2 Special hazards arising from the substance or mixture

Containers may explode due to pressure increase when container is exposed to extreme heat. Vapors may travel a considerable distance to a source of ignition and flash back along vapor trail.

- 5.3 Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.

(Contd. on page 4)

GR



*Printing date 28.01.2022* 

Version number 4

Revision: 28.01.2022

Trade name: 100 PMMA Series Resists in Anisole

(Contd. of page 3)

#### **SECTION 6:** Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

• 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling Ensure good ventilation/exhaust at the workplace. Prevent formation of aerosols. Use only under yellow light

- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Use explosion-proof apparatus / fittings and spark-proof tools.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- **Requirements to be met by storerooms and containers:** Store in inert atmosphere or keep well sealed to prevent the formation of peroxides and other oxidation products.
- Information about storage in one common storage facility: Do not store together with oxidising and acidic materials. Do not store together with alkalis (caustic solutions).
- Further information about storage conditions: Protect from heat and direct sunlight. Store receptacle in a well ventilated area. Store in cool, dry conditions in well sealed containers.
- 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see item 7.
- Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.

(Contd. on page 5)

GB -

Version number 4

Revision: 28.01.2022

Trade name: 100 PMMA Series Resists in Anisole

(Contd. of page 4)

- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:
- Wash hands before breaks and at the end of work. Keep away from food and beverages. Immediately remove all soiled and contaminated clothing Avoid contact with the eyes and skin.
- **Respiratory protection:** Use suitable respiratory protective device in case of insufficient ventilation.
- · Protection of hands:



Protective gloves

*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.* • *Material of gloves Nitrile rubber, NBR* 

- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection:



Tightly sealed goggles

# SECTION 9: Physical and chemical properties

Appearance:	
Form:	Liquid
Colour:	Clear to light yellow
Odour:	Strong
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition Melting point/freezing point: Initial boiling point and boiling range:	Undetermined. 184 °C
Flash point:	43 °C
Flammability (solid, gas):	Not applicable.
Ignition temperature:	475 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapou mixtures are possible.



Printing date 28.01.2022



*Printing date 28.01.2022* 

Version number 4

Revision: 28.01.2022

Trade name: 100 PMMA Series Resists in Anisole

		(Contd. of page		
Explosion limits:				
Lower:	Not determined.			
Upper:	Not determined.			
• Vapour pressure at 20 •C:	0.4 hPa			
Density:	Not determined			
Relative density	See Table 1 Other Information			
· Vapour density	Not determined.			
• Evaporation rate	Not determined.			
· Solubility in / Miscibility with				
water:	Not miscible or difficult to mix.			
Partition coefficient: n-octanol/water:	Not determined.			
Viscosity:				
Dynamic:	Not determined.			
Kinematic:	Not determined.			
9.2 Other information	Name Number Sp. Grav. Vol.(%by wt.) VOC (g/L)			
	100A1 M630001 0.996 99 985			
	100A2 M630002 0.997 98 980			
	100A3 M630003 0.999 97 970			
	100A4 M630004 1.001 96 960			
	100A4.5 M630504 1.002 95.5 955			
	100A5 M630005 1.003 95 950			
	100A6 M630506 1.005 94 945			
	100A7 M630007 1.007 93 935			
	100A8 M630508 1.009 92 930			
	100A9 M630009 1.011 91 920			
	100A10 M630010 1.022 90 920			

# SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid Heat, flames and sparks. Extremes of temperature and direct sunlight. Contact with incompatible materials.
- 10.5 Incompatible materials: Strong Oxidizing Agents, Strong Acids, Strong Bases
- **10.6 Hazardous decomposition products:** Carbon monoxide and carbon dioxide Phenol

methyl methacrylate

(Contd. on page 7)



Printing date 28.01.2022

Version number 4

Revision: 28.01.2022

Trade name: 100 PMMA Series Resists in Anisole

(Contd. of page 6)

#### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- Acute toxicity
- Harmful if inhaled.
- · LD/LC50 values relevant for classification:

#### 100-66-3 Anisole

Oral LD50 3700 mg/kg (Rat)

Dermal LD50 >5000 mg/kg (rabbit)

- · Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure
- May cause respiratory irritation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

# SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

#### 100-66-3 Anisole

EC50/24 h 40 mg/l (daphnia magna)

EC50/96 hr 162 mg/l (green algae)

LC50/48 hr 120 mg/L (Cyprinus carpio (common carp))

· 12.2 Persistence and degradability No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

· 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

• 12.6 Other adverse effects No further relevant information available.

(Contd. on page 8)



Printing date 28.01.2022

Version number 4

Revision: 28.01.2022

Trade name: 100 PMMA Series Resists in Anisole

(Contd. of page 7)

# SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

• *Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.* 

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number		
ADR, IMDG, IATA	UN1866	
14.2 UN proper shipping name		
ADR	1866 RESIN SOLUTION	
IMDG, IATA	RESIN SOLUTION	
14.3 Transport hazard class(es)		
ADR, IMDG, IATA		
Class	3 Flammable liquids.	
Label	3	
14.4 Packing group		
ADR, IMDĞ, İATA	III	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Warning: Flammable liquids.	
Hazard identification number (Kemler code):	30	
EMS Number:	<i>F-E,<u>S-E</u></i>	
14.7 Transport in bulk according to Annex II of	of	
Marpol and the IBC Code	Not applicable.	
Transport/Additional information:		
ADR		
Limited quantities (LQ)	5L	
Transport category	3	
Tunnel restriction code	D/E	
UN "Model Regulation":	UN1866, RESIN SOLUTION, 3, III	

(Contd. on page 9)



*Printing date 28.01.2022* 

Version number 4

Revision: 28.01.2022

Trade name: 100 PMMA Series Resists in Anisole

(Contd. of page 8)

#### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t
- $\cdot$  Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases
H226 Flammable liquid and vapour.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.
Department issuing SDS: Product safety department
Contact: Tom Cole, EHS Manager (tcole@kayakuAM.com)

• Abbreviations and acronvms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3