

Printing date 13.06.2025 Version number 6 (replaces version 5) Revision: 13.06.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: 200 PMMA Series Resists in Anisole
- · Article number:

M730002, M730003, M730004, M730005, M730505, M730006, M730007, M730008, M730010, M730012, M730015

- · **UFI:** XYPF-VTSE-Q042-F0WN
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use SU16 Manufacture of computer, electronic and optical products, electrical equipment
- · **Product category** PC30 Photo-chemicals
- · Application of the substance / the mixture Photoresist
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Kayaku Advanced Materials, Inc.

200 Flanders Road Westborough, MA 01581 Tel: (617) 965-5511 Fax: (617) 965-5818

· Further information obtainable from:

Product Safety

Email: productsafety@kayakuam.com

· 1.4 Emergency telephone number:

Kayaku Advanced Materials : 617-965-5511 Chemtrec USA Emergency : 800-424-9300 (24 hr)

Chemtrec International Emergency: 703-527-3887 (24 hr)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)



Printing date 13.06.2025 Version number 6 (replaces version 5) Revision: 13.06.2025

Trade name: 200 PMMA Series Resists in Anisole

(Contd. of page 1)

· Hazard pictograms





GHS02 GHS07

- · Signal word Warning
- · Hazard-determining components of labelling:

Anisole

- · Hazard statements
- H226 Flammable liquid and vapour.
- H332 Harmful if inhaled.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- · Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use to extinguish: Alcohol resistant foam, Fire-extinguishing powder, Carbon

dioxide.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Determination of endocrine-disrupting properties

None of the ingredients are included in the list established in accordance with Article 59(1) for having endocrine disrupting properties.

None of the ingredients are substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 (or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)



Printing date 13.06.2025 Version number 6 (replaces version 5) Revision: 13.06.2025

Trade name: 200 PMMA Series Resists in Anisole

	(Co	ntd. of page 2)
· Dangerous compon	ents:	
CAS: 100-66-3	Anisole	80-100%
EINECS: 202-876-1	♦ Flam. Liq. 3, H226; ♦ Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
· Additional Compone	ents:	
9010-88-2 Poly(met	hyl methacrylate-co-ethyl acrylate)	1-20%
Additional informat	ion: For the wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Alcohol resistant foam

Fire-extinguishing powder

Carbon dioxide

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Containers may explode due to pressure increase when container is exposed to extreme heat. Vapors may travel a considerable distance to a source of ignition and flash back along vapor trail.

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Do not flush with water or aqueous cleansing agents

(Contd. on page 4)



Printing date 13.06.2025 Version number 6 (replaces version 5) Revision: 13.06.2025

Trade name: 200 PMMA Series Resists in Anisole

(Contd. of page 3)

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Use only in well ventilated areas.

Ensure good ventilation/exhaust at the workplace.

Prevent formation of aerosols.

Use only under yellow light

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Use explosion-proof apparatus / fittings and spark-proof tools.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and containers:

Store in inert atmosphere or keep well sealed to prevent the formation of peroxides and other oxidation products.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.
- · Hand protection



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- · Material of gloves Nitrile rubber, NBR
- · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)



Safety data sheet


according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.06.2025 Version number 6 (replaces version 5) Revision: 13.06.2025

Trade name: 200 PMMA Series Resists in Anisole

(Contd. of page 4)

· Eye/face protection



· Body protection: Long-sleeved work clothes

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Liquid

Liquid

· Colour: Clear to light yellow

· Odour: Strong

· Odour threshold: Not determined. · Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point

and boiling range 184 °C

· Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.Upper: Not determined.

· Flash point: 43 °C · Auto-ignition temperature: 475 °C

• **Decomposition temperature:** Not determined. • pH Not determined.

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

· Solubility

• water: Not miscible or difficult to mix.

· Partition coefficient n-octanol/water

(log value) Not determined.

· Vapour pressure at 20 °C: 0.4 hPa

· Density and/or relative density

Density: Not determined

• Relative density See Table 1 Other Information

(Contd. on page 6)



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.06.2025 Version number 6 (replaces version 5) Revision: 13.06.2025

Trade name: 200 PMMA Series Resists in Anisole

						(Contd. of pa
Vapour density	Not deter	rmined.				
9.2 Other information	Name	Number S	p.Grav.	VOC(%by wt.) VOC(g/L)	
·		M730002		98	975	
	200A3	M730003	0.997	97	965	
	200A4	M730004	0.999	96	960	
	200A5	M730005	1.001	95	950	
	200A5.5	M730505	1.002	94.5	945	
		M730006		94	940	
		M730007		93	935	
		M730008	1.006	92	925	
		M730010	1.010	90	910	
		M730012	1.019	88	895	
		M730012		85	865	
Appearance:	2002113	111/30013	1.020	02	005	
Form:	Liquid					
Important information on protection o						
health and environment, and on safety						
Ignition temperature:						
		is not solfic	onitino			
		is not selfig	_	However for	nation of exp	losiva air/van
	Product	is not exp	losive. I	However, form	nation of exp	losive air/vap
Explosive properties:	Product	0 0	losive. I	However, form	nation of exp	losive air/vap
Explosive properties: Change in condition	Product mixtures	is not exp are possib	losive. I	However, forn	nation of exp	losive air/vap
Explosive properties: Change in condition Evaporation rate	Product	is not exp are possib	losive. I	However, form	nation of exp	losive air/vap
Explosive properties: Change in condition Evaporation rate Information with regard to physical	Product mixtures	is not exp are possib	losive. I	However, form	nation of exp	losive air/vap
Explosive properties: Change in condition Evaporation rate Information with regard to physical hazard classes	Product mixtures Not deter	is not exp are possib rmined.	losive. I	However, form	nation of exp	losive air/vap
Explosive properties: Change in condition Evaporation rate Information with regard to physical hazard classes Explosives	Product mixtures Not deter	is not exp are possib rmined. icable.	losive. I	However, form	nation of exp	losive air/vap
Explosive properties: Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases	Product mixtures Not deter	is not exp are possib rmined. icable. icable.	losive. I	However, forn	nation of exp	losive air/vap
Explosive properties: Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols	Product mixtures Not deter Not apple Not apple Not apple	is not exp are possib rmined. icable. icable. icable.	losive. I	However, forn	nation of exp	losive air/vap
Explosive properties: Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases	Not apple Not apple Not apple Not apple Not apple Not apple	is not exp are possib rmined. icable. icable. icable. icable.	losive. I	However, forn	nation of exp	losive air/vap
Explosive properties: Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure	Not apple Not apple Not apple Not apple Not apple Not apple Not apple Not apple	is not exp are possib rmined. icable. icable. icable. icable. icable.	losive. I le.		nation of exp	losive air/vap
Explosive properties: Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids	Not apple Not apple Not apple Not apple Not apple Not apple Flammal	is not exp are possib rmined. icable. icable. icable. icable. icable liquid a	losive. I le.		nation of exp	losive air/vap
Explosive properties: Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids	Not apple Not apple Not apple Not apple Not apple Not apple Flammal Not apple	is not exp are possib rmined. icable. icable. icable. icable. ble liquid a icable.	losive. I le.		nation of exp	losive air/vap
Explosive properties: Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures	Not apple Not apple Not apple Not apple Not apple Not apple Not apple Flammal Not apple Not apple Not apple	is not exp are possib rmined. icable. icable. icable. icable iicable. icable iiquid a icable.	losive. I le.		nation of exp	losive air/vap
Explosive properties: Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids	Not apple Not apple	is not exp are possib rmined. icable. icable. icable. icable liquid a icable. icable.	losive. I le.		nation of exp	losive air/vap
Explosive properties: Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	Not apple Not apple Not apple Not apple Not apple Not apple Not apple Flammal Not apple Not apple Not apple	is not exp are possib rmined. icable. icable. icable. icable liquid a icable. icable.	losive. I le.		nation of exp	losive air/vap
Explosive properties: Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids	Not apple Not apple	is not exp are possib rmined. icable. icable. icable. icable iiquid a icable. icable. icable.	losive. I le.		nation of exp	losive air/vap
Explosive properties: Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	Not apple Not apple	is not exp are possib rmined. icable. icable. icable. ble liquid a icable. icable. icable.	losive. I le.		nation of exp	losive air/vap
Explosive properties: Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures	Not apple Not apple	is not exp are possib rmined. icable. icable. icable. icable. icable. icable. icable. icable.	losive. I le.		nation of exp	losive air/vap
Explosive properties: Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit	Not apple Not apple	is not exp are possib rmined. icable. icable. icable. icable. icable. icable. icable. icable.	losive. I le.		nation of exp	losive air/vap
Explosive properties: Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	Not apple Not ap	is not exp are possib rmined. icable. icable. icable. icable. icable. icable. icable. icable. icable.	losive. I le.		nation of exp	losive air/vap
Explosive properties: Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids	Not apple Not ap	is not exp are possib rmined. icable. icable. icable. icable. icable. icable. icable. icable. icable. icable.	losive. I le.		nation of exp	losive air/vap
Explosive properties: Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	Not apple Not ap	is not exp are possib rmined. icable. icable. icable. icable. icable. icable. icable. icable. icable. icable.	losive. I le.		nation of exp	losive air/vap

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability Stable
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 7)



Printing date 13.06.2025 *Version number 6 (replaces version 5)* Revision: 13.06.2025

Trade name: 200 PMMA Series Resists in Anisole

(Contd. of page 6)

· 10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight. Contact with incompatible materials.

- · 10.5 Incompatible materials: Strong Oxidizing Agents, Strong Acids, Strong Bases
- · 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Phenol

methyl methacrylate

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

Harmful if inhaled.

	· LD/LC50 values relevant for classification:				
	Oral	LD50	1200 mg/kg (Rat)		
[100-66-	3 Anise	ole		

-	100 00 3 111115010				
(Ora	l	LD50	3700 m	

ig/kg (Rat) Dermal |LD50| > 5000 mg/kg (rabbit)

- · Primary irritant effect:
- Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye irritation.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause respiratory irritation.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

ſ	· Aquatic toxicity:				
Ī	100-66-3 Anisole				
	EC50/24 h	40 mg/l (daphnia magna)			
	EC50/96 hr	162 mg/l (green algae)			
	LC50/48 hr	120 mg/L (Cyprinus carpio (common carp))			

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.

(Contd. on page 8)



Printing date 13.06.2025 Version number 6 (replaces version 5) Revision: 13.06.2025

Trade name: 200 PMMA Series Resists in Anisole

(Contd. of page 7)

- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Disposal must be made in accordance with International, National, and regional regulations.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

UN1866	
RESIN SOLUTION	
_	
3 Flammable liquids.	
III	
No	
Warning: Flammable liquids.	
30	
F- E , S - D	
	3 Flammable liquids. 3 III No Warning: Flammable liquids. 30



Printing date 13.06.2025 Version number 6 (replaces version 5) Revision: 13.06.2025

Trade name: 200 PMMA Series Resists in Anisole

	(Contd. of p
14.7 Maritime transport in bulk according	to IMO
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1866 RESIN SOLUTION, 3, III

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.

(Contd. on page 10)



Printing date 13.06.2025 Version number 6 (replaces version 5) Revision: 13.06.2025

Trade name: 200 PMMA Series Resists in Anisole

(Contd. of page 9)

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

· Classification according to Regulation (EC) No 1272/2008

Art. 9(1) of Regulation (EC) No. 1272/2008 was used for classification purposes.

- Department issuing SDS: Product safety department
- · Contact: Tom Cole, EHS Manager (tcole@kayakuam.com)
- · Revision History:

The manufacturer's information in Section 1, the product hazard information in Section 2 and the component hazard information in Section 3 have been updated.

- · Version number of previous version: 5
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

- EU