

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.02.2022

Version number 3

Revision: 01.02.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name: 2200 PMMA Series Resists in Anisole

• Article number:

M830002, M830002, M830003, M830004, M830005, M830006, M830007, M830008, M830009, M830010

- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Sector of Use SU16 Manufacture of computer, electronic and optical products, electrical equipment • Application of the substance / the mixture Photoresist

1.3 Details of the supplier of the safety data sheet
Manufacturer/Supplier: Kayaku Advanced Materials, Inc.
200 Flanders Road
Westborough, MA 01581
Tel: (617) 965-5511
Fax: (617) 965-5818

Further information obtainable from: Product Safety
Email: productsafety@kayakuAM.com
1.4 Emergency telephone number: Kayaku Advanced Materials : 617-965-5511 Chemtrec USA Emergency : 800-424-9300 (24 hr)

Chemtrec International Emergency : 703-527-3887 (24 hr)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008

GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.

GHS07

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation. • *Hazard pictograms*



(Contd. on page 2)

EU

ADVANCED MATERIALS

Safety data sheet according to 1907/2006/EC, Article 31

Revision: 01.02.2022

Printing date 01.02.2022 Version number 3 Trade name: 2200 PMMA Series Resists in Anisole (Contd. of page 1) · Signal word Warning · Hazard-determining components of labelling: Anisole · Hazard statements H226 Flammable liquid and vapour. H332 Harmful if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. · Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eve protection/face protection/hearing protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P302+P352 IF ON SKIN: Wash with plenty of soap and water. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position *P304+P341* comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. *P333+P313* If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P370+P378 In case of fire: Use to extinguish: Alcohol resistant foam, Fire-extinguishing powder, Carbon dioxide. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · 2.3 Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components: CAS: 100-66-3 80-100% Anisole 🐼 Flam. Liq. 3, H226; 🚸 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, EINECS: 202-876-1 H319; STOT SE 3, H335 · Additional Components: CAS: 9011-14-7 *Poly(methyl methacrylate)* 1-20% EC number: 618-466-4 • Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 3) EU



Printing date 01.02.2022

Version number 3

Revision: 01.02.2022

(Contd. of page 2)

Trade name: 2200 PMMA Series Resists in Anisole

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

• After swallowing: If symptoms persist consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

• Suitable extinguishing agents: Alcohol resistant foam Fire-extinguishing powder Carbon dioxide

- · For safety reasons unsuitable extinguishing agents:
- Water with full jet

Water

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources.
6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Use only in well ventilated areas. Keep receptacles tightly sealed. Ensure good ventilation/exhaust at the workplace. Prevent formation of aerosols. Use only under yellow light
Information about fire - and explosion protection: Keep ignition sources away - Do not smoke.

(Contd. on page 4)

EU -



Printing date 01.02.2022

Version number 3

Revision: 01.02.2022

(Contd. of page 3)

Trade name: 2200 PMMA Series Resists in Anisole

Protect against electrostatic charges. Use explosion-proof apparatus / fittings and spark-proof tools.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and containers:
- Store in inert atmosphere or keep well sealed to prevent the formation of peroxides and other oxidation products. • Information about storage in one common storage facility:

Do not store together with alkalis (caustic solutions). Do not store together with oxidising and acidic materials.

- Further information about storage conditions:
 Store receptacle in a well ventilated area.
 Protect from heat and direct sunlight.
 Store in cool, dry conditions in well sealed containers.
 Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.
- Protect from exposure to the light.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Wash hands before breaks and at the end of work.
- Keep away from food and beverages.

Immediately remove all soiled and contaminated clothing

- Avoid contact with the eyes and skin.
- Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

• *Material of gloves* Nitrile rubber, NBR • *Penetration time of glove material*

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

- EU



Printing date 01.02.2022


Version number 3

Revision: 01.02.2022

Trade name: 2200 PMMA Series Resists in Anisole

(Contd. of page 4)

• Eye protection:



General Information	chemical properties
Appearance:	
Form:	Liquid
Colour:	Clear to light yellow
Odour:	Strong
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	2: 184 °C
Flash point:	43 °C
Flammability (solid, gas):	Not applicable.
Ignition temperature:	475 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapou mixtures are possible.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 20 •C:	0.4 hPa
Density:	Not determined
Relative density	See Table 1 Other Information
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	



Printing date 01.02.2022

Version number 3

Revision: 01.02.2022

Trade name: 2200 PMMA Series Resists in Anisole

		(Contd. of page 5)
Kinematic:	Not determined.	
• 9.2 Other information	Name Number Sp.Grav. Vol.(%b	y wt.) VOC (g/L)
	2200A1.5 M830501 1.000 98.	5 985
	2200A2 M830002 1.000 98	980
	2200A3 M830003 1.003 97	970
	2200A4 M830004 1.004 96	960
	2200A5 M830005 1.005 95	955
	2200A6 M830006 1.006 94	945
	2200A7 M830007 1.007 93	935
	2200A8 M830008 1.009 92	930
	2200A9 M830009 1.011 91	920
	2200A10 M830010 1.012 90	910

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability Stable
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid
- Contact with incompatible materials.
- Heat, flames and sparks. Extremes of temperature and direct sunlight.
- · 10.5 Incompatible materials: Strong Oxidizing Agents, Strong Acids, Strong Bases
- 10.6 Hazardous decomposition products:
- Carbon monoxide and carbon dioxide Phenol

methyl methacrylate

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity
- Harmful if inhaled.

· LD/LC50 values relevant for classification:

100-66-3 Anisole

Oral LD50 3700 mg/kg (Rat) Dermal LD50 >5000 mg/kg (rabbit)

· Primary irritant effect:

· Skin corrosion/irritation

- Causes skin irritation.
- · Serious eye damage/irritation
- Causes serious eye irritation.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· Additional toxicological information:

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- *Carcinogenicity Based on available data, the classification criteria are not met.*
- Reproductive toxicity Based on available data, the classification criteria are not met.

⁻ EU

ADVANCED MATERIALS

Printing date 01.02.2022

Safety data sheet according to 1907/2006/EC, Article 31

Version number 3

Revision: 01.02.2022

Trade name: 2200 PMMA Series Resists in Anisole

(Contd. of page 6)

· STOT-single exposure

May cause respiratory irritation.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity:

100-66-3 Anisole

EC50/24 h 40 mg/l (daphnia magna)

EC50/96 hr 162 mg/l (green algae)

LC50/48 hr 120 mg/L (Cyprinus carpio (common carp))

· 12.2 Persistence and degradability No further relevant information available.

· 12.3 Bioaccumulative potential No further relevant information available.

• 12.4 Mobility in soil No further relevant information available.

Additional ecological information:

· General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

· 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Disposal must be made in accordance with International, National, and regional regulations.

• Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA

UN1866

· 14.2 UN proper shipping name · ADR, IMDG, IATA

RESIN SOLUTION

(Contd. on page 8)





Printing date 01.02.2022

Version number 3

Revision: 01.02.2022

Trade name: 2200 PMMA Series Resists in Anisole

	(Contd. of page 7
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA	
· Class	3 Flammable liquids.
· Label	3
· 14.4 Packing group	
· ADR, IMDG, IATA	111
· 14.5 Environmental hazards:	
· Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
• Hazard identification number (Kemler code):	<i>30</i>
· EMS Number:	F-E,S-D
• 14.7 Transport in bulk according to Annex II o	
Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
· Transport category	3
• Tunnel restriction code	D/E
· UN ''Model Regulation'':	UN1866, RESIN SOLUTION, mixture, 3, III

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Directive 2012/18/EU

- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases
H226 Flammable liquid and vapour.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.

(Contd. on page 9)

⁻ EU

ADVANCED MATERIALS

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.02.2022

Version number 3

Revision: 01.02.2022

Trade name: 2200 PMMA Series Resists in Anisole

	(Contd. of pag
Classification according to Regulation (EC) No 1272/2008	
Art. 9(1) of Regulation (EC) No. 1272/2008 was used for classification purposes.	
Department issuing SDS: Product safety department	
Contact: Tom Cole, EHS Manager (tcole@kayakuAM.com)	
Revision History:	
The manufacturer's information in Section 1, the product hazard information in Section	on 2 and the component
hazard information in Section 3 have been updated.	on 2 and the compon
Abbreviations and acronyms:	
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer International Transport of Dangerous Goods by Rail)	(Regulations Concerning
ICAO: International Civil Aviation Organisation	
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreemen	t Concerning the Internati
Carriage of Dangerous Goods by Road)	0
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Flam. Liq. 3: Flammable liquids – Category 3	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
<i>Eye Irrit. 2: Serious eye damage/eye irritation – Category 2</i>	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	