

Printing date 25.10.2024

Version number 5

Revision: 25.10.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### · 1.1 Product identifier

· Trade name: 50 PMMA Series Resists in Anisole

· Article number:

*M530001, M530002, M530003, M530004, M530005, M530506, M530007, M530508, M530009, M530010, M530511, M530012, M530030* 

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Sector of Use SU16 Manufacture of computer, electronic and optical products, electrical equipment
- Product category PC30 Photo-chemicals
- Application of the substance / the mixture Photoresist
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Manufacturer: Kayaku Advanced Materials 200 Flanders Road Westborough, MA 01581 Telephone: (617) 965-5511 Fax: (617) 965-5818

Importer: A-Gas Electronic Materials Unit 3, IO Centre Swift Valley Rugby, Warwickshire CV21 1TW, UK Tel: +44-0-1788-537535 Fax: +44-0-1788-535835 Website: www.agasem.com Email: customerservice.em@agas.com

Further information obtainable from: Product Safety
Email: productsafety@kayakuam.com
1.4 Emergency telephone number: Kayaku Advanced Materials : 617-965-5511
Chemtrec USA Emergency : 800-424-9300 (24 hr)
Chemtrec International Emergency : 703-527-3887 (24 hr)

### **SECTION 2: Hazards identification**

• 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.

GHS07

Acute Tox. 4 H332 Harmful if inhaled.

(Contd. on page 2)

GB -



Revision: 25.10.2024

Printing date 25.10.2024

Version number 5

Trade name: 50 PMMA Series Resists in Anisole

	(Contd. of page				
Skin Irrit. 2 H.	315 Causes skin irritation.				
<i>Eye Irrit. 2 H319 Causes serious eye irritation.</i>					
STOT SE 3 H335 May cause respiratory irritation.					
	ding to Regulation (EC) No 1272/2008 lassified and labelled according to the GB CLP regulation.				
GHS02 GHS	207				
Signal word Wa					
0	ning components of labelling:				
Anisole					
Hazard stateme					
	le liquid and vapour.				
H332 Harmful i					
H315 Causes sk					
H319 Causes se	rious eye irritation.				
H335 May cause	e respiratory irritation.				
Precautionary s					
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. I smoking.				
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.				
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection				
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.				
P302+P352	IF ON SKIN: Wash with plenty of soap and water.				
P304+P341	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a positic comfortable for breathing.				
$P_{205+P_{251+P_{251}}}$	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses				
1 505 +1 551 +1 5	present and easy to do. Continue rinsing.				
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.				
P337+P313	If eye irritation persists: Get medical advice/attention.				
P370+P378	In case of fire: Use to extinguish: Alcohol resistant foam, Fire-extinguishing powder, Carb dioxide.				
P403+P235	Store in a well-ventilated place. Keep cool.				
P501	Dispose of contents/container in accordance with local/regional/national/internation regulations.				
2.3 Other hazar					
-	edients are included in the list established in accordance with Article 59(1) for having endocra				
disrupting prope					
	redients are substances identified as having endocrine disrupting properties in accordance w				
	out in Commission Delegated Regulation (EU) 2017/2100 (or Commission Regulation (E				
2018/605.					
	and vPvB assessment				
<b>PBT:</b> Not applie					

(Contd. on page 3) GB-



Printing date 25.10.2024

Version number 5

Revision: 25.10.2024

Trade name: 50 PMMA Series Resists in Anisole

(Contd. of page 2)

1-30%

· vPvB: Not applicable.

### **SECTION 3:** Composition/information on ingredients

#### · 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

 CAS: 100-66-3
 Anisole
 70-100%

 EINECS: 202-876-1
 Flam. Liq. 3, H226; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335
 70-100%

· Additional Components:

25086-15-1 Poly(methyl methacrylate-co-methacrylic acid)

(1) Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335

· Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4:** First aid measures

#### • 4.1 Description of first aid measures

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. • After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

• After swallowing: If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media

• Suitable extinguishing agents: Alcohol resistant foam Fire-extinguishing powder Carbon dioxide

• For safety reasons unsuitable extinguishing agents: Water with full jet

• 5.2 Special hazards arising from the substance or mixture

Containers may explode due to pressure increase when container is exposed to extreme heat. Vapors may travel a considerable distance to a source of ignition and flash back along vapor trail.

- 5.3 Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.

### **SECTION 6:** Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)

GB -



Revision: 25.10.2024

Printing date 25.10.2024

Version number 5

Trade name: 50 PMMA Series Resists in Anisole

(Contd. of page 3)

Ensure adequate ventilation Keep away from ignition sources.

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

 • 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaust at the workplace. Keep receptacles tightly sealed. Use only in well ventilated areas.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Use explosion-proof apparatus / fittings and spark-proof tools. Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and containers:

Store in inert atmosphere or keep well sealed to prevent the formation of peroxides and other oxidation products.

- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep container tightly sealed.

Protect from exposure to the light.

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

• 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see section 7.

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work. Keep away from food and beverages. Immediately remove all soiled and contaminated clothing
- Avoid contact with the eyes and skin.

• *Respiratory protection:* Use suitable respiratory protective device in case of insufficient ventilation.

(Contd. on page 5)

GB -



Printing date 25.10.2024

Version number 5

Revision: 25.10.2024

Trade name: 50 PMMA Series Resists in Anisole

(Contd. of page 4)

· Protection of hands:



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- · Material of gloves Nitrile rubber, NBR
- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Long-sleeved work clothes

# SECTION 9: Physical and chemical properties

General Information						
Appearance:	Timil					
Form:	Liquid					
Colour:	Clear to light yellow					
Odour: Odour threshold:	Strong Not determined.					
Ouour inresnoia:	Not determined.					
pH-value:	Not determined.					
Change in condition						
Melting point/freezing point:	Undetermined.					
Initial boiling point and boiling range:	184 °C					
Flash point:	43 °C					
Flammability	Not applicable.					
Auto-ignition temperature:	475 °C					
Decomposition temperature:	Not determined.					
Ignition temperature:	Product is not selfigniting.					
Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.					
Explosion limits:						
Lower:	Not determined.					
Upper:	Not determined.					
Vapour pressure at 20 °C:	0.4 hPa					
Density:	See Other information					
-	Not determined					
Relative density	Not determined.					

- GB -



Printing date 25.10.2024

Version number 5

Revision: 25.10.2024

Trade name: 50 PMMA Series Resists in Anisole

					(Contd. of po	
Vapour density	Not de	termined.				
Evaporation rate	Not de	Not determined.				
Solubility in / Miscibility with						
water:	Not miscible or difficult to mix.					
Partition coefficient: n-octanol/water:	Not determined.					
Viscosity:						
Dynamic:	Not de	Not determined.				
Kinematic:	Not determined.					
9.2 Other information	Name	Number	Sp. Grav.	VOC(%by wt.)	VOC (g/L)	
-	50A1	M530001	0.998	99	990	
	50A2	<i>M530002</i>	0.999	98	980	
	50A3	M530003	1.000	97	970	
	50A4	M530004	1.001	96	960	
	50A5	M530005	1.003	95	950	
	50A6	M530506	1.005	94	945	
	50A7	M530007	1.006	93	935	
	50A8	M530508	1.009	92	930	
	50A9	M530009	1.010	91	920	
	50A10	M530010	1.013	90	910	
	50A11	M530511	1.015	89	905	
		M530012	1.016	88	895	
		M530030	1.034	70	725	

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability Stable
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid

*Heat, flames and sparks. Extremes of temperature and direct sunlight. Contact with incompatible materials.* 

- 10.5 Incompatible materials: Strong Oxidizing Agents, Strong Acids, Strong Bases
- 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

Phenol

methyl methacrylate

## SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity
- Harmful if inhaled.

#### · LD/LC50 values relevant for classification:

100-66-3 Anisole

*Oral LD50 3700 mg/kg (Rat)* 

(Contd. on page 7)

GB —



Printing date 25.10.2024

Version number 5

Revision: 25.10.2024

Trade name: 50 PMMA Series Resists in Anisole

(Contd. of page 6)

Dermal LD50 >5000 mg/kg (rabbit)

• Primary irritant effect:

· Skin corrosion/irritation

Causes skin irritation.

• Serious eye damage/irritation

Causes serious eye irritation.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

• Additional toxicological information:

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• *Reproductive toxicity Based on available data, the classification criteria are not met.* 

· STOT-single exposure

May cause respiratory irritation.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity:

100-66-3 Anisole

EC50/24 h 40 mg/l (daphnia magna)

EC50/96 hr 162 mg/l (green algae)

LC50/48 hr 120 mg/L (Cyprinus carpio (common carp))

· 12.2 Persistence and degradability No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

· 12.4 Mobility in soil No further relevant information available.

• Additional ecological information:

• General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

• 12.5 Results of PBT and vPvB assessment

• *PBT:* Not applicable.

• **vPvB:** Not applicable.

• 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)



Printing date 25.10.2024

Version number 5

Revision: 25.10.2024

(Contd. of page 7)

Trade name: 50 PMMA Series Resists in Anisole

· Uncleaned packaging:

• *Recommendation:* Disposal must be made according to official regulations.

14.1 UN-Number ADR, IMDG, IATA	UN1866 RESIN SOLUTION				
14.2 UN proper shipping name ADR, IMDG, IATA					
14.3 Transport hazard class(es)					
ADR, IMDG, IATA					
Class	3 Flammable liquids.				
Label	3				
14.4 Packing group ADR, IMDG, IATA	III				
14.5 Environmental hazards: Marine pollutant:	No				
14.6 Special precautions for user	Warning: Flammable liquids.				
Hazard identification number (Kemler code): EMS Number:	30 F-E,S-E				
Stowage Category	A				
14.7 Transport in bulk according to Annex II o					
Marpol and the IBC Code	Not applicable.				
Transport/Additional information:					
ADR					
Limited quantities (LQ)	5L Control El				
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml				
	Maximum net quantity per outer packaging: 50 ml Maximum net quantity per outer packaging: 1000 ml				
Transport category	3				
Tunnel restriction code	D/E				
IMDG					
Limited quantities (LQ)	5L				
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml				
	Maximum net quantity per inner packaging: 50 ml Maximum net quantity per outer packaging: 1000 ml				
UN "Model Regulation":	UN1866, RESIN SOLUTION, 3, III				

(Contd. on page 9)



Printing date 25.10.2024

Version number 5

Revision: 25.10.2024

Trade name: 50 PMMA Series Resists in Anisole

(Contd. of page 8)

#### **SECTION 15: Regulatory information**

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H226 Flammable liquid and vapour.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.

· Department issuing SDS: Product safety department

· Contact: Tom Cole, EHS Manager (tcole@kayakuam.com)

• Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

GB –