

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 14.01.2022

Version number 4

Revision: 14.01.2022

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- **1.1 Product identifier**
- **Trade name:** 50 PMMA Series Resists in Anisole
- **Article number:**  
M530001, M530002, M530003, M530004, M530005, M530506, M530007, M530508, M530009, M530010, M530511, M530012, M530030
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Sector of Use** SU16 Manufacture of computer, electronic and optical products, electrical equipment
- **Product category** PC30 Photo-chemicals
- **Application of the substance / the mixture** Photoresist
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Manufacturer:  
Kayaku Advanced Materials  
200 Flanders Road  
Westborough, MA 01581  
Telephone: (617) 965-5511  
Fax: (617) 965-5818  
  
Importer:  
A-Gas Electronic Materials  
Unit 3, IO Centre  
Swift Valley  
Rugby, Warwickshire  
CV21 1TW, UK  
Tel: +44-0-1788-537535  
Fax: +44-0-1788-535835  
Website: [www.agasem.com](http://www.agasem.com)  
Email: [customerservice.em@agas.com](mailto:customerservice.em@agas.com)
- **Further information obtainable from:**  
Product Safety  
Email: [productsafety@kayakuAM.com](mailto:productsafety@kayakuAM.com)
- **1.4 Emergency telephone number:**  
Kayaku Advanced Materials : 617-965-5511  
Chemtrec USA Emergency : 800-424-9300 (24 hr)  
Chemtrec International Emergency : 703-527-3887 (24 hr)

**SECTION 2: Hazards identification**

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



Flam. Liq. 3 H226 Flammable liquid and vapour.



Acute Tox. 4 H332 Harmful if inhaled.

(Contd. on page 2)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.01.2022

Version number 4

Revision: 14.01.2022

**Trade name: 50 PMMA Series Resists in Anisole**

(Contd. of page 1)

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

### · 2.2 Label elements

#### · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

#### · Hazard pictograms



GHS02 GHS07

#### · Signal word Warning

#### · Hazard-determining components of labelling:

Anisole

#### · Hazard statements

H226 Flammable liquid and vapour.

H332 Harmful if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

#### · Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use to extinguish: Alcohol resistant foam, Fire-extinguishing powder, Carbon dioxide.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### · 2.3 Other hazards

#### · Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

### · 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)

## Safety data sheet

according to 1907/2006/EC, Article 31



Printing date 14.01.2022


Version number 4

Revision: 14.01.2022

**Trade name: 50 PMMA Series Resists in Anisole**

(Contd. of page 2)

<b>· Dangerous components:</b>		
CAS: 100-66-3	Anisole	70-100%
EINECS: 202-876-1	 Flam. Liq. 3, H226;  Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	

<b>· Additional Components:</b>		
25086-15-1	Poly(methyl methacrylate-co-methacrylic acid)	1-30%
	 Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	

**· Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

#### · 4.1 Description of first aid measures

##### · After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

##### · After skin contact: Immediately wash with water and soap and rinse thoroughly.

##### · After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

##### · After swallowing: If symptoms persist consult doctor.

#### · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### · 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### · 5.1 Extinguishing media

##### · Suitable extinguishing agents:

Alcohol resistant foam

Fire-extinguishing powder

Carbon dioxide

##### · For safety reasons unsuitable extinguishing agents:

Water with full jet

Water

#### · 5.2 Special hazards arising from the substance or mixture

Containers may explode due to pressure increase when container is exposed to extreme heat. Vapors may travel a considerable distance to a source of ignition and flash back along vapor trail.

#### · 5.3 Advice for firefighters

##### · Protective equipment: Wear self-contained respiratory protective device.

### SECTION 6: Accidental release measures

#### · 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources.

#### · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 14.01.2022

Version number 4

Revision: 14.01.2022

**Trade name: 50 PMMA Series Resists in Anisole**

(Contd. of page 3)

- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.  
Do not flush with water or aqueous cleansing agents
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling**  
Ensure good ventilation/exhaust at the workplace.  
Keep receptacles tightly sealed.  
Prevent formation of aerosols.  
Use only in well ventilated areas.  
Use only under yellow light
- **Information about fire - and explosion protection:**  
Keep ignition sources away - Do not smoke.  
Use explosion-proof apparatus / fittings and spark-proof tools.  
Protect against electrostatic charges.
- **7.2 Conditions for safe storage, including any incompatibilities**
  - **Storage:**
  - **Requirements to be met by storerooms and containers:**  
Store in inert atmosphere or keep well sealed to prevent the formation of peroxides and other oxidation products.
  - **Information about storage in one common storage facility:** Not required.
  - **Further information about storage conditions:**  
Keep container tightly sealed.  
Protect from exposure to the light.  
Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.
- **7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

- **8.1 Control parameters**
- **Additional information about design of technical facilities:** No further data; see item 7.
- **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
  - **Personal protective equipment:**
  - **General protective and hygienic measures:**  
Wash hands before breaks and at the end of work.  
Keep away from food and beverages.  
Immediately remove all soiled and contaminated clothing  
Avoid contact with the eyes and skin.
  - **Respiratory protection:** Use suitable respiratory protective device in case of insufficient ventilation.

(Contd. on page 5)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.01.2022

Version number 4

Revision: 14.01.2022

**Trade name: 50 PMMA Series Resists in Anisole**

(Contd. of page 4)

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Material of gloves**

Nitrile rubber, NBR

Fluorocarbon rubber (Viton)

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

### SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:	Liquid
Colour:	Clear to light yellow
Odour:	Strong
Odour threshold:	Not determined.

· **pH-value:** Not determined.

· **Change in condition**

Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	184 °C

· **Flash point:** 43 °C

· **Flammability (solid, gas):** Not applicable.

· **Ignition temperature:** 475 °C

· **Decomposition temperature:** Not determined.

· **Auto-ignition temperature:** Product is not selfigniting.

· **Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

· **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.

· **Vapour pressure at 20 °C:** 0.4 hPa

· **Density:** Not determined

(Contd. on page 6)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.01.2022

Version number 4

Revision: 14.01.2022

**Trade name: 50 PMMA Series Resists in Anisole**

(Contd. of page 5)

· <b>Relative density</b>	Not determined.																																																																						
· <b>Vapour density</b>	See Table 1 Other Information																																																																						
· <b>Evaporation rate</b>	Not determined.																																																																						
· <b>Solubility in / Miscibility with water:</b>	Not miscible or difficult to mix.																																																																						
· <b>Partition coefficient: n-octanol/water:</b>	Not determined.																																																																						
· <b>Viscosity:</b>																																																																							
<b>Dynamic:</b>	Not determined.																																																																						
<b>Kinematic:</b>	Not determined.																																																																						
· <b>9.2 Other information</b>	<table><tr><th>Name</th><th>Number</th><th>Sp. Grav.</th><th>Vol.(%by wt.)</th><th>VOC (g/L)</th></tr><tr><td>50A1</td><td>M530001</td><td>0.998</td><td>99</td><td>990</td></tr><tr><td>50A2</td><td>M530002</td><td>0.999</td><td>98</td><td>980</td></tr><tr><td>50A3</td><td>M530003</td><td>1.000</td><td>97</td><td>970</td></tr><tr><td>50A4</td><td>M530004</td><td>1.001</td><td>96</td><td>960</td></tr><tr><td>50A5</td><td>M530005</td><td>1.003</td><td>95</td><td>950</td></tr><tr><td>50A6</td><td>M530506</td><td>1.005</td><td>94</td><td>945</td></tr><tr><td>50A7</td><td>M530007</td><td>1.006</td><td>93</td><td>935</td></tr><tr><td>50A8</td><td>M530508</td><td>1.009</td><td>92</td><td>930</td></tr><tr><td>50A9</td><td>M530009</td><td>1.010</td><td>91</td><td>920</td></tr><tr><td>50A10</td><td>M530010</td><td>1.013</td><td>90</td><td>910</td></tr><tr><td>50A11</td><td>M530511</td><td>1.015</td><td>89</td><td>905</td></tr><tr><td>50A12</td><td>M530012</td><td>1.016</td><td>88</td><td>895</td></tr><tr><td>50A30</td><td>M530030</td><td>1.034</td><td>70</td><td>725</td></tr></table>	Name	Number	Sp. Grav.	Vol.(%by wt.)	VOC (g/L)	50A1	M530001	0.998	99	990	50A2	M530002	0.999	98	980	50A3	M530003	1.000	97	970	50A4	M530004	1.001	96	960	50A5	M530005	1.003	95	950	50A6	M530506	1.005	94	945	50A7	M530007	1.006	93	935	50A8	M530508	1.009	92	930	50A9	M530009	1.010	91	920	50A10	M530010	1.013	90	910	50A11	M530511	1.015	89	905	50A12	M530012	1.016	88	895	50A30	M530030	1.034	70	725
Name	Number	Sp. Grav.	Vol.(%by wt.)	VOC (g/L)																																																																			
50A1	M530001	0.998	99	990																																																																			
50A2	M530002	0.999	98	980																																																																			
50A3	M530003	1.000	97	970																																																																			
50A4	M530004	1.001	96	960																																																																			
50A5	M530005	1.003	95	950																																																																			
50A6	M530506	1.005	94	945																																																																			
50A7	M530007	1.006	93	935																																																																			
50A8	M530508	1.009	92	930																																																																			
50A9	M530009	1.010	91	920																																																																			
50A10	M530010	1.013	90	910																																																																			
50A11	M530511	1.015	89	905																																																																			
50A12	M530012	1.016	88	895																																																																			
50A30	M530030	1.034	70	725																																																																			

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability** Stable under normal use conditions
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid**  
Heat, flames and sparks. Extremes of temperature and direct sunlight.  
Contact with incompatible materials.
- **10.5 Incompatible materials:** Strong Oxidizing Agents, Strong Acids, Strong Bases
- **10.6 Hazardous decomposition products:**  
Carbon monoxide and carbon dioxide  
Phenol  
methyl methacrylate

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity**  
Harmful if inhaled.

(Contd. on page 7)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.01.2022

Version number 4

Revision: 14.01.2022

**Trade name: 50 PMMA Series Resists in Anisole**

(Contd. of page 6)

**· LD/LC50 values relevant for classification:**
**100-66-3 Anisole**

Oral	LD50	3700 mg/kg (Rat)
Dermal	LD50	>5000 mg/kg (rabbit)

- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes skin irritation.
- **Serious eye damage/irritation**  
Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure**  
May cause respiratory irritation.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

**· 12.1 Toxicity**
**· Aquatic toxicity:**
**100-66-3 Anisole**

EC50/24 h	40 mg/l (daphnia magna)
EC50/96 hr	162 mg/l (green algae)
LC50/48 hr	120 mg/L (Cyprinus carpio (common carp))

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

**· 13.1 Waste treatment methods**
**· Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.01.2022

Version number 4


Revision: 14.01.2022

**Trade name: 50 PMMA Series Resists in Anisole**

(Contd. of page 7)

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

· <b>14.1 UN-Number</b>	
· <b>ADR, IMDG, IATA</b>	UN1866
· <b>14.2 UN proper shipping name</b>	
· <b>ADR, IMDG, IATA</b>	RESIN SOLUTION
· <b>14.3 Transport hazard class(es)</b>	
· <b>ADR, IMDG, IATA</b>	
	
· <b>Class</b>	3 Flammable liquids.
· <b>Label</b>	3
· <b>14.4 Packing group</b>	
· <b>ADR, IMDG, IATA</b>	III
· <b>14.5 Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>14.6 Special precautions for user</b>	Warning: Flammable liquids.
· <b>Hazard identification number (Kemler code):</b>	30
· <b>EMS Number:</b>	F-E, S-E
· <b>Stowage Category</b>	A
· <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADR</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>Transport category</b>	3
· <b>Tunnel restriction code</b>	D/E
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>UN "Model Regulation":</b>	UN1866, RESIN SOLUTION, 3, III

GB

(Contd. on page 9)



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 14.01.2022

Version number 4

Revision: 14.01.2022

**Trade name: 50 PMMA Series Resists in Anisole**

(Contd. of page 8)

**SECTION 15: Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**  
No further relevant information available.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

**· Relevant phrases**

H226 Flammable liquid and vapour.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.  
H335 May cause respiratory irritation.

**· Department issuing SDS:** Product safety department**· Contact:** Tom Cole, EHS Manager (tcole@kayakuAM.com)**· Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ICAO: International Civil Aviation Organisation  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Flam. Liq. 3: Flammable liquids – Category 3  
Acute Tox. 4: Acute toxicity – Category 4  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3