

Printing date 09/28/2021 Reviewed on 09/28/2021

### 1 Identification

· Product identifier

· Trade name: EBR PG

· Product number: G042075

· Application of the substance / the mixture Solvents

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Kayaku Advanced Materials, Inc.

200 Flanders Road

Westborough, MA 01581 Tel: (617) 965-5511 Fax: (617) 965-5818

· Information department:

Product Safety

Email: productsafety@kayakuAM.com

· Emergency telephone number:

Kayaku Advanced Materials : 617-965-5511 Chemtrec USA Emergency : 800-424-9300

Chemtrec International Emergency: 703-527-3887

### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



STOT SE 3 H336 May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

1-methoxy-2-propanol

· Hazard statements

H225 Highly flammable liquid and vapor.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

(Contd. on page 2)



Printing date 09/28/2021 Reviewed on 09/28/2021

Trade name: EBR PG

(Contd. of page 1)

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 If swallowed: Immediately call a poison center/doctor.

P302+P352 *If on skin: Wash with plenty of soap and water.* 

P304+P341 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for

breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

*If eye irritation persists: Get medical advice/attention.* P337+P313

In case of fire: Use to extinguish: Alcohol resistant foam, Fire-extinguishing powder, Carbon P370+P378

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2Fire = 3Reactivity = 1

· HMIS-ratings (scale 0 - 4)



Health = 2Fire = 3REACTIVITY 1 Reactivity = 1

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description**: Solvent mixture

ſ	· Dangerous components:		
	646-06-0 1,3-dioxolane	<b>⋄</b> Flam. Liq. 2, H225	50-80%
	107-98-2   1-methoxy-2-propanol	♠ Flam. Liq. 3, H226; ♠ STOT SE 3, H336	5-30%

### 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

*If skin irritation continues, consult a doctor.* 

(Contd. on page 3)



Printing date 09/28/2021 Reviewed on 09/28/2021

Trade name: EBR PG

(Contd. of page 2)

· After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

· After swallowing:

Do not induce vomiting unless instructed to do so by a physician. Wash out mouth with water and keep person at rest. Seek immediate medical attention.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed Treat symptomatically.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Alcohol resistant foam

Fire-extinguishing powder

ABC powder

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Formaldehyde

Can form explosive gas-air mixtures.

Containers may explode due to pressure increase when container is exposed to extreme heat. Vapors may travel a considerable distance to a source of ignition and flash back along vapor trail.

- · Advice for firefighters
- · Protective equipment: Wear SCBA.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Keep away from ignition sources

*Use respiratory protective device against the effects of fumes/dust/aerosol.* 

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.



Printing date 09/28/2021 Reviewed on 09/28/2021

Trade name: EBR PG

(Contd. of page 3)

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Keep away from heat and direct sunlight.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect from heat.

*Use explosion-proof apparatus / fittings and spark-proof tools.* 

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and containers:

Store in inert atmosphere or keep well sealed to prevent the formation of peroxides and other oxidation products. Store in a cool location.

Information about storage in one common storage facility:

Do not store together with alkalis (caustic solutions).

Do not store together with oxidizing and acidic materials.

· Further information about storage conditions:

Keep container tightly sealed.

Keep container well-sealed in cool, dry location.

Protect from heat and direct sunlight.

· Specific end use(s) Positive radiation resist edge bead remover

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

	· Components with limit values that require monitoring at the workplace:	ts with limit values that require monitoring at the workplace:	
ſ	646-06-0 1,3-dioxolane	oxolane	
Ī	TLV 61 mg/m³, 20 ppm		
Ī	107-98-2 1-methoxy-2-propanol		
	REL Short-term value: 540 mg/m³, 150 ppm Long-term value: 360 mg/m³, 100 ppm		
	TLV Short-term value: (553) NIC-369 mg/m³, (150) NIC-100 ppm Long-term value: (369) NIC-184 mg/m³, (100) NIC-50 ppm NIC-A4		

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from food and beverages.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

(Contd. on page 5)



Printing date 09/28/2021 Reviewed on 09/28/2021

Trade name: EBR PG

(Contd. of page 4)

- Respiratory equipment: Use suitable respiratory protective device in case of insufficient ventilation.
- Protection of hands:

Selection of glove material on consideration of the penetration times, rates of diffusion and degradation



### Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Contact golve manufacturerer for break-through time.

- · Material of gloves Butyl rubber, BR Nitrile rubber, NBR
- · Penetration time of glove material Contact glove manufacture for break-through time.
- · Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

· Information on basic physical and cl · General Information	hemical properties
· Appearance:	7::1
Form:	Liquid
Color:	Clear to light yellow
· Odor:	Characteristic
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	75 °C (167 °F)
· Flash point:	<7.5 °C (<45.5 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	270 °C (518 °F)
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits:	
Lower:	2.1 Vol %
Upper:	20.5 Vol %
**	Not determined.
· Vapor pressure at 20 °C (68 °F):	133 hPa (99.8 mm Hg)

(Contd. on page 6)



Printing date 09/28/2021 Reviewed on 09/28/2021

Trade name: EBR PG

		(Contd. of page
Density at 20 °C (68 °F):	1.0355 g/cm³ (8.64125 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/we	uter): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
VOC content:	100 %	
, 0 0 00		

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions

Polymerization.

Possible formation of peroxide.

· Conditions to avoid

Contact with incompatible materials.

Heat, flames and sparks. Extremes of temperature and direct sunlight.

- · Incompatible materials: Strong Oxidizing Agents, Strong Acids, Strong Bases
- · Hazardous decomposition products:

Formaldehyde

Carbon monoxide and carbon dioxide

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50	values that	are relevant for classification:		
646-06-0 1	646-06-0 1,3-dioxolane			
Oral	LD50	3000 mg/kg (Rat)		
Dermal	LD50	8480 mg/kg (rabbit)		
Inhalative	LC50	68.4 mg/L (Rat)		
107-98-2 1-methoxy-2-propanol		2-propanol		
Oral	LD50	5660 mg/kg (Rat)		
Dermal	LD50	13000 mg/kg (rabbit)		
Inhalative	LC50/4 h	54.6 mg/l (Rat)		

(Contd. on page 7)



Printing date 09/28/2021 Reviewed on 09/28/2021

Trade name: EBR PG

(Contd. of page 6)

- · Primary irritant effect:
- · on the skin:

Irritant to skin and mucous membranes.

Not a known skin irritant

*No irritant effect.* 

- on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization:

No sensitizing effects known.

No information

- Experience with humans: No further relevant information available.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

Inhalation of concentrated vapours as well as oral intake will lead to anaesthesia-like conditions and headache, dizziness, etc.

· Carcinogenic categories

#### · IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

#### · NTP (National Toxicology Program)

None of the ingredients are listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

- · Germ cell mutagenicity No information
- · Carcinogenicity No information
- · Specific target organ toxicity repeated exposure No information
- · Aspiration hazard No information

## 12 Ecological information

· Toxicity

· Aqua	· Aquatic toxicity:		
646-06-0 1,3-dioxolane			
Oral	14 day NOEC	>1000 mg/l (algae)	
	EC50	7650 mg/kg (daphnia magna)	
	LC50 48 hr	12000 mg/L (Sheepshead minnow)	
107-9	8-2 1-methoxy	-2-propanol	
	EC50 96 hr	23300 (daphnia magna)	
		>1000 (green algae)	
	LC50/96 h	20800 mg/l (Pimephales promelas)	

- · Persistence and degradability The single components are biodegradable
- · Behavior in environmental systems:
- · Bioaccumulative potential

Due to the distribution coefficient n-octanol/water a worth-mentioning accumulation in organisms is not expected.

· Mobility in soil

Component: Propylene glycol monomethyl ether, rapid dissipation in soil expected. Koc value between 1 and 50 indicating very high soil mobility.

(Contd. on page 8)



Printing date 09/28/2021 Reviewed on 09/28/2021

Trade name: EBR PG

(Contd. of page 7)

- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of as regular garbage/trash. Do not allow product to reach sewage system. Disposal must be made in accordance with Federal, State, and Local regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made in accordance with Federal, State, and Local regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, ADR, IMDG, IATA	UN1166	
· UN proper shipping name · DOT, IMDG, IATA · ADR	DIOXOLANE 1166 DIOXOLANE	
· Transport hazard class(es)		
·DOT		
· Class	3 Flammable liquids 3	
· ADR, IMDG, IATA	<del>-</del>	
· Class	3 Flammable liquids	
· Class		



Printing date 09/28/2021 Reviewed on 09/28/2021

Trade name: EBR PG

(Contd. of page 8)

· Environmental hazards:

· Marine pollutant:

· Special precautions for user Warning: Flammable liquids

· Hazard identification number (Kemler code): 33

• EMS Number: F-E,S-D

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN ''Model Regulation'': UN1166, DIOXOLANE, 3, II

## 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

No

- Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

- · TSCA (Toxic Substances Control Act): All ingredients are listed or comply with TSCA regulations.
- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients are listed.

· TLV (Threshold Limit Value)

*None of the ingredients are listed.* 

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

· Massachusetts State Right To Know List

107-98-2 | 1-methoxy-2-propanol

· New Jersey State Right To Know List

646-06-0 1,3-dioxolane

107-98-2 1-methoxy-2-propanol

· Pennsylvania Hazardous Substances List

646-06-0 1,3-dioxolane

(Contd. on page 10)



Printing date 09/28/2021 Reviewed on 09/28/2021

Trade name: EBR PG

(Contd. of page 9)

#### 107-98-2 | 1-methoxy-2-propanol

- · California SCAQMD Rule 443.1 VOC's: No information available.
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS02 GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

1-methoxy-2-propanol

· Hazard statements

H225 Highly flammable liquid and vapor. H336 May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

*P280* Wear protective gloves/protective clothing/eye protection/face protection.

*P301+P310 If swallowed: Immediately call a poison center/doctor.* 

*P302+P352 If on skin: Wash with plenty of soap and water.* 

P304+P341 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for

breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

*P337+P313 If eye irritation persists: Get medical advice/attention.* 

P370+P378 In case of fire: Use to extinguish: Alcohol resistant foam, Fire-extinguishing powder, Carbon

dioxide.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: Tom Cole, EHS Manager (tcole@kayakuAM.com)
- · Revision History:

The manufacturer's information in Section 1, the product hazard information in Section 2 and the component hazard information in Section 3 have been updated.

- Date of preparation / last revision 09/28/2021 / 5
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

(Contd. on page 11)



Printing date 09/28/2021 Reviewed on 09/28/2021

Trade name: EBR PG

(Contd. of page 10)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 2: Flammable liquids - Category 2 Flam. Liq. 3: Flammable liquids - Category 3

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3