

Printing date 10/12/2021

1 Identification

· Product identifier

Trade name: G Thinner - Positive Radiation Resist Thinner

- · Product number: G012100
- · Application of the substance / the mixture Thinner, Diluent
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Kayaku Advanced Materials, Inc.
 200 Flanders Road
 Westborough, MA 01581
 Tel: (617) 965-5511
 Fax: (617) 965-5818
- Information department: Product Safety Email: productsafety@kayakuAM.com • Emergency telephone number: Kayaku Advanced Materials : 617-965-5511 Chemtrec USA Emergency : 800-424-9300
- Chemtrec International Emergency : 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



Flam. Liq. 3 H226 Flammable liquid and vapor.



Skin Irrit. 2 H315 Causes skin irritation. Eve Irrit. 2A H319 Causes serious eve irritation.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Warning

 Hazard-determining components of labeling: Cyclopentanone
 Hazard statements H226 Flammable liquid and vapor.

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.

(Contd. on page 2)

Reviewed on 10/12/2021



Reviewed on 10/12/2021

Printing date 10/12/2021

Trade name: G Thinner - Positive Radiation Resist Thinner

	(Contd. of page 1)
Precautionary sta	<i>itements</i>
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P302+P352	If on skin: Wash with plenty of soap and water.
P304+P341	If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for
	breathing.
P305+P351+P33	88 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present
	and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use to extinguish: Alcohol resistant foam, Fire-extinguishing powder, Carbon
	dioxide.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)

 $\begin{array}{c} & Health = 2 \\ Fire = 3 \\ Reactivity = 0 \end{array}$

· HMIS-ratings (scale 0 - 4)



• Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:	
120-92-3 Cyclopentanone	75-100%
Flam. Liq. 3, H226; Skin Irrit. 2, H315; Eye Irrit. 2A, H319	
107-98-2 1-methoxy-2-propanol	5-25%
🚸 Flam. Liq. 3, H226; 🚸 STOT SE 3, H336	

4 First-aid measures

• Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

(Contd. on page 3)

US -



Printing date 10/12/2021

Reviewed on 10/12/2021

Trade name: G Thinner - Positive Radiation Resist Thinner

(Contd. of page 2)

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

• After swallowing:

Do not induce vomiting unless instructed to do so by a physician. Wash out mouth with water and keep person at rest. Seek immediate medical attention.

· Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed Treat symptomatically.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Alcohol resistant foam

- Fire-extinguishing powder
- Carbon dioxide
- For safety reasons unsuitable extinguishing agents: Water with full jet

Water

 \cdot Special hazards arising from the substance or mixture

Containers may explode due to pressure increase when container is exposed to extreme heat. Vapors may travel a considerable distance to a source of ignition and flash back along vapor trail.

- · Advice for firefighters
- Protective equipment: Wear SCBA.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources
 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- Do not flush with water or aqueous cleansing agents
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

(Contd. on page 4)



Printing date 10/12/2021

Reviewed on 10/12/2021

Trade name: G Thinner - Positive Radiation Resist Thinner

(Contd. of page 3)

7 Handling and storage · Handling: · Precautions for safe handling Ensure good ventilation/exhaust at the workplace. Prevent formation of aerosols. Keep receptacles tightly sealed. · Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. *Use explosion-proof apparatus / fittings and spark-proof tools.* Protect against electrostatic charges. · Conditions for safe storage, including any incompatibilities · Storage: • Requirements to be met by storerooms and containers: Store in a cool location. Store in inert atmosphere or keep well sealed to prevent the formation of peroxides and other oxidation products. · Information about storage in one common storage facility: Do not store together with oxidizing and acidic materials. Do not store together with alkalis (caustic solutions). • Further information about storage conditions: Keep container well-sealed in cool, dry location. Protect from heat and direct sunlight. Store receptacle in a well ventilated area. · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

107-98-2 1-methoxy-2-propanol

- REL Short-term value: 540 mg/m³, 150 ppm
 - Long-term value: 360 mg/m³, 100 ppm
- *TLV* Short-term value: 553 mg/m³, 150 ppm Long-term value: 369 mg/m³, 100 ppm

• Additional information: The lists that were valid during the creation were used as basis.

• Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from food and beverages.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.

· Respiratory equipment:

In case of low exposure, use cartridge respirator. In case of intensive or longer exposure, use SCBA.

(Contd. on page 5)

US -

(Contd. of page 4)



Safety Data Sheet acc. to OSHA HCS

Printing date 10/12/2021

Reviewed on 10/12/2021

Trade name: G Thinner - Positive Radiation Resist Thinner

• Protection of hands:



Protective gloves

- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
- \cdot Material of gloves Nitrile rubber, NBR
- · Penetration time of glove material Contact glove manufacture for break-through time.
- Eye protection:

Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Color: Clear to light yellow · Odor: Sweet · Odor threshold: Not determined. · pH-value: Not determined. · Change in condition *Melting point/Melting range:* Undetermined. **Boiling point/Boiling range:** 120-130 °C (248-266 °F) 30 °C (86 °F) · Flash point: Not applicable. · Flammability (solid, gaseous): 270 °C (518 °F) · Ignition temperature: Not determined. · Decomposition temperature: • Auto igniting: Product is not selfigniting. Product is not explosive. However, formation of explosive air/vapor • Danger of explosion: mixtures are possible. · Explosion limits: Lower: 1.3 Vol % Upper: Not determined. · Vapor pressure at 20 °C (68 °F): 12 hPa (9 mm Hg) · Density: 0.949 Relative density at 20 $^{\circ}C$ (68 $^{\circ}F$) Not determined. Vapor density Not determined. Not determined. **Evaporation** rate (Contd. on page 6)

US



Printing date 10/12/2021

Reviewed on 10/12/2021

Trade name: G Thinner - Positive Radiation Resist Thinner

		(Contd. of page 2
· Solubility in / Miscibility with Water:	Water miscible No	
· Partition coefficient (n-octanol/w	ater): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	100 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability Stable
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions Danger of polymerization.
- Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight. Contact with incompatible materials.

- Incompatible materials: Strong Oxidizing Agents, Strong Acids, Strong Bases
- Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

120-92-3 (none
Oral	LD50	1180 mg/kg (Rat)
Dermal	LD50	>2000 mg/kg (rabbit)
Inhalative	LC50/4 h	>19.5 mg/l (Rat)

107-98-2 1-methoxy-2-propanol

Oral	LD50	5660 mg/kg (Rat)
Dermal	LD50	13000 mg/kg (rabbit)
Inhalative	LC50/4 h	54.6 mg/l (Rat)

· Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

 \cdot on the eye: Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

 \cdot Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

(Contd. on page 7)

⁻ US –



Printing date 10/12/2021

Reviewed on 10/12/2021

Trade name: G Thinner - Positive Radiation Resist Thinner

(Contd. of page 6)

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

·NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

· Toxicity

• Aquatic toxicity:

120-92-3 Cyclopentanone

EC50/48 h 100 mg/l (daphnia magna)

EC50/72 h >100 mg/l (scenedesmus subspicatus)

LC50/96 h >100 mg/l (fish)

107-98-2 1-methoxy-2-propanol

EC50/96 hr 23300 mg/l (daphnia magna)

>1000 mg/l (green algae)

LC50/96 h 20800 mg/l (Pimephales promelas)

· Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

· Bioaccumulative potential No further relevant information available.

· Mobility in soil No further relevant information available.

• Additional ecological information:

• General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of as regular garbage/trash. Do not allow product to reach sewage system. Disposal must be made in accordance with Federal, State, and Local regulations.

• Uncleaned packagings:

• *Recommendation:* Disposal must be made in accordance with Federal, State, and Local regulations.

(Contd. on page 8)

(Contd. of page 7)



Safety Data Sheet acc. to OSHA HCS

Printing date 10/12/2021

Reviewed on 10/12/2021

Trade name: G Thinner - Positive Radiation Resist Thinner

UN-Number DOT, ADR, IMDG, IATA	UN1993
UN proper shipping name DOT, IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (CYCLOPENTANONE, METHOXY-2-PROPANOL)
ADR	1993 FLAMMABLE LIQUID, N.O.S. (CYCLOPENTANONE, METHOXY-2-PROPANOL)
Transport hazard class(es)	
DOT	
Class Label	3 Flammable liquids 3
Class	3 Flammable liquids
Label	3
Packing group DOT, ADR, IMDG, IATA	III
Environmental hazards: Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code): EMS Number:	: 33 F-E, <u>S-E</u>
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN ''Model Regulation'':	UN1993, FLAMMABLE LIQUID, N.O.S. (CYCLOPENTANON 1-METHOXY-2-PROPANOL), 3, III

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely hazardous substances):

None of the ingredients are listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

(Contd. on page 9)

US -



Reviewed on 10/12/2021

 α

Printing date 10/12/2021

Trade name: G Thinner - Positive Radiation Resist Thinner

	(Contd. of page 8)
• TSCA (Toxic Substances Control Act): All ingredients are listed or comply with TSCA regulations	3.
· Proposition 65	

· Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients are listed.

· TLV (Threshold Limit Value)

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

· Massachusetts State Right To Know List

120-92-3 Cyclopentanone

107-98-2 1-methoxy-2-propanol

· New Jersey State Right To Know List

120-92-3 Cyclopentanone

107-98-2 1-methoxy-2-propanol

· Pennsylvania Hazardous Substances List

120-92-3 Cyclopentanone

107-98-2 1-methoxy-2-propanol

· California SCAQMD Rule 443.1 VOC's: 950 g/L

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Warning

· Hazard-determining components of labeling: *Cyclopentanone*

· Hazard statements

H226 Flammable liquid and vapor.

H315 Causes skin irritation. H319 Causes serious eye irritation.

· Precautionary statements

P210

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

(Contd. on page 10)



Reviewed on 10/12/2021

Printing date 10/12/2021

Trade name: G Thinner - Positive Radiation Resist Thinner

	(Contd. of page 9)
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P302+P352	If on skin: Wash with plenty of soap and water.
P304+P341	If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.
P305+P351+P	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	<i>If eye irritation persists: Get medical advice/attention.</i>
P370+P378	In case of fire: Use to extinguish: Alcohol resistant foam, Fire-extinguishing powder, Carbon dioxide.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Chamical safet	assassment: A Chamical Safaty Assassment has not been carried out

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product safety department

· Contact: Tom Cole, EHS Manager (tcole@kayakuAM.com)

· Revision History:

The manufacturer's information in Section 1, the product hazard information in Section 2 and the component hazard information in Section 3 have been updated.

• Date of preparation / last revision 10/12/2021 / 4

• Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the

International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- Flam. Liq. 3: Flammable liquids Category 3
- Skin Irrit. 2: Skin corrosion/irritation Category 2
- *Eye Irrit. 2A: Serious eye damage/eye irritation Category 2A* STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

[,]**___**