

Safety data sheet according to UK REACH

Printing date 23.06.2025

Version number 9

Revision: 23.06.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: LOR C Series Resists

· Article number: G713708, G713711, G713713, G713714, G713716

· 1.2 Relevant identified uses of the substance or mixture and uses advised against
No further relevant information available.

· Sector of Use SU16 Manufacture of computer, electronic and optical products, electrical equipment

· Product category PC30 Photo-chemicals

· Application of the substance / the mixture Photoresist

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Manufacturer:

Kayaku Advanced Materials

200 Flanders Road

Westborough, MA 01581

Telephone: (617) 965-5511

Fax: (617) 965-5818

Importer:

A-Gas Electronic Materials

Unit 3, IO Centre

Swift Valley

Rugby, Warwickshire

CV21 1TW, UK

Tel: +44-0-1788-537535

Fax: +44-0-1788-535835

Website: www.agasem.com

Email: customerservice.em@agas.com

· Further information obtainable from:

Product Safety

Email: productsafety@kayakuam.com

· 1.4 Emergency telephone number:

Kayaku Advanced Materials : 617-965-5511

Chemtrec USA Emergency : 800-424-9300 (24 hr)

Chemtrec International Emergency : 703-527-3887 (24 hr)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS08 health hazard

Repr. 1B H360D May damage the unborn child.

(Contd. on page 2)

Safety data sheet according to UK REACH

Printing date 23.06.2025

Version number 9

Revision: 23.06.2025

Trade name: LOR C Series Resists

(Contd. of page 1)



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GHS02



GHS05



GHS07



GHS08

· Signal word *Danger*

· Hazard-determining components of labelling:

gamma-Butyrolactone

Tetrahydrofurfuryl alcohol

· Hazard statements

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H360D May damage the unborn child.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use to extinguish: Alcohol resistant foam, Fire-extinguishing powder, Carbon dioxide.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 3)

Safety data sheet according to UK REACH

Printing date 23.06.2025

Version number 9

Revision: 23.06.2025

Trade name: LOR C Series Resists

(Contd. of page 2)

- **Additional information:**
Restricted to professional users.
- **2.3 Other hazards**
None of the ingredients are included in the list established in accordance with Article 59(1) for having endocrine disrupting properties.
None of the ingredients are substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 (or Commission Regulation (EU) 2018/605).
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 120-92-3 EINECS: 204-435-9	Cyclopentanone ⚠ Flam. Liq. 3, H226; ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319	10-40%
CAS: 96-48-0 EINECS: 202-509-5	gamma-Butyrolactone ⚠ Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302; STOT SE 3, H336	5-20%
CAS: 102322-80-5	Polyaliphatic imide copolymer ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319	40-80%
CAS: 97-99-4 EINECS: 202-625-6	Tetrahydrofurfuryl alcohol ⚠ Repr. 1B, H360Df; ⚠ Eye Irrit. 2, H319	1-5%
	Proprietary Dye B ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	<1%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:**
Immediately remove any clothing soiled by the product.
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation:**
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.
- **After swallowing:** If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 4)

Safety data sheet according to UK REACH

Printing date 23.06.2025

Version number 9

Revision: 23.06.2025

Trade name: LOR C Series Resists

(Contd. of page 3)

 · 4.3 Indication of any immediate medical attention and special treatment needed *Treat symptomatically.*

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:
 - Alcohol resistant foam
 - Fire-extinguishing powder
 - Carbon dioxide
- For safety reasons unsuitable extinguishing agents: *Water with full jet*
- 5.2 Special hazards arising from the substance or mixture *No further relevant information available.*
- 5.3 Advice for firefighters
- Protective equipment: *Wear self-contained respiratory protective device.*

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
 - Wear protective equipment. Keep unprotected persons away.*
 - Ensure adequate ventilation*
 - Keep away from ignition sources.*
- 6.2 Environmental precautions: *Do not allow to enter sewers/ surface or ground water.*
- 6.3 Methods and material for containment and cleaning up:
 - Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).*
 - Ensure adequate ventilation.*
 - Do not flush with water or aqueous cleansing agents*
- 6.4 Reference to other sections
 - See Section 7 for information on safe handling.*
 - See Section 8 for information on personal protection equipment.*
 - See Section 13 for disposal information.*

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling
 - Ensure good ventilation/exhaust at the workplace.*
 - Prevent formation of aerosols.*
 - Use only under yellow light*
- Information about fire - and explosion protection:
 - Keep ignition sources away - Do not smoke.*
 - Protect against electrostatic charges.*
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
 - Requirements to be met by storerooms and containers:
 - Store in a cool location.*
 - Store in inert atmosphere or keep well sealed to prevent the formation of peroxides and other oxidation products.*
 - Information about storage in one common storage facility:
 - Do not store together with alkalis (caustic solutions).*
 - Do not store together with oxidising and acidic materials.*
 - Further information about storage conditions:
 - Store in cool, dry conditions in well sealed containers.*

(Contd. on page 5)

Safety data sheet according to UK REACH

Printing date 23.06.2025

Version number 9

Revision: 23.06.2025

Trade name: LOR C Series Resists

(Contd. of page 4)

- Protect from heat and direct sunlight.
- Store receptacle in a well ventilated area.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Additional information about design of technical facilities:** No further data; see section 7.
- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from food and beverages.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Respiratory protection:**
In case of low exposure use cartridge respirator. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Protection of hands:**



Protective gloves

- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
- **Material of gloves** Nitrile rubber, NBR
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Tightly sealed goggles

- **Body protection:** Long-sleeved work clothes

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Liquid
Colour:	Yellow-brown
Odour:	Sweetish

(Contd. on page 6)

Safety data sheet according to UK REACH

Printing date 23.06.2025

Version number 9

Revision: 23.06.2025

Trade name: LOR C Series Resists

(Contd. of page 5)

· Odour threshold:	Not determined.																														
· pH-value:	Not determined.																														
· Change in condition Melting point/freezing point: Initial boiling point and boiling range:	Undetermined. 130 °C																														
· Flash point:	30 °C																														
· Flammability	Not applicable.																														
· Auto-ignition temperature:	430 °C																														
· Decomposition temperature:	Not determined.																														
· Ignition temperature:	Product is not selfigniting.																														
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.																														
· Explosion limits: Lower: Upper:	2.7 Vol % 15.6 Vol %																														
· Vapour pressure at 20 °C:	1 hPa																														
· Density: · Relative density · Vapour density · Evaporation rate	Not determined See Other information Not determined. Not determined.																														
· Solubility in / Miscibility with water:	Insoluble.																														
· Partition coefficient: n-octanol/water:	Not determined.																														
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.																														
· 9.2 Other information	<table><tr><td>Name</td><td>Number</td><td>Sp. Grav.</td><td>VOC(%by wt.)</td><td>VOC(g/L)</td></tr><tr><td>LOR 5C</td><td>G713708</td><td>1.0207</td><td>35-40</td><td>400</td></tr><tr><td>LOR 10C</td><td>G713711</td><td>1.0296</td><td>25-30</td><td>300</td></tr><tr><td>LOR 15C</td><td>G713713</td><td>1.0346</td><td>20-25</td><td>240</td></tr><tr><td>LOR 20C</td><td>G713714</td><td>1.0383</td><td>15-20</td><td>200</td></tr><tr><td>LOR 30C</td><td>G713716</td><td>1.0418</td><td>10-15</td><td>140</td></tr></table>	Name	Number	Sp. Grav.	VOC(%by wt.)	VOC(g/L)	LOR 5C	G713708	1.0207	35-40	400	LOR 10C	G713711	1.0296	25-30	300	LOR 15C	G713713	1.0346	20-25	240	LOR 20C	G713714	1.0383	15-20	200	LOR 30C	G713716	1.0418	10-15	140
Name	Number	Sp. Grav.	VOC(%by wt.)	VOC(g/L)																											
LOR 5C	G713708	1.0207	35-40	400																											
LOR 10C	G713711	1.0296	25-30	300																											
LOR 15C	G713713	1.0346	20-25	240																											
LOR 20C	G713714	1.0383	15-20	200																											
LOR 30C	G713716	1.0418	10-15	140																											

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability** Stable
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid**
Heat, flames and sparks. Extremes of temperature and direct sunlight.
Contact with incompatible materials.
- **10.5 Incompatible materials:** Strong Oxidizing Agents, Strong Acids, Strong Bases

(Contd. on page 7)

Safety data sheet according to UK REACH

Printing date 23.06.2025

Version number 9

Revision: 23.06.2025

Trade name: LOR C Series Resists

(Contd. of page 6)

- **10.6 Hazardous decomposition products:**
Carbon monoxide and carbon dioxide
Hydrocarbons
Nitrogen oxides (NO_x)

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

120-92-3 Cyclopentanone

Oral	LD50	1180 mg/kg (Rat)
Dermal	LD50	>2000 mg/kg (rabbit)
Inhalative	LC50/4 h	>19.5 mg/l (Rat)

96-48-0 gamma-Butyrolactone

Oral	LD50	1540 mg/kg (Rat)
Dermal	LD50	5000 mg/kg (gui)
Inhalative	LC50/4 h	>5.1 mg/l (Rat)

97-99-4 Tetrahydrofurfuryl alcohol

Oral	LD50	1600 mg/kg (Rat)
------	------	------------------

- **Primary irritant effect:**
- **Skin corrosion/irritation**
Causes skin irritation.
- **Serious eye damage/irritation**
Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Experience with humans:** No further relevant information available.
- **Additional toxicological information:**
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity**
May damage the unborn child.
- **STOT-single exposure**
May cause drowsiness or dizziness.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

120-92-3 Cyclopentanone

EC50/48 h	100 mg/l (daphnia magna)
EC50/72 h	>100 mg/l (scenedesmus subspicatus)
LC50/96 h	>100 mg/l (fish)

(Contd. on page 8)

Safety data sheet according to UK REACH

Printing date 23.06.2025

Version number 9

Revision: 23.06.2025

Trade name: LOR C Series Resists

(Contd. of page 7)

96-48-0 gamma-Butyrolactone

EC50/17 h	>10000 mg/l (bacterium)
EC50/48 h	>500 mg/l (daphnia magna)
EC50/72 h	360 mg/l (green algae)
LC50/96 h	>220 - <460 mg/l (golden orfe)


- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
 Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
 Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
 Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- | | |
|--|-----------------------------|
| · 14.1 UN-Number
· ADR, IMDG, IATA | UN1866 |
| · 14.2 UN proper shipping name
· ADR, IMDG, IATA | RESIN SOLUTION |
| · 14.3 Transport hazard class(es)
· ADR, IMDG, IATA

<div style="text-align: center;">  </div> | 3 Flammable liquids.
3 |
| · 14.4 Packing group
· ADR, IMDG, IATA | III |
| · 14.5 Environmental hazards:
· Marine pollutant: | No |
| · 14.6 Special precautions for user | Warning: Flammable liquids. |

(Contd. on page 9)

Safety data sheet according to UK REACH

Printing date 23.06.2025

Version number 9

Revision: 23.06.2025

Trade name: LOR C Series Resists

(Contd. of page 8)

· Hazard identification number (Kemler code):	30
· EMS Number:	F-E,S-E
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
· Transport category	3
· Tunnel restriction code	D/E
· UN "Model Regulation":	UN 1866 RESIN SOLUTION, 3, III

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category P5c** FLAMMABLE LIQUIDS
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5.000 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50.000 t
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
 - H226 Flammable liquid and vapour.
 - H302 Harmful if swallowed.
 - H315 Causes skin irritation.
 - H318 Causes serious eye damage.
 - H319 Causes serious eye irritation.
 - H336 May cause drowsiness or dizziness.
 - H360Df May damage the unborn child. Suspected of damaging fertility.
- **Department issuing SDS:** Product safety department
- **Contact:** Tom Cole, EHS Manager (tcole@kayakuam.com)
- **Abbreviations and acronyms:**
 - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 - IMDG: International Maritime Code for Dangerous Goods
 - IATA: International Air Transport Association
 - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - ELINCS: European List of Notified Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - LC50: Lethal concentration, 50 percent
 - LD50: Lethal dose, 50 percent
 - PBT: Persistent, Bioaccumulative and Toxic
 - vPvB: very Persistent and very Bioaccumulative
 - Flam. Liq. 3: Flammable liquids – Category 3

(Contd. on page 10)

Safety data sheet
according to UK REACH

Printing date 23.06.2025

Version number 9

Revision: 23.06.2025

Trade name: LOR C Series Resists

Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Repr. 1B: Reproductive toxicity – Category 1B
Repr. 1B: Reproductive toxicity – Category 1B
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

(Contd. of page 9)

GB