

Printing date 18.12.2024 Version number 6 (replaces version 5) Revision: 18.12.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: MIBK

· Article number: M080100

• CAS Number: 108-10-1 • EC number:

203-550-1 • Index number: 606-004-00-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

- · Sector of Use SU16 Manufacture of computer, electronic and optical products, electrical equipment
- · Product category PC21 Laboratory chemicals
- · Application of the substance / the mixture Solvents
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Kayaku Advanced Materials, Inc.

200 Flanders Road Westborough, MA 01581 Tel: (617) 965-5511

Fax: (617) 965-5818

· Further information obtainable from:

Product Safety

Email: productsafety@kayakuam.com

· 1.4 Emergency telephone number:

Kayaku Advanced Materials : 617-965-5511 Chemtrec USA Emergency : 800-424-9300 (24 hr)

Chemtrec International Emergency: 703-527-3887 (24 hr)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS08 health hazard

Carc. 2 H351 Suspected of causing cancer.



Acute Tox. 4 H332 Harmful if inhaled.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

(Contd. on page 2)



Printing date 18.12.2024 Version number 6 (replaces version 5) Revision: 18.12.2024

Trade name: MIBK

(Contd. of page 1)

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

· Hazard pictograms







GHS02

GHS07 GHS

· Signal word Danger

· Hazard-determining components of labelling:

Methyl isobutyl ketone

· Hazard statements

H225 Highly flammable liquid and vapour.

H332 Harmful if inhaled.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use to extinguish: Alcohol resistant foam, Fire-extinguishing powder, Carbon

dioxide.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

· Determination of endocrine-disrupting properties

None of the ingredients are included in the list established in accordance with Article 59(1) for having endocrine disrupting properties.

None of the ingredients are substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 (or Commission Regulation (EU) 2018/605.



Printing date 18.12.2024 Version number 6 (replaces version 5) Revision: 18.12.2024

Trade name: MIBK

(Contd. of page 2)

SECTION 3: Composition/information on ingredients

- · 3.1 Substances
- · CAS No. Description

108-10-1 methyl isobutyl ketone

- · Identification number(s)
- · EC number: 203-550-1
- · Index number: 606-004-00-4
- · Acute toxicity estimate (ATE) values LC50/4 h inhalative: 11 mg/l

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Alcohol resistant foam

Fire-extinguishing powder

Carbon dioxide

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources.

- 6.2 Environmental precautions: Do not allow to enter sewers/surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Dispose contaminated material as waste according to section 13.

(Contd. on page 4)



Printing date 18.12.2024 Version number 6 (replaces version 5) Revision: 18.12.2024

Trade name: MIBK

(Contd. of page 3)

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaust at the workplace.

Store in cool, dry place in tightly closed receptacles.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Use explosion-proof apparatus / fittings and spark-proof tools.

Protect against electrostatic charges.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage.
- · Requirements to be met by storerooms and containers: Store in a cool location.
- · Information about storage in one common storage facility:

Do not store together with oxidising and acidic materials.

Do not store together with alkalis (caustic solutions).

· Further information about storage conditions:

Store in cool, dry conditions in well sealed containers.

Store receptacle in a well ventilated area.

Store under lock and key and with access restricted to technical experts or their assistants only.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

108-10-1 Methyl isobutyl ketone

IOELV Short-term value: 208 mg/m³, 50 ppm Long-term value: 83 mg/m³, 20 ppm

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from food and beverages.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

Respiratory protection:

In case of low exposure use cartridge respirator. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 5)



Printing date 18.12.2024 Version number 6 (replaces version 5) Revision: 18.12.2024

Trade name: MIBK

· Hand protection

(Contd. of page 4)



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- · Material of gloves Nitrile rubber, NBR
- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

· Body protection: Long-sleeved work clothes

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Odour threshold:

Liquid

Colourless
Characteristic
Not determined.

• Melting point/freezing point: -83.5 °C

· Boiling point or initial boiling point

and boiling range 114 °C

· Flammability Not applicable.

· Lower and upper explosion limit

Lower: 1.7 Vol %
 Upper: 9 Vol %
 Flash point: 14 °C
 Auto-ignition temperature: 460 °C

• **Decomposition temperature:** Not determined. • **pH** Not determined.

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

Solubility

• water at **20 °C**: 19 g/l

· Partition coefficient n-octanol/water

(log value) Not determined.

· Vapour pressure at 20 °C: 8 hPa

· Density and/or relative density

Density at 20 °C: 0.8008 g/cm³
 Relative density Not determined.
 Vapour density Not determined.

(Contd. on page 6)



Version number 6 (replaces version 5) Revision: 18.12.2024 Printing date 18.12.2024

Trade name: MIBK

(Contd. of page 5)

· 9.2 Other information

· Appearance:

Form: Liquid

· Important information on protection of health and environment, and on safety.

Ignition temperature: Not determined.

· Explosive properties: Product is not explosive. However, formation of explosive air/vapour

mixtures are possible.

100.0 % · Organic solvents:

· Change in condition

· Evaporation rate 1.6 (BuAc=1)

· Information with regard to physical

hazard classes

· Explosives Not applicable. · Flammable gases Not applicable. Not applicable. · Aerosols · Oxidising gases Not applicable. · Gases under pressure Not applicable.

· Flammable liquids Highly flammable liquid and vapour.

Not applicable. · Flammable solids Not applicable. Self-reactive substances and mixtures Not applicable. · Pyrophoric liquids · Pyrophoric solids Not applicable. · Self-heating substances and mixtures *Not applicable.*

· Substances and mixtures, which emit

flammable gases in contact with water Not applicable. · Oxidising liquids Not applicable. · Oxidising solids *Not applicable.* · Organic peroxides Not applicable. · Corrosive to metals Not applicable. · Desensitised explosives Not applicable.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability Stable
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight. Contact with incompatible materials.

- · 10.5 Incompatible materials: Strong Oxidizing Agents, Strong Acids, Strong Bases
- · 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide



Printing date 18.12.2024 Version number 6 (replaces version 5) Revision: 18.12.2024

Trade name: MIBK

(Contd. of page 6)

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

Harmful if inhaled.

· LD/LC50 values relevant for classification:					
108-10-1 Methyl isobutyl ketone					
Oral	LD50	2080 mg/kg (Rat)			
Dermal	LD50	1600 mg/kg (rab)			
Inhalative	LC50/4 h	100 mg/l (Rat)			

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity

Suspected of causing cancer.

- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause drowsiness or dizziness.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

Substance is not listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic tox	· Aquatic toxicity: 108-10-1 Methyl isobutyl ketone				
108-10-1 M					
EC50/96 hr	980 mg/l (scenedesmus subspicatus)				
	400 mg/l (Selenastrum capricornutum)				
LC50/24 h	5000 mg/l (daphnia magna)				
	460 mg/l (goldfish)				
LC50/96 h	505 mg/l (fathead minnow)				
	505-540 mg/l (Pimephales promelas)				
	600 mg/l (Salmo gairdneri)				

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 8)



Printing date 18.12.2024 Version number 6 (replaces version 5) Revision: 18.12.2024

Trade name: MIBK

(Contd. of page 7)

· 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Disposal must be made in accordance with International, National, and regional regulations.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

Label 3 14.4 Packing group ADR, IMDG, IATA II 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Warning: Flammable liquids. Hazard identification number (Kemler code): 33 EMS Number: F-E,S-D 14.7 Maritime transport in bulk according to IMO instruments Not applicable. Transport/Additional information: ADR	14.1 UN number or ID number	
ADR, IMDG, IATA 14.3 Transport hazard class(es) ADR, IMDG, IATA Class Label 14.4 Packing group ADR, IMDG, IATA 11.4.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: 14.7 Maritime transport in bulk according to IMO instruments Not applicable. Transport/Additional information: ADR	ADR, IMDG, IATA	UN1245
14.3 Transport hazard class(es) ADR, IMDG, IATA Class		
ADR, IMDG, IATA Class Label 3 Flammable liquids. 3 14.4 Packing group ADR, IMDG, IATA II 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: F-E,S-D 14.7 Maritime transport in bulk according to IMO instruments Not applicable. Transport/Additional information: ADR	ADR, IMDG, IATA	METHYL ISOBUTYL KETONE
Class Label 3 Flammable liquids. 3 14.4 Packing group ADR, IMDG, IATA II 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: F-E,S-D 14.7 Maritime transport in bulk according to IMO instruments Not applicable. Transport/Additional information: ADR	14.3 Transport hazard class(es)	
Label 3 14.4 Packing group ADR, IMDG, IATA II 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Warning: Flammable liquids. Hazard identification number (Kemler code): 33 EMS Number: F-E,S-D 14.7 Maritime transport in bulk according to IMO instruments Not applicable. Transport/Additional information: ADR	ADR, IMDG, IATA	
Label 3 14.4 Packing group ADR, IMDG, IATA II 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Warning: Flammable liquids. Hazard identification number (Kemler code): 33 EMS Number: F-E,S-D 14.7 Maritime transport in bulk according to IMO instruments Not applicable. Transport/Additional information: ADR		
14.4 Packing group ADR, IMDG, IATA II 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: F-E,S-D 14.7 Maritime transport in bulk according to IMO instruments Not applicable. Transport/Additional information: ADR	Class	3 Flammable liquids.
ADR, IMDG, IATA II 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: F-E,S-D 14.7 Maritime transport in bulk according to IMO instruments Not applicable. Transport/Additional information: ADR	Label	3
14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: F-E,S-D 14.7 Maritime transport in bulk according to IMO instruments Not applicable. Transport/Additional information: ADR		
Marine pollutant: 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: 14.7 Maritime transport in bulk according to IMO instruments Transport/Additional information: ADR	ADR, IMDG, IATA	II
14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: 14.7 Maritime transport in bulk according to IMO instruments Transport/Additional information: ADR		
Hazard identification number (Kemler code): 33 EMS Number: F-E,S-D 14.7 Maritime transport in bulk according to IMO instruments Not applicable. Transport/Additional information: ADR	Marine pollutant:	No
EMS Number: F-E,S-D 14.7 Maritime transport in bulk according to IMO not applicable. Transport/Additional information: ADR		
14.7 Maritime transport in bulk according to IMO instruments Not applicable. Transport/Additional information: ADR		
Transport/Additional information: ADR	EMS Number:	F-E,S-D
Transport/Additional information: ADR	•	
ADR	instruments	Not applicable.
	Transport/Additional information:	
	ADR	
Limited quantities (LQ) 1L	Limited quantities (LQ)	1L



Printing date 18.12.2024 Version number 6 (replaces version 5) Revision: 18.12.2024

Trade name: MIBK

(Contd. of page 8)

· Tunnel restriction code	D/E
· UN "Model Regulation":	UN1245, METHYL ISOBUTYL KETONE, 3, II

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

Substance is not listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

Substance is not listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

Substance is not listed.

· Regulation (EC) No 273/2004 on drug precursors

Substance is not listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

Substance is not listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Classification according to Regulation (EC) No 1272/2008

Art. 9(1) of Regulation (EC) No. 1272/2008 was used for classification purposes.

- · **Department issuing SDS:** Product safety department
- · Contact: Tom Cole, EHS Manager (tcole@kayakuam.com)
- · Revision History:

The manufacturer's information in Section 1, the product hazard information in Section 2 and the component hazard information in Section 3 have been updated.

- · Version number of previous version: 5
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent



Version number 6 (replaces version 5) Printing date 18.12.2024 Revision: 18.12.2024

Trade name: MIBK

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2
Acute Tox. 4: Acute toxicity – Category 4
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Carc. 2: Carcinogenicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

(Contd. of page 9)