

Printing date 07.02.2022 Version number 3 Revision: 07.02.2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: MicroChem Remover 1112A

· Article number: L320000

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Sector of Use SU16 Manufacture of computer, electronic and optical products, electrical equipment
- · Product category PC21 Laboratory chemicals
- · Application of the substance / the mixture

Photoresist remover Photoresist remover

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Manufacturer:

Kayaku Advanced Materials

200 Flanders Road

Westborough, MA 01581 Telephone: (617) 965-5511

Fax: (617) 965-5818

Importer:

A-Gas Electronic Materials

Unit 3, IO Centre

Swift Valley

Rugby, Warwickshire

CV21 1TW, UK

Tel: +44-0-1788-537535 Fax: +44-0-1788-535835 Website: www.agasem.com

Email: customerservice.em@agas.com

Further information obtainable from:

Product Safety

Email: productsafety@kayakuAM.com

· 1.4 Emergency telephone number:

Kayaku Advanced Materials : 617-965-5511 Chemtrec USA Emergency : 800-424-9300 (24 hr)

Chemtrec International Emergency: 703-527-3887 (24 hr)

## SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Carc. 2 H351 Suspected of causing cancer.





Printing date 07.02.2022 Version number 3 Revision: 07.02.2022

Trade name: MicroChem Remover 1112A

(Contd. of page 1)

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



Acute Tox. 4 H312 Harmful in contact with skin.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms







GHS05 GHS07 GHS08

- · Signal word Danger
- · Hazard-determining components of labelling:

Proprietary solvent blend

Monoethanolamine

Furfuryl alcohol

- · Hazard statements
- H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H351 Suspected of causing cancer.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

*Avoid breathing dust/fume/gas/mist/vapours/spray.* 

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

*P337+P313 If eye irritation persists: Get medical advice/attention.* 

P370+P378 In case of fire: Use to extinguish: Alcohol resistant foam, Fire-extinguishing powder, Carbon

dioxide.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.



Printing date 07.02.2022 Version number 3 Revision: 07.02.2022

Trade name: MicroChem Remover 1112A

(Contd. of page 2)

#### SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous compone	ents:	
CAS: 112-34-5	Butyl carbitol	25-50%
EINECS: 203-961-6	<b>♦</b> Eye Irrit. 2, H319	
	Proprietary solvent blend	25-50%
	♠ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 141-43-5	Monoethanolamine	10-25%
EINECS: 205-483-3	Skin Corr. 1B, H314; <b>(</b> ) Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332	
CAS: 34590-94-8	Dipropylene glycol monomethyl ether	10-25%
EINECS: 252-104-2	substance with a Community workplace exposure limit	
	Proprietary Polyether	5-15%
	<b>♦</b> Acute Tox. 4, H302	
CAS: 98-00-0	Furfuryl alcohol	1-5%
EINECS: 202-626-1	Acute Tox. 3, H331; <b>&amp;</b> Carc. 2, H351; STOT RE 2, H373; <b>!</b> Acute Tox. 4, H302; Acute Tox. 4, H312; Eye Irrit. 2, H319; STOT SE 3, H335	

#### · Additional Components:

CAS: 7732-18-5 Water EINECS: 231-791-2

1-5%

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

· After swallowing:

Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.



Printing date 07.02.2022 Version number 3 Revision: 07.02.2022

Trade name: MicroChem Remover 1112A

(Contd. of page 3)

### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Alcohol resistant foam

Fire-extinguishing powder

Carbon dioxide

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaust at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

*Use explosion-proof apparatus / fittings and spark-proof tools.* 

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility:

Do not store together with oxidising and acidic materials.

· Further information about storage conditions:

Store in cool, dry conditions in well sealed containers.

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

(Contd. on page 5)



Printing date 07.02.2022 Version number 3 Revision: 07.02.2022

Trade name: MicroChem Remover 1112A

(Contd. of page 4)

· 7.3 Specific end use(s) For Research and Development Use Only

### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see item 7.

· Ingredients	with	limit	values	that	require	monitoring	at the	workplace:	
112 24 5 D	1.1.	1. 1.	. 1						Τ

#### 112-34-5 Butyl carbitol

WEL Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm

#### Proprietary solvent blend

WEL Short-term value: 246 mg/m³, 50 ppm Long-term value: 123 mg/m³, 25 ppm Sk. BMGV

#### 141-43-5 Monoethanolamine

WEL Short-term value: 7.6 mg/m³, 3 ppm Long-term value: 2.5 mg/m³, 1 ppm

### 34590-94-8 Dipropylene glycol monomethyl ether

WEL Long-term value: 308 mg/m³, 50 ppm Sk

#### · Ingredients with biological limit values:

### Proprietary solvent blend

BMGV 240 mmol/mol creatinine

Medium: urine

Sampling time: post shift Parameter: butoxyacetic acid

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from food and beverages.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of low exposure use cartridge respirator. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves Neoprene gloves

(Contd. on page 6)



Printing date 07.02.2022 Version number 3 Revision: 07.02.2022

Trade name: MicroChem Remover 1112A

(Contd. of page 5)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· **Body protection:** Apron

## SECTION 9: Physical and chemical properties

•	
· 9.1 Information on basic physical and c	chemical properties
· General Information	
· Appearance:	
Form:	Fluid
Colour:	Light yellow
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value at 20 °C:	>12
· Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	2: 100 °C
· Flash point:	82 °C
· Flammability (solid, gas):	Not applicable.
· Ignition temperature:	225 °C
Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Not determined.
· Explosion limits:	
Lower:	0.9 Vol %
Upper:	14.0 Vol %
· Vapour pressure at 20 °C:	1.2 hPa
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	

(Contd. on page 7)



Revision: 07.02.2022 Printing date 07.02.2022 Version number 3

Trade name: MicroChem Remover 1112A

		(Contd. of page 6)
Kinematic:	Not determined.	
Solvent content: Organic solvents:	88.9 %	
Solids content:	6.1 %	
· 9.2 Other information	No further relevant information available.	

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

Contact with incompatible materials.

· 10.5 Incompatible materials:

Strong oxidizing agents

Strong acids

· 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

## SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful in contact with skin.

		tact with skin. es relevant for classification:
		lvent blend
Oral	LD50	1480 mg/kg (Rat)
Dermal	LD50	400 mg/kg (rab)
141-43	5 Mond	oethanolamine
Oral	LD50	2050 mg/kg (Rat)
Dermal	LD50	1000 mg/kg (rabbit)
98-00-0	Furfu	ryl alcohol
Oral	LD50	160 mg/kg (mouse)
Dermal	LD50	400 mg/kg (rabbit)
Propriet	ary sol	vent blend
Oral	LD50	1300 mg/kg (Rat)
Dermal	LD50	400 mg/kg (rab)
34590-9	4-8 Di <sub>l</sub>	propylene glycol monomethyl ether
Oral	LD50	5135 mg/kg (Rat)
Dermal	LD50	>19000 mg/kg (rab)
		(Contd. on page



Printing date 07.02.2022 Version number 3 Revision: 07.02.2022

Trade name: MicroChem Remover 1112A

(Contd. of page 7)

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity

Suspected of causing cancer.

- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

· 12.1 Toxicity

:
carbitol
>100 mg/l (algae)
1300 mg/l (Lepomis macrochirus (Bluegill))
vent blend
1550 mg/l (Water flea)
1474 mg/l (rainbow trout (Oncorhynchus mykiss))
ropylene glycol monomethyl ether
1919 mg/L (daphnia magna)
>1000 mg/l (Poecillia reticulata (guppy))
ethanolamine ethanolamine
349 mg/l (Cyprinus carpio (common carp))
yl alcohol
115 mg/l (daphnia magna)
701-1356 mg/L (Leuciscus idus)
,,

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 9)



Printing date 07.02.2022 Version number 3 Revision: 07.02.2022

Trade name: MicroChem Remover 1112A

(Contd. of page 8)

· 12.6 Other adverse effects No further relevant information available.

## SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport informate	ion
14.1 UN-Number ADR, IMDG, IATA	UN2491
14.2 UN proper shipping name ADR, IMDG, IATA	ETHANOLAMINE SOLUTION
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class Label	8 Corrosive substances. 8
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user EMS Number:	Warning: Corrosive substances. F-A,S-B
14.7 Transport in bulk according to Anne Marpol and the IBC Code	ex II of Not applicable.
Transport/Additional information:	
ADR Limited quantities (LQ)	5L
UN "Model Regulation":	UN2491, ETHANOLAMINE SOLUTION, 8, III

### SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 10)



Printing date 07.02.2022 Version number 3 Revision: 07.02.2022

Trade name: MicroChem Remover 1112A

(Contd. of page 9)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

#### · Department issuing SDS: Product safety department

· Contact: Tom Cole, EHS Manager (tcole@kayakuAM.com)

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 3: Acute toxicity - Category 3

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Carc. 2: Carcinogenicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2