Advanced materials

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.12.2024

Revision: 18.12.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: PMGI SFG Slow Series Resists

• Article number:

G212120, G212150, G212160, G212170, G212101, G212102, G212103, G212106, G212109, G212115

- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Sector of Use SU16 Manufacture of computer, electronic and optical products, electrical equipment
- Product category PC30 Photo-chemicals
- · Application of the substance / the mixture Photoresist
- 1.3 Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Kayaku Advanced Materials, Inc. 200 Flanders Road Westborough, MA 01581 Tel: (617) 965-5511 Fax: (617) 965-5818
- Further information obtainable from: Product Safety
 Email: productsafety@kayakuam.com
 1.4 Emergency telephone number:
- Kayaku Advanced Materials : 617-965-5511 Chemtrec USA Emergency : 800-424-9300 (24 hr) Chemtrec International Emergency : 703-527-3887 (24 hr)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008

GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.

GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

```
· 2.2 Label elements
```

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation. Hazard pictograms



· Signal word Warning

(Contd. on page 2)

ADVANCED MATERIALS according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.12.2024

ΚΫΫΫΚΙ

Version number 6 (replaces version 5)

Revision: 18.12.2024

Trade name: PMGI SFG Slow Series Resists

	(Contd. of page 1)
Hazard stateme	
	le liquid and vapour.
H315 Causes si	
H319 Causes so	erious eye irritation.
Precautionary	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280 P301+P310	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P304+P341	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use to extinguish: Alcohol resistant foam, Fire-extinguishing powder, Carbon dioxide.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
2.3 Other haza	rds
Results of PBT	and vPvB assessment
PBT: Not appli	
vPvB: Not appl	icable.
	of endocrine-disrupting properties
	redients are included in the list established in accordance with Article 59(1) for having endocrine
None of the ing	redients are substances identified as having endocrine disrupting properties in accordance with tout in Commission Delegated Regulation (EU) 2017/2100 (or Commission Regulation (EU)

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

2018/605.

• Description: Mixture of substances listed below with nonhazardous additions.

CAS: 120-92-3	Cyclopentanone	65-85%
EINECS: 204-435-9	🛞 Flam. Liq. 3, H226; 🕔 Skin Irrit. 2, H315; Eye Irrit. 2, H319	
Index number: 606-025-00-9	✓ 1 / / ✓ / / / ✓ / / / / / / / / / / /	
Reg.nr.: 01-2119495595-21-0000		
CAS: 102322-80-5	Polyaliphatic imide copolymer	1-25%
	🚯 Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 107-98-2	1-methoxy-2-propanol	1-15%
EINECS: 203-539-1	🚸 Flam. Liq. 3, H226; 🚯 STOT SE 3, H336	
Index number: 603-064-00-3		

(Contd. on page 3)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.12.2024

Version number 6 (replaces version 5)

Revision: 18.12.2024

Trade name: PMGI SFG Slow Series Resists

(Contd. of page 2)

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact:

Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

• After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

• *After swallowing: If symptoms persist consult doctor.*

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:
- Alcohol resistant foam Fire-extinguishing powder Carbon dioxide
- · For safety reasons unsuitable extinguishing agents: Water with full jet

• 5.2 Special hazards arising from the substance or mixture Containers may explode due to pressure increase when container is exposed to extreme heat. Vapors may travel a considerable distance to a source of ignition and flash back along vapor trail.

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Keep away from ignition sources. Ensure adequate ventilation
 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- Do not flush with water or aqueous cleansing agents
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

(Contd. on page 4)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.12.2024

Version number 6 (replaces version 5)

Revision: 18.12.2024

Trade name: PMGI SFG Slow Series Resists

ADVANCED MATERIALS

(Contd. of page 3)

SECTION 7: Handling and storage · 7.1 Precautions for safe handling Ensure good ventilation/exhaust at the workplace. Prevent formation of aerosols. · Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Use explosion-proof apparatus / fittings and spark-proof tools. · 7.2 Conditions for safe storage, including any incompatibilities · Storage: • **Requirements to be met by storerooms and containers:** Store in a cool location. · Information about storage in one common storage facility: Do not store together with alkalis (caustic solutions). Do not store together with oxidising and acidic materials. • Further information about storage conditions: Store in cool, dry conditions in well sealed containers. · 7.3 Specific end use(s) No further relevant information available. SECTION 8: Exposure controls/personal protection · 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace: 107-98-2 1-methoxy-2-propanol *IOELV* Short-term value: 568 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm Skin • Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls · Appropriate engineering controls No further data; see section 7. · Individual protection measures, such as personal protective equipment General protective and hygienic measures: Keep away from food and beverages. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

• *Respiratory protection:*

In case of low exposure use cartridge respirator. In case of intensive or longer exposure use self-contained respiratory protective device.

• Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. • *Material of gloves Nitrile rubber, NBR*

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

EU -

IAL5Safety data sheetaccording to Regulation (EC) No 1907/2006, Article 31

Printing date 18.12.2024

Version number 6 (replaces version 5)

Revision: 18.12.2024


Trade name: PMGI SFG Slow Series Resists

<u>ΚΛΥΛΚΠ</u>[®]

ADVANCED MATERIALS

(Contd. of page 4)

· Eye/face protection



· Body protection: Long-sleeved work clothes

SECTION 9: Physical and chemical properties

General Information	Liquid			
Physical state	Liquid			
Colour: Odour:	Clear to light yellow			
Oaour: Odour threshold:	Slightly sweet Not determined.			
	Not determined. Undetermined.			
Melting point/freezing point:	Onuelerminea.			
Boiling point or initial boiling point and boiling range	120 °C			
ana bouing range Flammability	<i>Not applicable.</i>			
r tammabuly Lower and upper explosion limit				
Lower and upper explosion limit Lower:	2.3 Vol %			
Lower. Upper:	2.5 Vol 76 Not determined.			
Flash point:	30 °C			
Auto-ignition temperature:	270 °C			
Decomposition temperature:	Not determined.			
pH	Not determined.			
Viscosity:	1101 uctor milicu.			
Kinematic viscosity	Not determined.			
Dynamic:	Not miscible or difficult to mix.			
Solubility				
water:				
Partition coefficient n-octanol/water				
(log value)	Not determined.			
Vapour pressure at 20 °C:	12 hPa			
Density and/or relative density				
Density:	Not determined			
Relative density	See Other information			
Vapour density	Not determined.			
9.2 Other information	Name Number Sp. Grav. VOC(%by wt.) V	OC(g/L)		
		40		
		40		
		35		
		35		
		35		
		30		
		25		
		20		
		05		
		90		

according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.12.2024

Version number 6 (replaces version 5)

Revision: 18.12.2024

Trade name: PMGI SFG Slow Series Resists

ΚϪϒϪΚLΙ

ADVANCED MATERIALS

	(Contd. of page
Appearance:	
Form:	Liquid
Important information on protection of	•
health and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapou mixtures are possible.
Information with regard to physical	
hazard classes	
Explosives	Not applicable.
Flammable gases	Not applicable.
Aerosols	Not applicable.
Oxidising gases	Not applicable.
Gases under pressure	Not applicable.
Flammable liquids	Flammable liquid and vapour.
Flammable solids	Not applicable.
Self-reactive substances and mixtures	Not applicable.
Pyrophoric liquids	Not applicable.
Pyrophoric solids	Not applicable.
Self-heating substances and mixtures	Not applicable.
Substances and mixtures, which emit	
flammable gases in contact with water	Not applicable.
Oxidising liquids	Not applicable.
Oxidising solids	Not applicable.
Organic peroxides	Not applicable.
Corrosive to metals	Not applicable.
Desensitised explosives	Not applicable.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability Stable
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid Heat, flames and sparks. Extremes of temperature and direct sunlight.
- Contact with incompatible materials.
- 10.5 Incompatible materials: Strong Oxidizing Agents, Strong Acids, Strong Bases
- · 10.6 Hazardous decomposition products:
- Carbon monoxide and carbon dioxide Nitrogen oxides

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 7)

• EU •

Advanced materials

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.12.2024

Version number 6 (replaces version 5)

Revision: 18.12.2024

Trade name: PMGI SFG Slow Series Resists

			(Contd. of page (
· LD/LC50	values rele	evant for classification:	
120-92-3 (Cyclopenta	none	
Oral	LD50	1180 mg/kg (Rat)	
Dermal	LD50	>2000 mg/kg (rabbit)	
Inhalative	LC50/4 h	>19.5 mg/l (Rat)	
107-98-2]	1-methoxy-	-2-propanol	
Oral	LD50	5660 mg/kg (Rat)	
Dermal	LD50	13000 mg/kg (rabbit)	
Inhalative	LC50/4 h	54.6 mg/l (Rat)	
102322-80)-5 Polyalij	phatic imide copolymer	
Oral	LD50	>5000 mg/kg (Rat) (Data for compositionally similar material)	
Dermal	LD50	>5000 mg/kg (Rat) (Data for compositionally similar material)	
· Serious ey	osion/irrita in irritation	tion 1. firitation	
Respirator	ry or skin s	sensitisation Based on available data, the classification criteria are not met.	

• Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

• 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic tox	icity:	
120-92-3 C	yclopentanone	
EC50/48 h	100 mg/l (daphnia magna)	
EC50/72 h	>100 mg/l (scenedesmus subspicatus)	
LC50/96 h	>100 mg/l (fish)	
107-98-2 1-	methoxy-2-propanol	
EC50/96 hr	23300 mg/l (daphnia magna)	
1	>1000 mg/l (green algae)	
LC50/96 h	20800 mg/l (Pimephales promelas)	
· 12.3 Bioacc · 12.4 Mobili	Fence and degradability Moderately /partly biodegradable cumulative potential No further relevant information available. ty in soil No further relevant information available. s of PBT and vPvB assessment pplicable.	
1	1	(Contd. on page 8)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.12.2024

Version number 6 (replaces version 5)

Revision: 18.12.2024

(Contd. of page 7)

Trade name: PMGI SFG Slow Series Resists

• **vPvB:** Not applicable.

· 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Disposal must be made in accordance with International, National, and regional regulations.

• Uncleaned packaging:

• *Recommendation:* Disposal must be made according to official regulations.

14.1 UN number or ID number ADR, IMDG, IATA	UN1866	
14.2 UN proper shipping name ADR IMDG, IATA	1866 RESIN SOLUTION RESIN SOLUTION	
14.3 Transport hazard class(es)		
ADR, IMDG, IATA		
Class Label	3 Flammable liquids. 3	
	5	
14.4 Packing group ADR, IMDG, IATA	III	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Warning: Flammable liquids.	
Hazard identification number (Kemler code): EMS Number:	33 F-E, <u>S-E</u>	
14.7 Maritime transport in bulk according to IM	10	



according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.12.2024

Version number 6 (replaces version 5)

Revision: 18.12.2024

Trade name: PMGI SFG Slow Series Resists

ADVANCED MATERIALS

	(Contd. of page 8)
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
· Transport category	3
• Tunnel restriction code	D/E
· UN "Model Regulation":	UN1866, RESIN SOLUTION, 3, III

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

• **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

• *REGULATION (EU) 2019/1148*

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Classification according to Regulation (EC) No 1272/2008

Art. 9(1) of Regulation (EC) No. 1272/2008 was used for classification purposes.

· Department issuing SDS: Product safety department

· Contact: Tom Cole, EHS Manager (tcole@kayakuam.com)

• Revision History:

The manufacturer's information in Section 1, the product hazard information in Section 2 and the component hazard information in Section 3 have been updated.

(Contd. on page 10)

Safety data sheetaccording to Regulation (EC) No 1907/2006, Article 31

Printing date 18.12.2024

Version number 6 (replaces version 5)

Revision: 18.12.2024

Trade name: PMGI SFG Slow Series Resists

	(Contd. of page
ļ	Version number of previous version: 5
	Abbreviations and acronyms:
K	RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning International Transport of Dangerous Goods by Rail)
	CAO: International Civil Aviation Organisation
A	ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the Internation Carriage of Dangerous Goods by Road)
	IMDG: International Maritime Code for Dangerous Goods
	IATA: International Air Transport Association
	GHS: Globally Harmonised System of Classification and Labelling of Chemicals
	EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society)
	LC50: Lethal concentration, 50 percent
	LD50: Lethal dose, 50 percent
ŀ	PBT: Persistent, Bioaccumulative and Toxic
v	PVB: very Persistent and very Bioaccumulative
F	Flam. Liq. 3: Flammable liquids – Category 3
S	Skin Irrit. 2: Skin corrosion/irritation – Category 2
Ŀ	Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
	STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

