ADVANCED MATERIALS

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.12.2024

Revision: 13.12.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier
Trade name: <u>PN 1000 Developer</u>
Article number: Y056075

• UFI: MG4D-UM7E-W39T-6676

 \cdot 1.2 Relevant identified uses of the substance or mixture and uses advised against

- Sector of Use SU16 Manufacture of computer, electronic and optical products, electrical equipment
- Product category PC21 Laboratory chemicals
- · Application of the substance / the mixture Photoresist Developer
- 1.3 Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Kayaku Advanced Materials, Inc.
 200 Flanders Road
 Westborough, MA 01581
 Tel: (617) 965-5511
 Fax: (617) 965-5818
- Further information obtainable from: Product Safety Email: productsafety@kayakuam.com
 1.4 Emergency telephone number: Kayaku Advanced Materials : 617-965-5511
- Chemtrec USA Emergency : 800-424-9300 (24 hr) Chemtrec International Emergency : 703-527-3887 (24 hr)

SECTION 2: Hazards identification
· 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008
GHS02 flame
Flam. Liq. 3 H226 Flammable liquid and vapour.
GHS05 corrosion
Eye Dam. 1 H318 Causes serious eye damage.
GHS07
STOT SE 3 H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.
· 2.2 Label elements
• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
(Contd. on page 2)

ΚΛΥΛΚΠ ADVANCED MATERIALS

IAL5Safety data sheetaccording to Regulation (EC) No 1907/2006, Article 31

Printing date 13.12.2024

Version number 4 (replaces version 3)

Revision: 13.12.2024

Trade name: PN 1000 Developer

Harand nistoon	(Contd. of page 1)
• Hazard pictogra	ims
∇	
GHS02 GHS	305 GHS07
• Signal word Da	
· Hazard stateme	
	mmable liquid and vapour.
	ises serious eye damage.
	v cause respiratory irritation. May cause drowsiness or dizziness.
Precautionary s	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P304+P341	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position
	comfortable for breathing.
P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
<i>P337+P313</i>	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use to extinguish: Alcohol resistant foam, Fire-extinguishing powder, Carbon dioxide.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
2.3 Other hazar	ds
Results of PBT	and vPvB assessment
PBT: Not applie	cable.
vPvB: Not appli	cable.
	of endocrine-disrupting properties
	redients are included in the list established in accordance with Article 59(1) for having endocrine
disrupting prope	
	redients are substances identified as having endocrine disrupting properties in accordance with
	out in Commission Delegated Regulation (EU) 2017/2100 (or Commission Regulation (EU)
2018/605.	
SECTION 3:	Composition/information on ingredients
2.2.10	
3.2 Mixtures	
1	xture of substances listed below with nonhazardous additions.
Dangerous com	ponents:
CAS: 123-42-2	4-hydroxy-4-methylpentan-2-one 60-80%
EINECS: 204-62	
Index number: 6	

(Contd. on page 3)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.12.2024

Version number 4 (replaces version 3)

Revision: 13.12.2024

Trade name: PN 1000 Developer

ADVANCED MATERIALS

	(Cont	d. of page 2)
CAS: 97-64-3	Ethyl lactate	10-25%
EINECS: 202-598-0	🚸 Flam. Liq. 3, H226; 🔶 Eye Dam. 1, H318; 🚸 Skin Irrit. 2, H315;	
Index number: 607-129-00-7		

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.

• After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents:

Alcohol resistant foam

Fire-extinguishing powder

ABC powder

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources.
 6.2 Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
 6.4 Reference to other sections See Section 7 for information on acfe handling
 - See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

(Contd. on page 4)

EU —

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.12.2024

Version number 4 (replaces version 3)

Revision: 13.12.2024

(Contd. of page 3)

Trade name: PN 1000 Developer

ADVANCED MATERIALS

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaust at the workplace. Prevent formation of aerosols. Keep away from heat and direct sunlight.

- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Use explosion-proof apparatus / fittings and spark-proof tools.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and containers: No special requirements.
- *Information about storage in one common storage facility:* Do not store together with oxidising and acidic materials. Do not store together with alkalis (caustic solutions).
- Further information about storage conditions: Store in cool, dry conditions in well sealed containers. Protect from heat and direct sunlight. Store receptacle in a well ventilated area.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- Keep away from food and beverages.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

- Avoid contact with the eyes.
- Respiratory protection:

In case of low exposure use cartridge respirator. In case of intensive or longer exposure use self-contained respiratory protective device.

• Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. • *Material of gloves Nitrile rubber, NBR*

(Contd. on page 5)

EU -

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.12.2024

Version number 4 (replaces version 3)

Revision: 13.12.2024

(Contd. of page 4)

Trade name: PN 1000 Developer

ADVANCED MATERIALS

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye/face protection

Tightly sealed goggles

SECTION 9: Physical and chemical properties

General Information	
Physical state	Liquid
Colour:	Clear to light yellow
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling poin	t
and boiling range	150 °C
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	1.0 Vol %
Upper:	17.0 Vol %
Flash point:	46 °C
Auto-ignition temperature:	400 °C
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/wate	
(log value)	Not determined.
Vapour pressure at 20 °C:	1.1 hPa
Density and/or relative density	
Density at 20 °C:	0.9557 g/cm^3
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection	
health and environment, and on sa	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not scylighting. Product is not explosive. However, formation of explosive air/vapou
Explosive properties.	mixtures are possible.

EU-

EU

Advanced materials

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.12.2024

Version number 4 (replaces version 3)

Revision: 13.12.2024

Trade name: PN 1000 Developer

		(Contd. of page
Solvent content:		
Organic solvents:	0.0 %	
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical		
hazard classes		
Explosives	Not applicable.	
Flammable gases	Not applicable.	
Aerosols	Not applicable.	
Oxidising gases	Not applicable.	
Gases under pressure	Not applicable.	
Flammable liquids	Flammable liquid and vapour.	
Flammable solids	Not applicable.	
Self-reactive substances and mixtures	Not applicable.	
Pyrophoric liquids	Not applicable.	
Pyrophoric solids	Not applicable.	
Self-heating substances and mixtures	Not applicable.	
Substances and mixtures, which emit		
flammable gases in contact with water	Not applicable.	
Oxidising liquids	Not applicable.	
Oxidising solids	Not applicable.	
Organic peroxides	Not applicable.	
Corrosive to metals	Not applicable.	
Desensitised explosives	Not applicable.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

• 10.2 Chemical stability Stable

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid
- *Heat, flames and sparks. Extremes of temperature and direct sunlight. Contact with incompatible materials.*
- · 10.5 Incompatible materials: Strong Oxidizing Agents, Strong Acids, Strong Bases
- 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 • Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	values relev	vant for classification:
123-42-2 4	-hydroxy-4	1-methylpentan-2-one
Oral	LD50	2520 mg/kg (Rat)
Dermal	LD50	13500 mg/kg (rab)
Inhalative	LC50/4 h	1500 mg/l (Rat)
	1	(Contd. on page

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.12.2024

Version number 4 (replaces version 3)

Revision: 13.12.2024

Trade name: PN 1000 Developer

			(Contd. of page 6)
97-64-3 Et	hyl lactate		
Oral	LD50	8200 mg/kg (Rat)	
Dermal	LD50	5000 mg/kg (rabbit)	
Inhalative	LC50 8 hr	5.4 mg/l (Rat)	
· Primary ir	ritant effect	:	
Skin corro	sion/irritati	ion Based on available data, the classification criteria are not met.	
· Serious ey	e damage/ii	rritation	
Causes ser	ious eye da	mage.	
· Respirator	y or skin se	nsitisation Based on available data, the classification criteria are not met.	
· Germ cell	mutagenici	ty Based on available data, the classification criteria are not met.	
· Carcinoge	nicity Based	d on available data, the classification criteria are not met.	
· Reproduct	ive toxicity	Based on available data, the classification criteria are not met.	
· STOT-sing	le exposur	e	
0	· •	v irritation. May cause drowsiness or dizziness.	
		ure Based on available data, the classification criteria are not met.	
		sed on available data, the classification criteria are not met.	
		other hazards	
·Endocrine			
None of the	e ingredient	s is listed.	

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity:

123-42-2 4-hydroxy-4-methylpentan-2-one

EC50/24 h 9000 mg/l (daphnia magna)

LC50/96 h 420 mg/l (Lepomis macrochirus (Bluegill))

97-64-3 Ethyl lactate

LC50/96 h 320 mg/l (zebra fish)

• 12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

· vPvB: Not applicable.

· 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 8)

EU



according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.12.2024

Version number 4 (replaces version 3)

Revision: 13.12.2024

Trade name: PN 1000 Developer

ADVANCED MATERIALS

(Contd. of page 7)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Disposal must be made in accordance with International, National, and regional regulations.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

· 14.1 UN number or ID number · ADR, IMDG, IATA	UN1993
· 14.2 UN proper shipping name · ADR, IMDG	FLAMMABLE LIQUID, N.O.S. (DIACETONE ALCOHO ETHYL LACTATE)
· IATA	Flammable liquid, n.o.s. (Diacetone alcohol, Ethyl lactate)
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA	
· Class	3 Flammable liquids.
· Label	3
· 14.4 Packing group · ADR, IMDG, IATA	III
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	30
EMS Number:	<i>F-E,<u>S-E</u></i>
Stowage Category	<u>A</u>
• 14.7 Maritime transport in bulk according to IM	
instruments	Not applicable.
• Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Transport category	3
• Tunnel restriction code	D/E

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.12.2024

Revision: 13.12.2024

Trade name: PN 1000 Developer

ADVANCED MATERIALS

	(Contd. of page 8)
• IMDG • Limited quantities (LQ) • Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (DIACETONE ALCOHOL, ETHYL LACTATE), 3, III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

• DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

• Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

(Contd. on page 10)

⁻ EU

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.12.2024

Version number 4 (replaces version 3)

Revision: 13.12.2024

Trade name: PN 1000 Developer

ADVANCED MATERIALS

