

Printing date 05/07/2021

1 Identification

· Product identifier

- · Trade name: <u>Remover PG</u>
- · Product number: G050200
- · Application of the substance / the mixture Photoresist remover
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Kayaku Advanced Materials, Inc. 200 Flanders Road Westborough, MA 01581 Tel: (617) 965-5511 Fax: (617) 965-5818
- Information department: Product Safety Email: productsafety@kayakuAM.com • Emergency telephone number:
- Kayaku Advanced Materials : 617-965-5511 Chemtrec USA Emergency : 800-424-9300 Chemtrec International Emergency : 703-527-3887

2 Hazard(s) identification

Classification of the substance or mixture



GHS08 Health hazard

Repr. 1B

GHS07

Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

H360 May damage fertility or the unborn child.

Flam. Liq. 4 H227 Combustible liquid.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

• *Hazard-determining components of labeling: N-methyl-2-pyrrolidinone*

(Contd. on page 2)

US

Reviewed on 05/07/2021



Printing date 05/07/2021

Trade name: Remover PG

Reviewed on 05/07/2021

	(Contd. of page 1)	
Hazard stateme		
H227 Combusti		
H315 Causes sk		
	rious eye irritation.	
	age fertility or the unborn child.	
	e respiratory irritation.	
Precautionary s		
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.	
P261	Avoid breathing dust/fume/gas/mist/vapors/spray	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
<i>P301+P310</i>	If swallowed: Immediately call a poison center/doctor.	
<i>P302+P352</i>	If on skin: Wash with plenty of soap and water.	
P304+P341	If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.	
<i>P305+P351+P</i> .	<i>338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</i>	
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P370+P378	In case of fire: Use to extinguish: Alcohol resistant foam, Fire-extinguishing powder, Carbon dioxide.	
P403+P233	Store in a well-ventilated place. Keep container tightly closed.	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.	
Classification s NFPA ratings (ystem:	
H	lealth = 2	
	ire = 1	
	eactivity = 0	
HMIS-ratings (scale 0 - 4)	
	Health = *2	
FIRE 1 $Fire = 1$		
	Reactivity = 0	
Other hazards		
	and vPvB assessment	
PBT: Not applie		
vPvB: Not appli	icabla	

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

 • Dangerous components:
 872-50-4
 N-methyl-2-pyrrolidinone
 99-99.5%

 • Acute Tox. 3, H331;
 • Repr. 1B, H360;
 • Skin Irrit. 2, H315; Eye Irrit. 2A, H319;
 99-99.5%

 • STOT SE 3, H335; Flam. Liq. 4, H227
 • Repr. 1B, H360;
 • Skin Irrit. 2, H315; Eye Irrit. 2A, H319;
 • Repr. 1B, H360;

(Contd. on page 3)

(Contd. of page 2)

0.1-1.0%



Safety Data Sheet acc. to OSHA HCS

Printing date 05/07/2021

Reviewed on 05/07/2021

Trade name: Remover PG

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

• After swallowing:

Do not induce vomiting unless instructed to do so by a physician. Wash out mouth with water and keep person at rest. Seek immediate medical attention.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed Treat symptomatically.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- Alcohol resistant foam
- Fire-extinguishing powder
- ABC powder
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- Protective equipment: Wear SCBA.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away. Keep away from ignition sources
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

(Contd. on page 4)

US —



Printing date 05/07/2021

Reviewed on 05/07/2021

Trade name: Remover PG

(Contd. of page 3)

See Section 13 for disposal information.

7 Handling and storage

· Handling:

- Precautions for safe handling Ensure good ventilation/exhaust at the workplace. Open and handle container with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep respirator available. Keep ignition sources away - Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- *Requirements to be met by storerooms and containers:* Store in a cool location. Suitable material for receptacles and pipes: steel or stainless steel.
- Information about storage in one common storage facility: Store away from oxidizing agents.
- Further information about storage conditions: Keep container tightly sealed. This product is hygroscopic.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

872-50-4 N-methyl-2-pyrrolidinone

WEEL 10 ppm Skin

· Ingredients with biological limit values:

872-50-4 N-methyl-2-pyrrolidinone

BEI 100 mg/L Medium: urine Time: end of shift Parameter: 5-Hydroxy-N-methyl-2-pyrrolidone

• *Additional information:* The lists that were valid during the creation were used as basis.

- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from food and beverages.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- Do not inhale gases / fumes / aerosols.
- Pregnant women should strictly avoid inhalation or skin contact.

(Contd. on page 5)

[·] Exposure controls

US



Printing date 05/07/2021

Trade name: Remover PG

Reviewed on 05/07/2021

(Contd. of page 4)

• *Respiratory equipment:* In case of low exposure, use cartridge respirator. In case of intensive or longer exposure, use SCBA. • *Protection of hands:*



Protective gloves

- *The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Material of gloves Butyl rubber, BR*
- · Penetration time of glove material Contact glove manufacture for break-through time.
- Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

General Information Appearance:		
Form:	Liquid	
Color:	Clear to light yellow	
Odor:	Amine-like	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	l. basisch	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	202 °C (395.6 °F)	
Flash point:	86 °C (186.8 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	270 °C (518 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Not determined.	
Explosion limits:		
Lower:	1.3 Vol %	
Upper:	9.5 Vol %	
Vapor pressure at 20 °C (68 °F):	0.39-0.43 hPa (0.3-0.3 mm Hg)	
Density at 25 °C (77 °F):	1.030 g/cm³ (8.59535 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	0.03 (BuAc=1)	



Printing date 05/07/2021

Reviewed on 05/07/2021

Trade name: Remover PG

		(Contd. of page 5)
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octan	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
• Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid
- *Heat, flames and sparks. Extremes of temperature and direct sunlight. Contact with incompatible materials.*
- Incompatible materials: Strong oxidizing agents
- Hazardous decomposition products:
- Carbon monoxide and carbon dioxide
- Nitrogen oxides

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

872-50-4 N-methyl-2-pyrrolidinone

Oral	LD50	3914 mg/kg (Rat)
Dermal		8000 mg/kg (rabbit)
Inhalative	LC50/4 h	>5.0 mg/l (Rat)

· Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- Experience with humans: No further relevant information available.
- · Additional toxicological information:
- *The product shows the following dangers according to internally approved calculation methods for preparations: Irritant*

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

• NTP (National Toxicology Program) None of the ingredients are listed.

(Contd. on page 7)

US -

(Contd. of page 6)



Safety Data Sheet acc. to OSHA HCS

Printing date 05/07/2021

Reviewed on 05/07/2021

Trade name: Remover PG

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

· Toxicity

· Aquatic toxicity:

872-50-4 N-methyl-2-pyrrolidinone

EC50/24 h > 1000 mg/l (daphnia magna)

LC50/96 h >500 mg/l (Leuciscus idus)

· Persistence and degradability No further relevant information available.

- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of as regular garbage/trash. Do not allow product to reach sewage system. Disposal must be made in accordance with Federal, State, and Local regulations.

· Uncleaned packagings:

• Recommendation: Disposal must be made in accordance with Federal, State, and Local regulations.

UN-Number		
DOT, ADR, ADN, IMDG, IATA	Not Regulated	
UN proper shipping name		
DOT, ADR, ADN, IMDG, IATA	Not Regulated	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA		
Class	Not Regulated	
Packing group		
DOT, ADR, ÎMDG, IATA	Not Regulated	



Printing date 05/07/2021

Reviewed on 05/07/2021

Trade name: Remover PG

		(Contd. of page 7)
• Environmental hazards: • Marine pollutant:	No	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Anne. MARPOL73/78 and the IBC Code	x II of Not applicable.	
· Transport/Additional information:	Not Regulated	
· UN "Model Regulation":	Not Regulated	

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

872-50-4 N-methyl-2-pyrrolidinone

• **TSCA** (*Toxic Substances Control Act*): All ingredients are listed or comply with TSCA regulations. • **Proposition 65**

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

872-50-4 N-methyl-2-pyrrolidinone

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value)

None of the ingredients are listed.

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

· Massachusetts State Right To Know List

872-50-4 N-methyl-2-pyrrolidinone

· New Jersey State Right To Know List

872-50-4 N-methyl-2-pyrrolidinone

· Pennsylvania Hazardous Substances List

872-50-4 N-methyl-2-pyrrolidinone

· California SCAQMD Rule 443.1 VOC's: 1026 g/l; vapor pressure 0.3 mm Hg 20C

(Contd. on page 9)

US



Printing date 05/07/2021

Reviewed on 05/07/2021

Trade name: Remover PG

· GHS label elem · Hazard pictogra	(Contd. of page 8) cents The product is classified and labeled according to the Globally Harmonized System (GHS). ams
GHS07 GHS	508
· Signal word Da	nger
	ining components of labeling:
N-methyl-2-pyr	
· Hazard stateme	
H227 Combusti	
H315 Causes sk	
	prious eye irritation.
	age fertility or the unborn child.
	e respiratory irritation.
Precautionary s	statements
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P302+P352	If on skin: Wash with plenty of soap and water.
P304+P341	If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.
<i>P305+P351+P</i> .	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use to extinguish: Alcohol resistant foam, Fire-extinguishing powder, Carbon dioxide.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Chemical safety	assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product safety department

· Contact: Tom Cole, EHS Manager (tcole@kayakuAM.com)

• Revision History: The manufacturer's information in Section 1 has been updated.

• Date of preparation / last revision 05/07/2021 / 3

• Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

(Contd. on page 10)

⁻ US



Printing date 05/07/2021

Trade name: Remover PG

Reviewed on 05/07/2021

IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances	(Contd. of page 9)
ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flam. Liq. 4: Flammable liquids – Category 4	
Acute Tox. 3: Acute toxicity – Category 3	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	
Repr. 1B: Reproductive toxicity – Category 1B	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
	- US