

Printing date 04/30/2020

Reviewed on 04/30/2020

## 1 Identification

- **Product identifier**
- **Trade name:** Remover PG
- **Product number:** G050200
- **Application of the substance / the mixture** Photoresist remover
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
 Kayaku Advanced Materials, Inc.  
 200 Flanders Road  
 Westborough, MA 01581  
 Tel: (617) 965-5511  
 Fax: (617) 965-5818
- **Information department:**  
 Product Safety  
 Email: [productsafety@kayakuAM.com](mailto:productsafety@kayakuAM.com)
- **Emergency telephone number:**  
 Kayaku Advanced Materials : 617-965-5511  
 Chemtrec USA Emergency : 800-424-9300  
 Chemtrec International Emergency : 703-527-3887

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Repr. 1B H360 May damage fertility or the unborn child.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

Flam. Liq. 4 H227 Combustible liquid.

- **Label elements**

 · **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS07 GHS08

- **Signal word** Danger

- **Hazard-determining components of labeling:**

N-methyl-2-pyrrolidinone

(Contd. on page 2)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 04/30/2020

Reviewed on 04/30/2020

**Trade name: Remover PG**

(Contd. of page 1)

**Hazard statements**

- H227 Combustible liquid.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H360 May damage fertility or the unborn child.
- H335 May cause respiratory irritation.

**Precautionary statements**

- P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P310 If swallowed: Immediately call a poison center/doctor.
- P302+P352 If on skin: Wash with plenty of soap and water.
- P304+P341 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P370+P378 In case of fire: Use for extinction: Alcohol resistant foam.
- P370+P378 In case of fire: Use for extinction: Fire-extinguishing powder.
- P370+P378 In case of fire: Use for extinction: Carbon dioxide.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Classification system:**
**NFPA ratings (scale 0 - 4)**

**HMIS-ratings (scale 0 - 4)**




**Other hazards**
**Results of PBT and vPvB assessment**
**PBT:** Not applicable.

**vPvB:** Not applicable.

### 3 Composition/information on ingredients

**Chemical characterization: Mixtures**
**Description:** Mixture of the substances listed below with nonhazardous additions.

**Dangerous components:**

872-50-4	N-methyl-2-pyrrolidinone	99-99.5%
	 Acute Tox. 3, H331;  Repr. 1B, H360;  Skin Irrit. 2, H315; Eye Irrit. 2A, H319;            STOT SE 3, H335; Flam. Liq. 4, H227	

(Contd. on page 3)

## Safety Data Sheet


acc. to OSHA HCS

Printing date 04/30/2020

Reviewed on 04/30/2020

**Trade name: Remover PG**

(Contd. of page 2)

	Proprietary Surfactant  Skin Irrit. 2, H315; Eye Irrit. 2A, H319	0.1-1.0%
--	--	----------

### 4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**  
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**  
Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.
- **After swallowing:**  
Do not induce vomiting unless instructed to do so by a physician. Wash out mouth with water and keep person at rest. Seek immediate medical attention.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
Alcohol resistant foam  
Fire-extinguishing powder  
ABC powder
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Wear SCBA.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Keep away from ignition sources
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.

(Contd. on page 4)

Printing date 04/30/2020

Reviewed on 04/30/2020

**Trade name: Remover PG**

See Section 13 for disposal information.

(Contd. of page 3)

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
 Ensure good ventilation/exhaust at the workplace.  
 Open and handle container with care.  
 Prevent formation of aerosols.
- **Information about protection against explosions and fires:**  
 Keep respirator available.  
 Keep ignition sources away - Do not smoke.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and containers:**  
 Store in a cool location.  
 Suitable material for receptacles and pipes: steel or stainless steel.
- **Information about storage in one common storage facility:** Store away from oxidizing agents.
- **Further information about storage conditions:**  
 Keep container tightly sealed.  
 This product is hygroscopic.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· <b>Components with limit values that require monitoring at the workplace:</b>	
<b>872-50-4 N-methyl-2-pyrrolidinone</b>	
<b>WEEL</b>	10 ppm
	Skin

· <b>Ingredients with biological limit values:</b>	
<b>872-50-4 N-methyl-2-pyrrolidinone</b>	
<b>BEI</b>	100 mg/L
	Medium: urine
	Time: end of shift
	Parameter: 5-Hydroxy-N-methyl-2-pyrrolidone

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
 Keep away from food and beverages.  
 Immediately remove all soiled and contaminated clothing.  
 Wash hands before breaks and at the end of work.  
 Avoid contact with the eyes and skin.  
 Do not inhale gases / fumes / aerosols.  
 Pregnant women should strictly avoid inhalation or skin contact.

(Contd. on page 5)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 04/30/2020

Reviewed on 04/30/2020

**Trade name: Remover PG**

(Contd. of page 4)

- **Respiratory equipment:**  
In case of low exposure, use cartridge respirator. In case of intensive or longer exposure, use SCBA.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Contact glove manufacturer for break-through time.

- **Material of gloves** Butyl rubber, BR
- **Penetration time of glove material** Contact glove manufacture for break-through time.
- **Eye protection:**



Tightly sealed goggles

### 9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

<b>Form:</b>	Liquid
<b>Color:</b>	Clear to light yellow
<b>Odor:</b>	Amine-like
<b>Odor threshold:</b>	Not determined.

- **pH-value at 20 °C (68 °F):** l. basisch

- **Change in condition**

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	202 °C (395.6 °F)

- **Flash point:** 86 °C (186.8 °F)

- **Flammability (solid, gaseous):** Not applicable.

- **Ignition temperature:** 270 °C (518 °F)

- **Decomposition temperature:** Not determined.

- **Auto igniting:** Product is not selfigniting.

- **Danger of explosion:** Not determined.

- **Explosion limits:**

<b>Lower:</b>	1.3 Vol %
<b>Upper:</b>	9.5 Vol %

- **Vapor pressure at 20 °C (68 °F):** 0.39-0.43 hPa (0.3-0.3 mm Hg)

- **Density at 25 °C (77 °F):** 1.030 g/cm<sup>3</sup> (8.59535 lbs/gal)

- **Relative density** Not determined.

(Contd. on page 6)

Printing date 04/30/2020

Reviewed on 04/30/2020

**Trade name: Remover PG**

(Contd. of page 5)

- |   |  |
|---|--|
| · <b>Vapor density</b>                            | Not determined.                            |
| · <b>Evaporation rate</b>                         | 0.03 (BuAc=1)                              |
| · <b>Solubility in / Miscibility with Water:</b>  | Fully miscible.                            |
| · <b>Partition coefficient (n-octanol/water):</b> | Not determined.                            |
| · <b>Viscosity:</b>                               |  |
| <b>Dynamic:</b>                                   | Not determined.                            |
| <b>Kinematic:</b>                                 | Not determined.                            |
| · <b>Other information</b>                        | No further relevant information available. |

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability** Stable
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid**  
Heat, flames and sparks. Extremes of temperature and direct sunlight.  
Contact with incompatible materials.
- **Incompatible materials:** Strong oxidizing agents
- **Hazardous decomposition products:**  
Carbon monoxide and carbon dioxide  
Nitrogen oxides

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

 · **LD/LC50 values that are relevant for classification:**
**872-50-4 N-methyl-2-pyrrolidinone**

Oral	LD50	3914 mg/kg (Rat)
Dermal	LD50	8000 mg/kg (rabbit)
Inhalative	LC50/4 h	>5.0 mg/l (Rat)

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Experience with humans:** No further relevant information available.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant
- **Carcinogenic categories**

 · **IARC (International Agency for Research on Cancer)**

None of the ingredients are listed.

(Contd. on page 7)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 04/30/2020

Reviewed on 04/30/2020

**Trade name: Remover PG**

(Contd. of page 6)

**· NTP (National Toxicology Program)**

None of the ingredients are listed.

**· OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients are listed.

### 12 Ecological information

**· Toxicity**
**· Aquatic toxicity:**
**872-50-4 N-methyl-2-pyrrolidinone**

EC50/24 h &gt; 1000 mg/l (daphnia magna)

LC50/96 h &gt; 500 mg/l (Leuciscus idus)

**· Persistence and degradability** No further relevant information available.

**· Behavior in environmental systems:**
**· Bioaccumulative potential** No further relevant information available.

**· Mobility in soil** No further relevant information available.

**· Additional ecological information:**
**· General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

**· Results of PBT and vPvB assessment**
**· PBT:** Not applicable.

**· vPvB:** Not applicable.

**· Other adverse effects** No further relevant information available.

### 13 Disposal considerations

**· Waste treatment methods**
**· Recommendation:**

Must not be disposed of as regular garbage/trash. Do not allow product to reach sewage system.

Disposal must be made in accordance with Federal, State, and Local regulations.

**· Uncleaned packagings:**
**· Recommendation:** Disposal must be made in accordance with Federal, State, and Local regulations.

### 14 Transport information

**· UN-Number**
**· DOT, ADR, ADN, IMDG, IATA** Not Regulated

**· UN proper shipping name**
**· DOT, ADR, ADN, IMDG, IATA** Not Regulated

**· Transport hazard class(es)**
**· DOT, ADR, ADN, IMDG, IATA**
**· Class** Not Regulated

(Contd. on page 8)



Printing date 04/30/2020

Reviewed on 04/30/2020

**Trade name: Remover PG**

(Contd. of page 7)

- |  |                 |
|--|-----------------|
| · <b>Packing group</b>   |                 |
| · <b>DOT, ADR, IMDG, IATA</b>  | Not Regulated   |
| · <b>Environmental hazards:</b>  |                 |
| · <b>Marine pollutant:</b>   | No              |
| · <b>Special precautions for user</b>  | Not applicable. |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable. |
| · <b>Transport/Additional information:</b>                                       | Not Regulated   |
| · <b>UN "Model Regulation":</b>  | Not Regulated   |

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

- **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

- **Section 313 (Specific toxic chemical listings):**

872-50-4 | N-methyl-2-pyrrolidinone

- **TSCA (Toxic Substances Control Act):**

N-methyl-2-pyrrolidinone

Proprietary Surfactant

- **Proposition 65**

- **Chemicals known to cause cancer:**

None of the ingredients are listed.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

- **Chemicals known to cause developmental toxicity:**

872-50-4 | N-methyl-2-pyrrolidinone

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency)**

None of the ingredients are listed.

- **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients are listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed.

- **Massachusetts State Right To Know List**

872-50-4 | N-methyl-2-pyrrolidinone

(Contd. on page 9)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 04/30/2020

Reviewed on 04/30/2020

**Trade name: Remover PG**

(Contd. of page 8)

**· New Jersey State Right To Know List**

872-50-4 | N-methyl-2-pyrrolidinone

**· Pennsylvania Hazardous Substances List**

872-50-4 | N-methyl-2-pyrrolidinone

**· California SCAQMD Rule 443.1 VOC's:** 1026 g/l; vapor pressure 0.3 mm Hg 20C

**· GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

**· Hazard pictograms**


GHS07 GHS08

**· Signal word** *Danger*
**· Hazard-determining components of labeling:**
*N-methyl-2-pyrrolidinone*
**· Hazard statements**
*H227 Combustible liquid.*
*H315 Causes skin irritation.*
*H319 Causes serious eye irritation.*
*H360 May damage fertility or the unborn child.*
*H335 May cause respiratory irritation.*
**· Precautionary statements**
*P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.*
*P261 Avoid breathing dust/fume/gas/mist/vapors/spray*
*P280 Wear protective gloves/protective clothing/eye protection/face protection.*
*P301+P310 If swallowed: Immediately call a poison center/doctor.*
*P302+P352 If on skin: Wash with plenty of soap and water.*
*P304+P341 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.*
*P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*
*P333+P313 If skin irritation or rash occurs: Get medical advice/attention.*
*P337+P313 If eye irritation persists: Get medical advice/attention.*
*P370+P378 In case of fire: Use for extinction: Alcohol resistant foam.*
*P370+P378 In case of fire: Use for extinction: Fire-extinguishing powder.*
*P370+P378 In case of fire: Use for extinction: Carbon dioxide.*
*P403+P233 Store in a well-ventilated place. Keep container tightly closed.*
*P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*
**· Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

**· Department issuing SDS:** Product safety department

**· Contact:** Tom Cole, EHS Manager (tcole@kayakuAM.com)

(Contd. on page 10)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 04/30/2020

Reviewed on 04/30/2020

**Trade name: Remover PG**

(Contd. of page 9)

· **Revision History:** The manufacturer's information in Section 1 has been updated.

· **Date of preparation / last revision** 04/30/2020 / 2

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 4: Flammable liquids – Category 4

Acute Tox. 3: Acute toxicity – Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Repr. 1B: Reproductive toxicity – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3