

# A DIVISION OF MICROCHEM

Printing date 1/24/2017

Reviewed on 1/24/2017

### 1 Identification of the substance/mixture and of the company

Safety Data Sheet


acc. to OSHA HCS

- · Product identifier
- · Trade name: AG-1074 Silver Conductive Ink
- · Application of the substance / the mixture Silver electronic printing ink
- $\cdot$  Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Applied Ink Solutions 17 Hampshire Drive, Unit 8 Hudson, NH 03051 USA

- Information department: Product Safety Email: sales@appliedinksolutions.com
- Emergency telephone number: Chemtrec USA Emergency : <u>800-424-9300</u> Chemtrec International Emergency : <u>703-527-3887</u> Applied Ink Solutions : <u>603-595-6221</u>

## 2 Hazard(s) identification





Printing date 1/24/2017

# Safety Data Sheet acc. to OSHA HCS

Reviewed on 1/24/2017

Trade name: AG-1074 Silver Conductive Ink

W22616	(Contd. of page 1)
	e drowsiness or dizziness.
H400 Very toxic	
	to aquatic life with long lasting effects.
• Precautionary s P210	
P210 P261	Keep away from heat/sparks/open flames/hot surfaces. No smoking. Avoid breathing dust/fume/gas/mist/vapors/spray
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P273	Avoid release to the environment.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
	<i>B38 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present</i>
1 505 11 551 112	and easy to do. Continue rinsing.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use for extinction: Alcohol resistant foam.
P370+P378	In case of fire: Use for extinction: Fire-extinguishing powder.
P370+P378	In case of fire: Use for extinction: Carbon dioxide.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
· Classification sy	
· NFPA ratings (	scale 0 - 4)
H	ealth = 0
	ire = 3
0 0 R	eactivity = 0
• HMIS-ratings (	scale 0 - 4)
HEALTH 0	Health = 0
	Fire $= 3$
	Reactivity $= 0$
• Other hazards	
	and vPvB assessment
• <b>PBT:</b> Not applie	
• <b>vPvB:</b> Not appli	cable.
3 Composition	information on ingredients
5 Composition/	mjormation on ingreatents
· Chemical chara	cterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
7440-22-4	Silver	🕸 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	40-60%
123-86-4	n-Butyl acetate	🚸 Flam. Liq. 3, H226; 🚸 STOT SE 3, H336	25-50%
96-48-0	gamma-Butyrolactone	𝚯 Acute Tox. 4, H302; Eye Irrit. 2A, H319; STOT SE 3, H336	5-15%
· Additional Components:			
Proprietar	Proprietary polyester 5-15%		

(Contd. on page 3)

US



Printing date 1/24/2017

Reviewed on 1/24/2017

Trade name: AG-1074 Silver Conductive Ink

(Contd. of page 2)

### 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation:
- Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

· After swallowing:

Do not induce vomiting unless instructed to do so by a physician. Wash out mouth with water and keep person at rest. Seek immediate medical attention.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed Treat symptomatically.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- Alcohol resistant foam
- Fire-extinguishing powder
- ABC powder
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Wear SCBA.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources • Environmental precautions: Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Do not flush with water or aqueous cleansing agents · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. · Protective Action Criteria for Chemicals · PAC-1: 7440-22-4 Silver 0.3 mg/m3123-86-4 n-Butyl acetate 5 ppm 96-48-0 gamma-Butyrolactone 3.6 mg/m3 (Contd. on page 4)



Printing date 1/24/2017

Reviewed on 1/24/2017

## Trade name: AG-1074 Silver Conductive Ink

		(Contd. of page 3)
· PAC-2:		
7440-22-4	Silver	170 mg/m3
123-86-4	n-Butyl acetate	200 ppm
96-48-0	gamma-Butyrolactone	39 mg/m3
· PAC-3:		
7440-22-4	Silver	990 mg/m3
123-86-4	n-Butyl acetate	3000* ppm
96-48-0	gamma-Butyrolactone	310 mg/m3

### 7 Handling and storage

### · Handling:

- *Precautions for safe handling Ensure good ventilation/exhaust at the workplace. Prevent formation of aerosols.*
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Use explosion-proof apparatus / fittings and spark-proof tools.
- Conditions for safe storage, including any incompatibilities • Storage:
- Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in one common storage facility: Do not store together with alkalis (caustic solutions). Do not store together with oxidizing and acidic materials.
- Further information about storage conditions: Keep container well-sealed in cool, dry location. Protect from heat and direct sunlight. Store receptacle in a well ventilated area.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

### 123-86-4 n-Butyl acetate

- PEL Long-term value: 710 mg/m<sup>3</sup>, 150 ppm
- *REL* Short-term value: 950 mg/m<sup>3</sup>, 200 ppm
- Long-term value: 710 mg/m<sup>3</sup>, 150 ppm
- TLV Short-term value: 712 mg/m<sup>3</sup>, 150 ppm
- Long-term value: 238 mg/m<sup>3</sup>, 50 ppm

• Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 5)

US -



## Printing date 1/24/2017

# Safety Data Sheet acc. to OSHA HCS

Reviewed on 1/24/2017

Trade name: AG-1074 Silver Conductive Ink

	(Contd. of page 4)
<ul> <li>Exposure controls</li> <li>Personal protective equipment:</li> <li>General protective and hygienic measures: Wash hands before breaks and at the end of work.</li> <li>Respiratory equipment: Not required.</li> <li>Protection of hands:</li> </ul>	
Protective gloves	
The glove material has to be impermeable and resistant to the product/ the substance/ the prepara • Material of gloves Nitrile rubber, NBR • Penetration time of glove material Contact glove manufacture for break-through time. • Eye protection:	ation.
Tightly sealed goggles	

Information on basic physical and o	chemical properties
General Information	
Appearance:	
Form:	Liquid
Color:	Silver/brown
Odor:	Sweet
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	124 °C (255 °F)
Flash point:	27 °C (81 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	370 °C (698 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vap mixtures are possible.
Explosion limits:	
Lower:	1.2 Vol %
Upper:	7.5 Vol %
Vapor pressure at 20 $^{\circ}C$ (68 $^{\circ}F$ ):	10.7 hPa (8 mm Hg)
<i>Density at 20 •C (68 •F):</i>	1.82 g/cm <sup>3</sup> (15.1 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.



Printing date 1/24/2017

Reviewed on 1/24/2017

Trade name: AG-1074 Silver Conductive Ink

		(Contd. of page 5)
· Evaporation rate	1.6-2.3 (BuAc=1)	
· Solubility in / Miscibility with Water:	Water miscible No	
· Partition coefficient (n-octano		
· Viscosity:	,	
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	39.2 %	
VOC content:	39.2 %	
Solids content:	58 - 62%	
• Other information	No further relevant information available.	

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable under normal use conditions
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

Contact with incompatible materials.

- · Incompatible materials: Strong Oxidizing Agents, Strong Acids, Strong Bases
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- $\cdot$  Additional toxicological information:

### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

96-48-0 gamma-Butyrolactone

· NTP (National Toxicology Program)

None of the ingredients are listed.

### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

## 12 Ecological information

· Toxicity

• Aquatic toxicity: No further relevant information available.

(Contd. on page 7)

3

<sup>-</sup> US

Printing date 1/24/2017

## Safety Data Sheet acc. to OSHA HCS

Reviewed on 1/24/2017

Trade name: AG-1074 Silver Conductive Ink

	(Contd. of page 6)
· Persistence and degradability No further relevant information available.	
· Behavior in environmental systems:	
· Bioaccumulative potential No further relevant information available.	
• Mobility in soil No further relevant information available.	
· Additional ecological information:	
· General notes:	
Water hazard class 2 (Self-assessment): hazardous for water	
Do not allow product to reach ground water, water course or sewage system.	
Danger to drinking water if even small quantities leak into the ground.	
· Results of PBT and vPvB assessment	
• <b><i>PBT:</i></b> Not applicable.	
· <b>vPvB:</b> Not applicable.	
• Other adverse effects No further relevant information available.	
13 Disposal considerations	
· Waste treatment methods	

· Recommendation:

Must not be disposed of as regular garbage/trash. Do not allow product to reach sewage system. Disposal must be made in accordance with Federal, State, and Local regulations.

- · Uncleaned packagings:
- Recommendation: Disposal must be made in accordance with Federal, State, and Local regulations.

· UN-Number	
· DOT, ADR, IMDG, IATA	UN1210
$\cdot$ UN proper shipping name	
DOT, ADR	Printing ink
- IMDG	PRINTING INK, MARINE POLLUTANT
·IATA	PRINTING INK
· Transport hazard class(es)	
·DOT	
RAMMABE LOOD	
· Class	3 Flammable liquids
· Label	3
· ADR, IMDG, IATA	
· Class	3 Flammable liquids
· Label	3



Printing date 1/24/2017

Reviewed on 1/24/2017

Trade name: AG-1074 Silver Conductive Ink

	(Contd. of page
· Packing group · DOT, ADR, IMDG, IATA	111
• Environmental hazards: • Marine pollutant:	Product contains environmentally hazardous substances: Silver Yes (DOT)
<ul> <li>Special precautions for user</li> <li>Danger code (Kemler):</li> <li>EMS Number:</li> <li>Stowage Category</li> </ul>	Warning: Flammable liquids 30 F-E,S-D A
• Transport in bulk according to Annex . MARPOL73/78 and the IBC Code	
· Transport/Additional information:	
· DQT	
• Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
· ADR	
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1210 PRINTING INK, 3, III

## 15 Regulatory information

- $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara
- Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

7440-22-4 Silver

· TSCA (Toxic Substances Control Act):

All ingredients are listed or comply with TSCA regulations.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients are listed.

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

(Contd. on page 9)

<sup>-</sup> US -



Printing date 1/24/2017

Reviewed on 1/24/2017

Trade name: AG-1074 Silver Conductive Ink

Chamicals	(Contd. of page 4 control of p
	e ingredients are listed.
	·
	nic categories
	ironmental Protection Agency)
7440-22-4	Silver
· TLV (Thre	eshold Limit Value established by ACGIH)
None of th	e ingredients are listed.
· NIOSH-C	a (National Institute for Occupational Safety and Health)
None of the	e ingredients are listed.
· Massachu	setts State Right To Know List
7440-22-4	Silver
123-86-4	n-Butyl acetate
· New Jerse	y State Right To Know List
7440-22-4	Silver
96-48-0	gamma-Butyrolactone
123-86-4	n-Butyl acetate
· Pennsylva	nia Hazardous Substances List
7440-22-4	Silver
96-48-0	gamma-Butyrolactone
	n-Butyl acetate

· Hazard pictograms



· Signal word Warning

· Hazard-determ	ining components of labeling:
n-Butyl acetate	
gamma-Butyrol	actone
· Hazard stateme	ents
H226 Flammab	le liquid and vapor.
H336 May caus	e drowsiness or dizziness.
H400 Very toxic	c to aquatic life.
H410 Very toxic	c to aquatic life with long lasting effects.
· Precautionary	statements
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P273	Avoid release to the environment.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P305+P351+P	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.

(Contd. on page 10)

- US

(Could of man a)



Safety Data Sheet acc. to OSHA HCS

Printing date 1/24/2017

Reviewed on 1/24/2017

#### Trade name: AG-1074 Silver Conductive Ink

	(Conta. of page 9)
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use for extinction: Alcohol resistant foam.
P370+P378	In case of fire: Use for extinction: Fire-extinguishing powder.
P370+P378	In case of fire: Use for extinction: Carbon dioxide.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.

#### · National regulations:

• Other regulations, limitations and prohibitive regulations RoHS 2 2011/65/EU along with EU Directive 2022/19/EU – Waste from Electrical and Electronic Equipment (WEEE):

Applied Ink Solutions products do not exceed the amount of allowable levels concerning: Cadmiu (Cd); Hexavalent Chromium (CrVI); Mercury (Hg); Lead (Pb); Polybrominated Biphenyls (PBB's) as bromide; Polybrominated Diphenyl Ethers (PBDEs) as bromide, decaBDE.

Applied Ink Solutions has confirmed with our precious metal suppliers that they do not use conflict minerals, as outlined in the **Dodd-Frank Wall Street Reform and Consumer Protection Act in Title XV, Section 1502.** 

**Registration, Evaluation and Authorization of Chemicals (REACH) & Substances of Very High Concern** (SVHC): This product does not contain substances on the SVHC list.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product safety department

· Contact: Mr. Cole

• Revision History: New SDS 12/14/16, Rev.1 1/24/2017

- Date of preparation / last revision 1/24/2017/ -Rev. 1
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA:** Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1