

Safety Data Sheet acc. to OSHA HCS

Printing date 01/17/2017

Reviewed on 01/17/2017

1 Identification of the substance/mixture and of the company

- · Product identifier
- · Trade name: AG-515 Silver Conductive Ink
- · Application of the substance / the mixture Functional electronic screen printing ink
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Applied Ink Solutions 17 Hampshire Drive, Unit 8 Hudson, NH 03051 USA

- Information department: Product Safety Email: sales@appliedinksolutions.com
- Emergency telephone number: Chemtrec USA Emergency : <u>800-424-9300</u> Chemtrec International Emergency : <u>703-527-3887</u> Applied Ink Solutions : <u>603-595-6221</u>

2 Hazard(s) identification

· Classification of the substance or mixture



Aquatic Acute 1H400 Very toxic to aquatic life.Aquatic Chronic 1H410 Very toxic to aquatic life with long lasting effects.



Eye Irrit. 2A H319 Causes serious eye irritation.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Warning

· Hazard statements

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

· Precautionary statements

- P260 Do not breathe dust/fume/gas/mist/vapors/spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P273 Avoid release to the environment.
- *P301+P310* IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

(Contd. on page 2)

ge 2) — US

Applied Ink Solutions

Safety Data Sheet acc. to OSHA HCS

Printing date 01/17/2017

Reviewed on 01/17/2017

and easy to do. Continue rinsing.P304+P340IF INHALED: Remove person to fresh air and keep comfortable for breathing.P337+P313If eye irritation persists: Get medical advice/attention.P314Get medical advice/attention if you feel unwell.P302+P352IF ON SKIN: Wash with plenty of soap and water.P403+P233Store in a well-ventilated place. Keep container tightly closed.	P305+P351+P351	(Contd. of page 1) B38 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present
P304+P340IF INHALED: Remove person to fresh air and keep comfortable for breathing. $P337+P313$ If eye irritation persists: Get medical advice/attention. $P314$ Get medical advice/attention if you feel unwell. $P302+P352$ IF ON SKIN: Wash with plenty of soap and water. $P403+P233$ Store in a well-ventilated place. Keep container tightly closed. $P501$ Dispose of contents/container in accordance with local/regional/national/internation.• Classification system:• NFPA ratings (scale $0 - 4$)• MIS-ratings (scale $0 - 4$)Health = 1 Fire = 1 Reactivity = 0• HMIS-ratings (scale $0 - 4$)Health = 1 Fire = 1 	1505 11551 115	
P337+P313If eye irritation persists: Get medical advice/attention.P314Get medical advice/attention if you feel unwell.P302+P352IF ON SKIN: Wash with plenty of soap and water.P403+P233Store in a well-ventilated place. Keep container tightly closed.P501Dispose of contents/container in accordance with local/regional/national/internation regulations.• Classification system: • NFPA ratings (scale 0 - 4)Health = 1 Fire = 1 Reactivity = 0HEALTHI Fire = 1 Reactivity = 0• HMIS-ratings (scale 0 - 4)Image: Start and the	P304+P340	
P314Get medical advice/attention if you feel unwell. $P302+P352$ IF ON SKIN: Wash with plenty of soap and water. $P403+P233$ Store in a well-ventilated place. Keep container tightly closed. $P501$ Dispose of contents/container in accordance with local/regional/national/internation.• Classification system:• NFPA ratings (scale 0 - 4)• MFPA ratings (scale 0 - 4)Health = 1 Fire = 1 Reactivity = 0• HMIS-ratings (scale 0 - 4)Fire = 1 Fire = 1 Reactivity = 0• Other hazards • Results of PBT and vPvB assessment • PBT: Not applicable.	P337+P313	
 P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/internation regulations. Classification system: NFPA ratings (scale 0 - 4) Health = 1 Fire = 1 Reactivity = 0 HMIS-ratings (scale 0 - 4) HEALTH 1 FIRE 1 Fire = 1 Reactivity = 0 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. 	P314	
P501Dispose of contents/container in accordance with local/regional/national/internation regulations.• Classification system: • NFPA ratings (scale $0 - 4$)• $1 - 0$ • Health = 1 Fire = 1 Reactivity = 0• HMIS-ratings (scale $0 - 4$)• HMIS-ratings (scale $0 - 4$)• HMIS-ratings (scale $0 - 4$)• REACTIVITY 0Reactivity = 0• Other hazards • Results of PBT and vPvB assessment • PBT: Not applicable.	P302+P352	IF ON SKIN: Wash with plenty of soap and water.
regulations. • Classification system: • NFPA ratings (scale 0 - 4)	P403+P233	Store in a well-ventilated place. Keep container tightly closed.
 NFPA ratings (scale 0 - 4) Health = 1 Fire = 1 Reactivity = 0 HMIS-ratings (scale 0 - 4) HEALTH 1 FIRE 1 FIRE 1 REACTIVITY 0 Reactivity = 0 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. 	P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
$ \cdot NFPA \ ratings \ (scale \ 0 - 4) $ $ + Health = 1 \\ Fire = 1 \\ Reactivity = 0 $ $ \cdot HMIS \ ratings \ (scale \ 0 - 4) $ $ + EALTH \ 1 \\ FIRE \ 1 \\ REACTIVITY \ 0 \\ Reactivity = 0 $ $ \cdot Other \ hazards $ $ \cdot Results \ of \ PBT \ and \ vPvB \ assessment $ $ \cdot PBT: \ Not \ applicable. $	· Classification sy	0
Health = 1 Fire = 1 Reactivity = 0 • HMIS-ratings (scale 0 - 4) HEALTH 1 FIRE 1 FIRE 1 REACTIVITY 0 • Other hazards • Results of PBT and vPvB assessment • PBT: Not applicable.		
FIRE 1 FIRE 1 FIRE 1 Fire = 1 Reactivity = 0 • Other hazards • Results of PBT and vPvB assessment • PBT: Not applicable.		-
• Results of PBT and vPvB assessment • PBT: Not applicable.	FIRE 1	Fire = 1
• <i>PBT:</i> Not applicable.	• Other hazards	
	· Results of PBT	and vPvB assessment
· vPvB: Not applicable.	· PBT: Not applie	cable.
	· vPvB: Not appli	cable.

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

U	s components:	
112-15-2	Diethylene glycol monoethyl ether acetate	40-60%
	♦ Eye Irrit. 2A, H319	
7440-22-4		40-60%
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
· Additional	Components:	
Proprietar	y polyester	5-15%

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation:
- Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

(Contd. on page 3)

(Contd. of page 2)

Applied Ink Solutions

Safety Data Sheet acc. to OSHA HCS

Printing date 01/17/2017

Reviewed on 01/17/2017

Trade name: AG-515 Silver Conductive Ink

• After swallowing:

Do not induce vomiting unless instructed to do so by a physician. Wash out mouth with water and keep person at rest. Seek immediate medical attention.

• Information for doctor:

- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed Treat symptomatically.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Alcohol resistant foam Fire-extinguishing powder

ABC powder

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Wear SCBA.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow to enter several surface or area
- $\cdot \textit{Environmental precautions: } Do not allow to enter sewers/ surface or ground water.$
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

· PAC-1:		
112-15-2	Diethylene glycol monoethyl ether acetate	16 mg/m3
7440-22-4	Silver	0.3 mg/m3
· PAC-2:		
112-15-2	Diethylene glycol monoethyl ether acetate	170 mg/m3
7440-22-4	Silver	170 mg/m3
· PAC-3:		
112-15-2	Diethylene glycol monoethyl ether acetate	1,000 mg/m3
7440-22-4	Silver	990 mg/m3

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- *Ensure good ventilation/exhaust at the workplace. Prevent formation of aerosols.*

⁻ US

Printing date 01/17/2017

Safety Data Sheet acc. to OSHA HCS

Reviewed on 01/17/2017

Trade name: AG-515 Silver Conductive Ink

	(Contd. of page 3)
• Information about protection against explosions and fires: Protect against electrostatic charges.	
Keep ignition sources away - Do not smoke.	
Conditions for safe storage, including any incompatibilities	
· Storage:	
Requirements to be met by storerooms and containers: No special requirements.	
• Information about storage in one common storage facility: Do not store together with alkalis (caustic solutions).	
Do not store together with aikans (caustic solutions). Do not store together with oxidizing and acidic materials.	
• Further information about storage conditions:	
Keep container well-sealed in cool, dry location.	
Protect from heat and direct sunlight. Store receptacle in a well ventilated area.	
• Specific end use (s) No further relevant information available.	
8 Exposure controls/personal protection	
	,
• Additional information about design of technical systems: No further data; see item 7	
• Control parameters	
• Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values the	hat have to be monitored at
the workplace.	
• Additional information: The lists that were valid during the creation were used as basi	is.
· Exposure controls	
Personal protective equipment:	
General protective and hygienic measures: Keep away from food and beverages.	
Immediately remove all soiled and contaminated clothing.	
Wash hands before breaks and at the end of work.	
Avoid contact with the eyes.	
Avoid contact with the eyes and skin. • Respiratory equipment:	
In case of low exposure, use cartridge respirator. In case of intensive or longer exposu	ıre, use SCBA.
· Protection of hands:	
(III)	
Protective gloves	
The glove material has to be impermeable and resistant to the product/ the substance/ t	the preparation.
• Material of gloves Nitrile rubber, NBR	
• Penetration time of glove material Contact glove manufacture for break-through time.	
· Eye protection:	
Tightly sealed goggles	
	-US

(Contd. on page 5)



Safety Data Sheet acc. to OSHA HCS

Reviewed on 01/17/2017

Trade name: AG-515 Silver Conductive Ink

(Contd. of page 4)

Information on basic physical and	chemical properties	
General Information		
Appearance: Form:	Thick liquid	
Color:	Silver-colored	
Odor:	Sweet	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	217 °C (423 °F)	
Flash point:	98 °C (208 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	310 °C (590 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
<i>Density at 20 •C (68 •F):</i>	5.40818 g/cm ³ (45.131 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	1.6-2.3 (BuAc=1)	
Solubility in / Miscibility with		
Water:	Water miscible No	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.0 %	
Solids content:	53.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability Stable under normal use conditions

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 6)

US –



Safety Data Sheet acc. to OSHA HCS

Printing date 01/17/2017

Reviewed on 01/17/2017

Trade name: AG-515 Silver Conductive Ink

(Contd. of page 5)

· Conditions to avoid

- Heat, flames and sparks. Extremes of temperature and direct sunlight.
- Contact with incompatible materials.
- Incompatible materials: Strong Oxidizing Agents, Strong Acids, Strong Bases
- Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Irritant
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

· NTP (National Toxicology Program)

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

· Toxicity

· Aquatic toxicity:

7440-22-4 Silver

LC50/96 h (static) 0.0062 mg/l (Lepomis macrochirus (Bluegill))

- 0.00155-0.00293 mg/l (Pimephales promelas)
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:

· General notes:

- Water hazard class 2 (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

• **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

(Contd. on page 7)



Safety Data Sheet acc. to OSHA HCS

Reviewed on 01/17/2017

Trade name: AG-515 Silver Conductive Ink

(Contd. of page 6)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of as regular garbage/trash. Do not allow product to reach sewage system. Disposal must be made in accordance with Federal, State, and Local regulations.

- · Uncleaned packagings:
- Recommendation: Disposal must be made in accordance with Federal, State, and Local regulations.

UN-Number	
DOT, ADR, IMDG, IATA	UN3082
UN proper shipping name	
DOT, ADR	Environmentally hazardous substances, liquid, n.o.s. (Silver)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUI
	N.O.S. (Silver), MARINE POLLUTANT
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUI N.O.S. (Silver)
	11.0.5. (Suver)
Transport hazard class(es)	
DOT, ADR, IMDG, IATA	
AL.	
3	
Class	9 Miscellaneous dangerous substances and articles
Label	9
Packing group	
DOT, ADR, IMDG, IATA	III
Environmental hazards:	Product contains environmentally hazardous substances: Silver
Marine pollutant:	Yes (DOT)
Special precautions for user	Warning: Miscellaneous dangerous substances and articles
Danger code (Kemler):	90
EMS Number:	F-A,S-F
Stowage Category	A
Transport in bulk according to Annex	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: No limit
	On cargo aircraft only: No limit
ADR	
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml



Safety Data Sheet acc. to OSHA HCS

Reviewed on 01/17/2017

Trade name: AG-515 Silver Conductive Ink

Printing date 01/17/2017

(Contd.	of nage	7
(Conta.	oj puge	1

· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (SILVER), 9, III

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

112-15-2 Diethylene glycol monoethyl ether acetate

7440-22-4 Silver

• TSCA (Toxic Substances Control Act):

All ingredients are listed or comply with TSCA regulations.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

• Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

7440-22-4 Silver

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

· Massachusetts State Right To Know List

7440-22-4 Silver

· New Jersey State Right To Know List

112-15-2 Diethylene glycol monoethyl ether acetate

7440-22-4 Silver

· Pennsylvania Hazardous Substances List

112-15-2 Diethylene glycol monoethyl ether acetate

(Contd. on page 9)

D

us –



Safety Data Sheet acc. to OSHA HCS

Reviewed on 01/17/2017

Trade name: AG-515 Silver Conductive Ink

	(Contd. of page 8)
7440-22-4 Silv	er
· California SCA	QMD Rule 443.1 VOC's: No information available.
	nents The product is classified and labeled according to the Globally Harmonized System (GHS).
· Hazard pictogr	
GHS07 GH	S09
· Signal word Wa	amina
· Signal word wo · Hazard stateme	
	erious eye irritation.
	c to aquatic life.
	c to aquatic life with long lasting effects.
· Precautionary	
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P273	Avoid release to the environment.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present
	and easy to do. Continue rinsing.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P314	Get medical advice/attention if you feel unwell.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
· National regula	ations:
. Other regulation	ons, limitations and prohibitive regulations
	65/EU along with EU Directive 2022/19/EU – Waste from Electrical and Electronic
Equipment (W	
	blutions products do not exceed the amount of allowable levels concerning: Cadmium (Cd);
	aromium (CrVI); Mercury (Hg); Lead (Pb); Polybrominated Biphenyls (PBB's) as bromide;
	d Diphenyl Ethers (PBDEs) as bromide, decaBDE.
	lutions has confirmed with our precious metal suppliers that they do not use conflict minerals, as
outlined in the	Dodd-Frank Wall Street Reform and Consumer Protection Act in Title XV, Section 1502.
n • • -	
Registration, E	Evaluation and Authorization of Chemicals (REACH) & Substances of Very High

- Concern(SVHC): This product does not contain substances on the SVHC list.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product safety department

· Contact: Mr. Cole

· Revision History: New SDS

(Contd. on page 10)



Safety Data Sheet acc. to OSHA HCS

Reviewed on 01/17/2017

Trade name: AG-515 Silver Conductive Ink

	(Contd. of page
Date of preparation / last revision 01/17/2017 / -	
Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement conce	erning the Internation
Carriage of Dangerous Goods by Road)	
MDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
ATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
PBT: Persistent, Bioaccumulative and Toxic	
PVB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
FLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	