

Printing date 03/28/2018

Reviewed on 03/28/2018

1 Identification of the substance/mixture and of the company

- · Product identifier
- · Trade name: AG-750 Silver Conductive Ink
- · Application of the substance / the mixture Functional electronic silver printing ink
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Applied Ink Solutions 200 Flanders Road Westborough, MA 01581 USA
- *Information department: Product Safety Email: sales@appliedinksolutions.com*
- Emergency telephone number: Applied Ink Solutions : 617-965-5511 Chemtrec USA Emergency : 800-424-9300 Chemtrec International Emergency : 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture

GHS09 Environment

Aquatic Acute 1H400Very toxic to aquatic life.Aquatic Chronic 1H410Very toxic to aquatic life with long lasting effects.



Acute Tox. 4	H332 Harmful if inhaled.
Eye Irrit. 2A	H319 Causes serious eye irritation.
STOT SE 3	H336 May cause drowsiness or dizziness.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Warning

Hazard-determining components of labeling: gamma-Butyrolactone
Hazard statements
H332 Harmful if inhaled.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

(Contd. on page 2)

US

Printing date 03/28/2018

Safety Data Sheet acc. to OSHA HCS

Reviewed on 03/28/2018

Trade name: AG-750 Silver Conductive Ink

D (*	(Contd. of page 1)
Precautionary s	
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P302+P352	If on skin: Wash with plenty of soap and water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P.	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
F	scale 0 - 4) $lealth = 2$ $ire = 1$ $eactivity = 0$
HMIS-ratings (<i>iscale 0 - 4</i>)
FIRE 1	Health = 2 $Fire = 1$ $Reactivity = 0$
Other hazards Results of PBT PBT: Not applie vPvB: Not appli	

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous	s components:			
7440-22-4	Silver	local Aquatic Acute 1, H400; Aquatic Chronic 1, H410	25-50%	
	gamma-Butyrolactone	𝒱 Acute Tox. 4, H302; Eye Irrit. 2A, H319; STOT SE 3, H336	25-50%	
106-65-0	Methyl succinate	Flam. Liq. 4, H227	1-5%	
627-93-0	Dimethyl adipate	Aquatic Acute 3, H402	1-5%	
· Additional	· Additional Components:			
	Proprietary binder		10-25%	
1119-40-0	Dimethyl glutarate		10-25%	

4 First-aid measures

· Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

(Contd. on page 3)

Printing date 03/28/2018

Reviewed on 03/28/2018

Trade name: AG-750 Silver Conductive Ink

Applied Ink Solutions

(Contd. of page 2)

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

- After swallowing: Do not induce vomiting; immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed Treat symptomatically.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Alcohol resistant foam
- Carbon dioxide
- Fire-extinguishing powder
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Wear SCBA.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
 Ensure adequate ventilation
 Keep away from ignition sources
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to Section 13.

- *Ensure adequate ventilation.* • *Reference to other sections*
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

7440-22-4 Silver	0.3 mg/m
96-48-0 gamma-Butyrolactone	3.6 mg/m
106-65-0 Methyl succinate	2.5 ppm
PAC-2:	
7440-22-4 Silver	170 mg/m
96-48-0 gamma-Butyrolactone	39 mg/m ³
106-65-0 Methyl succinate	28 ppm
PAC-3:	
7440-22-4 Silver	990 mg/m
96-48-0 gamma-Butyrolactone	310 mg/m



Printing date 03/28/2018

Reviewed on 03/28/2018

Trade name: AG-750 Silver Conductive Ink

106-65-0 Methyl succinate

(Contd. of page 3) 170 ppm

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaust at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- Conditions for safe storage, including any incompatibilities • Storage:
- Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in one common storage facility: Do not store together with alkalis (caustic solutions). Do not store together with oxidizing and acidic materials.
- Further information about storage conditions:
- Keep container well-sealed in cool, dry location.
- Protect from heat and direct sunlight.
- Store receptacle in a well ventilated area.
- \cdot Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from food and beverages.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes. Avoid contact with the eyes and skin.
- · Respiratory equipment:
- In case of low exposure, use cartridge respirator. In case of intensive or longer exposure, use SCBA. Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. • *Material of gloves* Nitrile rubber, NBR

· Penetration time of glove material Contact glove manufacture for break-through time.

(Contd. on page 5)

[—] US

(Contd. of page 4)



Printing date 03/28/2018

Safety Data Sheet acc. to OSHA HCS

Reviewed on 03/28/2018

Trade name: AG-750 Silver Conductive Ink

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

General Information Appearance:		
Form:	Thick liquid	
Color:	Silver-colored	
Odor:	Sweet	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	96-103 °C (204.8-217.4 °F)	
Flash point:	100 °C (212 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	445 °C (833 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	2.7 Vol %	
Upper:	15.6 Vol %	
Vapor pressure at 20 $^{\circ}C$ (68 $^{\circ}F$):	8.3 hPa (6.2 mm Hg)	
<i>Density at 20 °C (68 °F):</i>	4.66634 g/cm ³ (38.94061 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	1.6-2.3 (BuAc=1)	
Solubility in / Miscibility with		
Water:	Water miscible No	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	29.0 %	
VOC content:	28.98 %	
Solids content:	50.0 %	



Printing date 03/28/2018

Reviewed on 03/28/2018

Trade name: AG-750 Silver Conductive Ink

(Contd. of page 5)

• Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid
- Contact with incompatible materials.
- Heat, flames and sparks. Extremes of temperature and direct sunlight.
- · Incompatible materials: Strong Oxidizing Agents, Strong Acids, Strong Bases
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

96-48-0 gamma-Butyrolactone

Oral	LD50	1,540 mg/kg (Rat)
Dermal		5,000 mg/kg (gui)
Inhalative		>5.1 mg/l (Rat)

· Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: Irritating effect.

• Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

96-48-0 gamma-Butyrolactone

· NTP (National Toxicology Program)

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

· Toxicity

• Aquatic toxicity:

96-48-0 gamma-Butyrolactone

LC50/96 h >220-<460 mg/l (golden orfe)

(Contd. on page 7)

3

US –



Printing date 03/28/2018

Reviewed on 03/28/2018

Trade name: AG-750 Silver Conductive Ink

		(Contd. of page 6)
EC50/48 h	>500 mg/l (daphnia magna)	
EC50/72 h	360 mg/l (green algae)	
EC50/17 h	>10,000 mg/l (bacterium)	
7440-22-4 Silv	per l	
LC50/96 h (sta	utic) 0.0062 mg/l (Lepomis macrochirus (Bluegill))	
	0.00155-0.00293 mg/l (Pimephales promelas)	
· Persistence an	d degradability No further relevant information available.	
. Rohavior in or	miranmontal systems.	

· Behavior in environmental systems:

· Bioaccumulative potential No further relevant information available.

 \cdot **Mobility in soil** No further relevant information available.

• Additional ecological information:

• General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

• Waste treatment methods

· Recommendation:

Must not be disposed of as regular garbage/trash. Do not allow product to reach sewage system. Disposal must be made in accordance with Federal, State, and Local regulations.

· Uncleaned packagings:

• Recommendation: Disposal must be made in accordance with Federal, State, and Local regulations.

UN-Number DOT, ADR, IMDG, IATA	UN3082	
UN proper shipping name		
DOT, ADR	Environmentally hazardous substances, liquid, n.o.s. (Silver)	
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQ	OUII
	N.O.S. (Silver), MARINE POLLUTANT	2011
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQ	OUI
	N.O.S. (Silver)	
Transport hazard class(es)		
DOT, ADR, IMDG, IATA		
A		
Class	9 Miscellaneous dangerous substances and articles	
Label	9	

- US



Printing date 03/28/2018

Safety Data Sheet acc. to OSHA HCS

Reviewed on 03/28/2018

Trade name: AG-750 Silver Conductive Ink

	(Contd. of page
· Packing group · DOT, ADR, IMDG, IATA	III
· Environmental hazards: · Marine pollutant:	Product contains environmentally hazardous substances: Silver Yes (DOT)
· Special precautions for user · Danger code (Kemler): · EMS Number: · Stowage Category	Warning: Miscellaneous dangerous substances and articles 90 F-A,S-F A
• Transport in bulk according to Annex II MARPOL73/78 and the IBC Code	l of Not applicable.
· Transport/Additional information:	
DOT	
• Quantity limitations	On passenger aircraft/rail: No limit On cargo aircraft only: No limit
· ADR	
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
·IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN ''Model Regulation'':	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (SILVER), 9, III

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

7440-22-4 Silver

· TSCA (Toxic Substances Control Act):

All ingredients are listed or comply with TSCA regulations.

· TSCA new (21st Century Act) (Substances not listed)

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

(Contd. on page 9)

US —



Printing date 03/28/2018

Reviewed on 03/28/2018

Trade name: AG-750 Silver Conductive Ink

	(Contd. of page
· Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
7440-22-4 Silver	L
• TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients are listed.	
·NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients are listed.	
· Massachusetts State Right To Know List	
7440-22-4 Silver	
· New Jersey State Right To Know List	
7440-22-4 Silver	
96-48-0 gamma-Butyrolactone	
1119-40-0 Dimethyl glutarate	
627-93-0 Dimethyl adipate	
· Pennsylvania Hazardous Substances List	
7440-22-4 Silver	
96-48-0 gamma-Butyrolactone	
1119-40-0 Dimethyl glutarate	
627-93-0 Dimethyl adipate	

· California SCAQMD Rule 443.1 VOC's: No information available.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Warning

· Hazard-determinit	ng components of labeling:
gamma-Butyrolact	one
· Hazard statements	
H332 Harmful if ir	haled.
H319 Causes serio	us eye irritation.
H336 May cause d	rowsiness or dizziness.
H400 Very toxic to	aquatic life.
H410 Very toxic to	aquatic life with long lasting effects.
· Precautionary stat	ements
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P302+P352	If on skin: Wash with plenty of soap and water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	(Contd on page

(Contd. on page 10)

⁻ US

Applied Ink Solutions

Printing date 03/28/2018

Safety Data Sheet acc. to OSHA HCS

Reviewed on 03/28/2018

Trade name: AG-750 Silver Conductive Ink

(Contd.	of page	9)
(Conna.	of puse	~ /

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present	
	and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.

· National regulations:

• Other regulations, limitations and prohibitive regulations RoHS (EU)2015/863 along with EU Directive 2022/19/EU – Waste from Electrical and Electronic Equipment (WEEE):

Applied Ink Solutions products do not exceed the amount of allowable levels concerning: Cadmium (Cd); Mercury (Hg); Lead (Pb); Hexavalent chromium (Cr6+); Polybrominated biphenyls (PBB); Polybrominated diphenyl ethers (PBDE); Bis(2-Ethylhexyl) phthalate (DEHP); Benzyl butyl phthalate (BBP); Dibutyl phthalate (DBP); Diisobutyl phthalate (DIBP); Bis(2-Ethylhexyl) phthalate (DEHP); Benzyl butyl phthalate (BBP); Dibutyl phthalate (DBP); Diisobutyl phthalate (DIBP).

Applied Ink Solutions has confirmed with our precious metal suppliers that they do not use conflict minerals, as outlined in the **Dodd-Frank Wall Street Reform and Consumer Protection Act in Title XV, Section 1502.**

Registration, Evaluation and Authorization of Chemicals (REACH) & Substances of Very High Concern (SVHC): This product does not contain substances on the SVHC list.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: Mr. Cole
- · **Revision History:** New SDS
- Date of preparation / last revision 03/28/2018 / -
- Abbreviations and acronyms:
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA:** Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 4: Flammable liquids - Category 4 Acute Tox. 4: Acute toxicity – Category 4

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

(Contd. on page 11)

[—] U



Printing date 03/28/2018

Reviewed on 03/28/2018

Trade name: AG-750 Silver Conductive Ink

(Contd. of page 10)

US

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1