

Printing date 1/30/2017

Reviewed on 1/30/2017

## 1 Identification of the substance/mixture and of the company


- · Product identifier
- · Trade name: AGCL-675 Silver/Silver Chloride Ink
- · Application of the substance / the mixture Functional electronic silver/silver chloride printing ink
- $\cdot$  Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Applied Ink Solutions 17 Hampshire Drive, Unit 8 Hudson, NH 03051 USA

- **Information department:** Product Safety Email: sales@appliedinksolutions.com
- Emergency telephone number: Chemtrec USA Emergency : <u>800-424-9300</u> Chemtrec International Emergency : <u>703-527-3887</u> Applied Ink Solutions : <u>603-595-6221</u>

# 2 Hazard(s) identification

· Classification of the substance or mixture:



Aquatic Acute 1 H400 Very toxic to aquatic life. Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



Acute Tox. 4	H332 Harmful if inhaled.
Eye Irrit. 2A	H319 Causes serious eye irritation.
Skin Sens. 1	H317 May cause an allergic skin reaction.
STOT SE 3	H336 May cause drowsiness or dizziness.

· Label elements

• *GHS label elements:* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms:* 



· Signal word : Warning

Hazard-determining components of labeling: gamma-Butyrolactone Silver
Silver chloride
Hazard statements: H332 Harmful if inhaled.

(Contd. on page 2)

<sup>–</sup> US



Printing date 1/30/2017

## Safety Data Sheet acc. to OSHA HCS

Reviewed on 1/30/2017

Trade name: AGCL-675 Silver/Silver Chloride Ink

	(Contd. of page 1)
	erious eye irritation.
	e an allergic skin reaction.
H336 May caus	e drowsiness or dizziness.
H400 Very toxi	c to aquatic life.
H410 Very toxi	c to aquatic life with long lasting effects.
• Precautionary	statements:
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P273	Avoid release to the environment.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P305+P351+P	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present
	and easy to do. Continue rinsing.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	<i>If eye irritation persists: Get medical advice/attention.</i>
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification s · NFPA ratings (	ystem
	dealth = 1
	Fire = 1 $Reactivity = 0$
· HMIS-ratings (	(scale 0 - 4):
	Health = 1
	Fire = 1
REACTIVITY 0	Reactivity = 0
• Other hazards	
· Results of PBT	and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

## 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

7440-22-	4 Silver	40-60
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
96-48-	0 gamma-Butyrolactone	25-50
	♦ Acute Tox. 4, H302; Eye Irrit. 2A, H319; STOT SE 3, H336	
7783-90-6	6 Silver chloride	10-25
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
	Urethane acrylate oligomer	5-15
	🚯 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1B, H317	

(Contd. on page 3)



Printing date 1/30/2017

Reviewed on 1/30/2017

Trade name: AGCL-675 Silver/Silver Chloride Ink

(Contd. of page 2)

### 4 First-aid measures

· Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Immediately remove any clothing soiled by the product.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

• After swallowing: Do not induce vomiting; immediately call a doctor.

- Information for doctor
- Most important symptoms and effects, both acute and delayed: No further relevant information available.

• Indication of any immediate medical attention and special treatment needed: Treat symptomatically.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- Alcohol resistant foam
- Fire-extinguishing powder
- ABC powder
- · For safety reasons, unsuitable extinguishing agents: Water with full jet.
- Special hazards arising from the substance or mixture: No further relevant information available.
- · Advice for firefighters
- Protective equipment: Wear SCBA.

## 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures: Ensure adequate ventilation.
Keep away from ignition sources.
Wear protective equipment. Keep unprotected persons away.
Environmental precautions: Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

**Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

(Contd. on page 4)



Printing date 1/30/2017

### Safety Data Sheet acc. to OSHA HCS

Reviewed on 1/30/2017

Trade name: AGCL-675 Silver/Silver Chloride Ink

(Contd. of page 3)

### 7 Handling and storage

· Handling

- **Precautions for safe handling:** Ensure good ventilation/exhaust at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in one common storage facility: Store away from oxidizing agents.
- Further information about storage conditions:
- Keep container well-sealed in cool, dry location.
- Protect from heat and direct sunlight.
- Store receptacle in a well ventilated area.
- · Specific end use(s): No further relevant information available.

### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- *Additional information:* The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment
- General protective and hygienic measures:
- Keep away from food and beverages.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- · Respiratory equipment:
- In case of low exposure, use cartridge respirator. In case of intensive or longer exposure, use SCBA.
- Protection of hands:



Protective gloves

*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.* • *Material of gloves: Nitrile rubber, NBR* 

• *Penetration time of glove material :Contact glove manufacture for break-through time.* 

(Contd. on page 5)

(Contd. of page 4)



# Safety Data Sheet acc. to OSHA HCS

Printing date 1/30/2017

Reviewed on 1/30/2017

Trade name: AGCL-675 Silver/Silver Chloride Ink

• Eye protection:



Tightly sealed goggles

# 9 Physical and chemical properties

General Information Appearance		
Appearance Form:	Thick liquid	
Color:	Silver grey	
Odor:	Sweet	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
<b>Boiling point/Boiling range:</b>	205 °C (401 °F)	
Flash point:	94 °C (201 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not self-igniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 $^{\circ}C$ (68 $^{\circ}F$ ):	> 1 hPa (> 1 mm Hg)	
<i>Density at 20 °C (68 °F):</i>	2.37 g/cm <sup>3</sup> (19.79 lbs./gal)	
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	1.6-2.3 (BuAc=1)	
Solubility in / Miscibility with		
Water:	Water miscible No	
Partition coefficient (n-octanol/wate	er): Not determined.	
Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content		
VOC content:	31.8 %	
Solids content:	68% +/- 2%	

(Contd. of page 5)

### Safety Data Sheet acc. to OSHA HCS

Printing date 1/30/2017

Reviewed on 1/30/2017

Trade name: AGCL-675 Silver/Silver Chloride Ink

Applied Ink Solutions

• Other information

No further relevant information available.

## 10 Stability and reactivity

• *Reactivity:* No further relevant information available.

· Chemical stability: Stable under normal use conditions.

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid:

Exposure to strong acids and oxidizing agents.

Contact with incompatible materials.

· Incompatible materials: Strong oxidizing agents.

· Hazardous decomposition products: Carbon monoxide and carbon dioxide.

### 11 Toxicological information

· Information on toxicological effects

• Acute toxicity

· LD/LC50 values that are relevant for classification:

96-48-0 gamma-Butyrolactone

Oral	LD50	1540 mg/kg (Rat)
Dermal	LD50	5000 mg/kg (gui)
Inhalative	LC50/4 h	>5.1 mg/l (Rat)

· Primary irritant effect

• On the skin: May cause skin irritation

• On the eye: Irritating effect.

• Sensitization: Sensitization possible through skin contact.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer):

96-48-0 gamma-Butyrolactone

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

## 12 Ecological information

· Toxicity

• Aquatic toxicity:

96-48-0 gamma-Butyrolactone

*LC50/96 h* >220 - <460 mg/l (golden orfe)

(Contd. on page 7)

3

US -

US



## Safety Data Sheet acc. to OSHA HCS

Printing date 1/30/2017

Reviewed on 1/30/2017

Trade name: AGCL-675 Silver/Silver Chloride Ink

	(Contd. of page
EC50/48 h	>500 mg/l (daphnia magna)
EC50/72 h	360 mg/l (green algae)
EC50/17 h	>10000 mg/l (bacterium)
7440-22-4 Silv	ver
LC50/96 h (sta	atic) 0.0062 mg/l (Lepomis macrochirus (Bluegill))
	0.00155-0.00293 mg/l (Pimephales promelas)
7783-90-6 Silv	ver chloride
LC50/96 h	.0076 mg/l (rainbow trout (Oncorhynchus mykiss))
• Mobility in soi	<b>ive potential:</b> No further relevant information available. <b>il :</b> No further relevant information available. <b>plogical information</b>
Water hazard	class 2 (Self-assessment): hazardous for water. product to reach ground water, water course or sewage system.
Danger to drin	iking water if even small quantities leak into the ground. T and vPvB assessment
• <b>PBT:</b> Not appl • <b>vPvB:</b> Not app	licable.

# 13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of as regular garbage/trash. Do not allow product to reach sewage system. Disposal must be made in accordance with Federal, State, and Local regulations.

· Uncleaned packagings

• Recommendation: Disposal must be made in accordance with Federal, State, and Local regulations.

UN-Number DOT, ADR, IMDG, IATA:	UN3082
UN proper shipping name	
DOT, ADR:	Environmentally hazardous substances, liquid, n.o.s. (Silver, Silve, chloride).
IMDG:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID N.O.S. (Silver, Silver chloride), MARINE POLLUTANT.
IATA	Environmentally hazardous substance, liquid, n.o.s. (Silver, Silve chloride).



Printing date 1/30/2017

Reviewed on 1/30/2017

Trade name: AGCL-675 Silver/Silver Chloride Ink

	(Contd. of pag
Transport hazard class(es)	
DOT, ADR, IMDG, IATA:	
Class: Label:	9 Miscellaneous dangerous substances and articles. 9
Packing group DOT, ADR, IMDG, IATA:	111
Environmental hazards: Marine pollutant:	Product contains environmentally hazardous substances: Silver Yes (DOT)
Special precautions for user: Danger code (Kemler): EMS Number: Stowage Category	Warning: Miscellaneous dangerous substances and articles 90 F-A,S-F A
Transport in bulk according to Annex A MARPOL73/78 and the IBC Code:	II of Not applicable.
Transport/Additional information:	
DOT Quantity limitations:	On passenger aircraft/rail: No limit On cargo aircraft only: No limit
ADR	
Excepted quantities (EQ):	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
IMDG	
Limited quantities (LQ):	5L
Excepted quantities (EQ):	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (SILVER, SILVER CHLORIDE), 9, III.

# 15 Regulatory information

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

• Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

7440-22-4 Silver

7783-90-6 Silver chloride

(Contd. on page 9)

US –



Reviewed on 1/30/2017

Printing date 1/30/2017

Trade name: AGCL-675 Silver/Silver Chloride Ink

	(Contd. of page
• TSCA (Toxic Substances Control Act):	
All ingredients are listed or comply with TSCA regulations.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients are listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency):	
7440-22-4 Silver	
· TLV (Threshold Limit Value established by ACGIH):	
None of the ingredients are listed.	
·NIOSH-Ca (National Institute for Occupational Safety and Health):	
None of the ingredients are listed.	
· Massachusetts State Right To Know List:	
7440-22-4 Silver	
New Jersey State Right To Know List:	
7440-22-4 Silver	
96-48-0 gamma-Butyrolactone	
7783-90-6 Silver chloride	
Pennsylvania Hazardous Substances List:	
7440-22-4 Silver	
96-48-0 gamma-Butyrolactone	
7783-90-6 Silver chloride	

• *GHS label elements:* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms:* 



· Signal word: Warning

Hazard-determining components of labeling: gamma-Butyrolactone
Silver
Silver chloride
Hazard statements: H332 Harmful if inhaled.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H336 May cause drowsiness or dizziness.
H400 Very toxic to aquatic life.

(Contd. on page 10)

US



Safety Data Sheet acc. to OSHA HCS

Printing date 1/30/2017

Reviewed on 1/30/2017

#### Trade name: AGCL-675 Silver/Silver Chloride Ink

· Precautionary s	c to aquatic life with long lasting effects.	(Contd. of page 9)
	statements:	
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.	
P280	Wear protective gloves/protective clothing/eye protection/face protect	ion.
P273	Avoid release to the environment.	
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.	
P305+P351+P.	338 If in eyes: Rinse cautiously with water for several minutes. Remove c and easy to do. Continue rinsing.	contact lenses, if present
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for bi	reathing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.	0
P337+P313	<i>If eye irritation persists: Get medical advice/attention.</i>	
P302+P352	IF ON SKIN: Wash with plenty of soap and water.	
P403+P233	Store in a well-ventilated place. Keep container tightly closed.	
P501	Dispose of contents/container in accordance with local/regional	/national/international
	regulations.	
Other requilati	ons, limitations and prohibitive regulations	
	65/EU along with EU Directive 2022/19/EU – Waste from Electrical (	and Electronic
		ina Electronic
Equipment (W		
	lutions products do not exceed the amount of allowable levels conce	
	romium (CrVI); Mercury (Hg); Lead (Pb); Polybrominated Biphenyl ! Diphenyl Ethers (PBDEs) as bromide, decaBDE.	's (PBB's) as bromide
	utions has confirmed with our precious metal suppliers that they do not a <b>Dodd-Frank Wall Street Reform and Consumer Protection Act in Title X</b>	
• Chemical safety	v assessment: A Chemical Safety Assessment has not been carried out.	
6 Other inform	ation	
	on is based on our present knowledge. However, this shall not constitu	ito a mignantoo fon an
	t features and shall not establish a legally valid contractual relationship.	ile a guarantee jor anj
specific product		ue a guarantee for any
specific product	uing SDS: Product safety department	ue a guarantee for any
specific product Department issu Contact: Mr. Co	uing SDS: Product safety department ole	ue a guarantee for anj
specific product Department issu Contact: Mr. Co Revision Histor	uing SDS: Product safety department ole y: New SDS 11/21/2016; Rev. 1 1/30/2017	ue a guarantee for any
specific product Department issu Contact: Mr. Co Revision Histor Date of prepara	uing SDS: Product safety department ole ry: New SDS 11/21/2016; Rev. 1 1/30/2017 ution / last revision 1/30/2017 Rev. 1	ue a guarantee for anj
specific product • Department issu • Contact: Mr. Co • Revision Histor • Date of prepara • Abbreviations a	uing SDS: Product safety department ole y: New SDS 11/21/2016; Rev. 1 1/30/2017 ttion / last revision 1/30/2017 Rev. 1 und acronyms:	
specific product • Department issu • Contact: Mr. Co • Revision Histor • Date of prepara • Abbreviations a ADR: Accord euro, Carriage of Danger	uing SDS: Product safety department ole y: New SDS 11/21/2016; Rev. 1 1/30/2017 ution / last revision 1/30/2017 Rev. 1 und acronyms: péen sur le transport des marchandises dangereuses par Route (European Agreement o ous Goods by Road)	
specific product • Department issu • Contact: Mr. Co • Revision Histor • Date of prepara • Abbreviations a ADR: Accord euro Carriage of Danger IMDG: Internationa	uing SDS: Product safety department ole ry: New SDS 11/21/2016; Rev. 1 1/30/2017 ation / last revision 1/30/2017 Rev. 1 and acronyms: péen sur le transport des marchandises dangereuses par Route (European Agreement o ous Goods by Road) al Maritime Code for Dangerous Goods	
specific product <b>Department issu</b> <b>Contact:</b> Mr. Co <b>Revision Histor</b> <b>Date of prepara</b> <b>Abbreviations a</b> ADR: Accord euro, Carriage of Danger IMDG: Internationa DOT: US Departme	uing SDS: Product safety department ole ry: New SDS 11/21/2016; Rev. 1 1/30/2017 ation / last revision 1/30/2017 Rev. 1 and acronyms: péen sur le transport des marchandises dangereuses par Route (European Agreement of rous Goods by Road) al Maritime Code for Dangerous Goods ent of Transportation	
specific product Department issu Contact: Mr. Co Revision Histor Date of prepara Abbreviations a ADR: Accord euro, Carriage of Danger IMDG: International DOT: US Departme IATA: International	uing SDS: Product safety department ole ry: New SDS 11/21/2016; Rev. 1 1/30/2017 titon / last revision 1/30/2017 Rev. 1 tind acronyms: péen sur le transport des marchandises dangereuses par Route (European Agreement of ous Goods by Road) al Maritime Code for Dangerous Goods int of Transport Association	
specific product Department issu Contact: Mr. Co Revision Histor Date of prepara Abbreviations a ADR: Accord euro, Carriage of Danger IMDG: International DOT: US Departme IATA: International ACGIH: American O	uing SDS: Product safety department ole ry: New SDS 11/21/2016; Rev. 1 1/30/2017 titon / last revision 1/30/2017 Rev. 1 und acronyms: péen sur le transport des marchandises dangereuses par Route (European Agreement of rous Goods by Road) al Maritime Code for Dangerous Goods rut of Transportation 'Air Transport Association Conference of Governmental Industrial Hygienists	
specific product • Department issu • Contact: Mr. Co • Revision Histor • Date of prepara • Abbreviations a ADR: Accord euro, Carriage of Danger IMDG: International DOT: US Departme IATA: International ACGIH: American EINECS: European	uing SDS: Product safety department ole ry: New SDS 11/21/2016; Rev. 1 1/30/2017 titon / last revision 1/30/2017 Rev. 1 tind acronyms: péen sur le transport des marchandises dangereuses par Route (European Agreement of ous Goods by Road) al Maritime Code for Dangerous Goods int of Transport Association	

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

Skin Sens. 1: Sensitization - Skin, Hazard Category 1

Skin Sens. 1B: Sensitization - Skin, Hazard Category 1B STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1