

Reviewed on 11/23/2016

1 Identification of the substance/mixture and of the company

Safety Data Sheet

acc. to OSHA HCS

- · Product identifier
- · Trade name: PH-745 Phosphor Binder
- · Application of the substance / the mixture: Screen printing ink
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Applied Ink Solutions 17 Hampshire Drive, Unit 8 Hudson, NH 03051 USA
- **Information department:** Product Safety Email: sales@appliedinksolutions.com
- Emergency telephone number: Chemtrec USA Emergency : <u>800-424-9300</u> Chemtrec International Emergency : <u>703-527-3887</u> Applied Ink Solutions : <u>603-595-6221</u>

2 Hazard(s) identification

· Classification of the substance or mixture:

GHS09 Environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

GHS07

Skin Irrit. 2	H315 (Causes skin irritation.
Eye Irrit. 2A	H319 (Causes serious eye irritation.
Skin Sens. 1	H317 I	May cause an allergic skin reaction.

· Label elements

• *GHS label elements:* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word: Warning

Hazard-determining components of labeling: Phenoxy Resin
Hazard statements: H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

(Contd. on page 2)

Applied Ink Solutions

Printing date 11/23/2016

Safety Data Sheet acc. to OSHA HCS

Reviewed on 11/23/2016

Trade name: PH-745 Phosphor Binder

	(Contd. of page 1)
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P273	Avoid release to the environment.
P301 +	P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P305+	P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304 +	P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P333+	P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+	P313 If eye irritation persists: Get medical advice/attention.
P302 +	P352 IF ON SKIN: Wash with plenty of soap and water.
P403 +	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
	ication system ratings (scale $0 - 4$): $Health = 1$ Fire $= 1$ Reactivity $= 0$
· HMIS-	ratings (scale 0 - 4):
HEALTH FIRE REACT	1 Fire = 1
• PBT: N	hazards s of PBT and vPvB assessment Not applicable. Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerou	is components:	
		60-80%
	♦ Eye Irrit. 2A, H319	
	Phenoxy Resin	10-25%
	♦ Aquatic Chronic 2, H411; ♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	1

4 First-aid measures

· Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

Applied Ink Solutions

Safety Data Sheet acc. to OSHA HCS

Printing date 11/23/2016

Trade name: PH-745 Phosphor Binder

(Contd. of page 2)

Reviewed on 11/23/2016

· After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

· After swallowing:

Do not induce vomiting unless instructed to do so by a physician. Wash out mouth with water and keep person at rest. Seek immediate medical attention.

· Information for doctor:

- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed: Treat symptomatically.

5 Fire-fighting measures

· Extinguishing media

• Suitable extinguishing agents: Alcohol resistant foam Fire-extinguishing powder

ABC powder

- · For safety reasons unsuitable extinguishing agents: Water with full jet.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Wear SCBA.

6 Accidental release measures

• *Personal precautions, protective equipment and emergency procedures: Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation. Keep away from ignition sources.*

· Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

• Handling

- **Precautions for safe handling:** Ensure good ventilation/exhaust at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Protect against electrostatic charges. Keep ignition sources away - Do not smoke.

(Contd. on page 4)

[–] US

Printing date 11/23/2016

Trade name: PH-745 Phosphor Binder

Applied Ink Solutions

(Contd. of page 3)

Reviewed on 11/23/2016

- \cdot Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in one common storage facility: Do not store together with alkalis (caustic solutions).
- Do not store together with oxidizing and acidic materials.
- *Further information about storage conditions: Keep container well-sealed in cool, dry location.*
- Protect from heat and direct sunlight.
- Store receptacle in a well ventilated area.
- Specific end use(s): No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment
- General protective and hygienic measures: Keep away from food and beverages. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- *Respiratory equipment:*
- In case of low exposure, use cartridge respirator. In case of intensive or longer exposure, use SCBA. **Protection of hands:**



Protective gloves

- *The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Material of gloves: Nitrile rubber, NBR*
- *Penetration time of glove material:* Contact glove manufacture for break-through time. • *Eye protection:*



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- General Information
- · Appearance: Form:

Thick liquid

(Contd. on page 5)

⁻US-



Printing date 11/23/2016

Reviewed on 11/23/2016

Trade name: PH-745 Phosphor Binder

		(Contd. of page
Color:	Clear to light yellow	
Odor:	Sweet	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	217 °C (423 °F)	
Flash point:	98 °C (208 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	310 °C (590 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not self-igniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density:	See other information.	
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	1.6-2.3 (BuAc=1)	
Solubility in / Miscibility with		
Water:	Water miscible No	
Partition coefficient (n-octanol/wa	nter): Not determined.	
Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content		
Organic solvents:	0.0 %	
Solids content:	25.0 %	
Other information:	No further relevant information available.	

10 Stability and reactivity

- *Reactivity:* No further relevant information available.
- · Chemical stability: Stable under normal use conditions
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- *Possibility of hazardous reactions:* No dangerous reactions known.
- Conditions to avoid:

Heat, flames and sparks. Extremes of temperature and direct sunlight. Contact with incompatible materials.

- · Incompatible materials: Strong Oxidizing Agents, Strong Acids, Strong Bases.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide.



Safety Data Sheet acc. to OSHA HCS

Reviewed on 11/23/2016

Trade name: PH-745 Phosphor Binder

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity

· LD/LC50 values that are relevant for classification:

Phenoxy Resin

 Oral
 LD50
 30000 mg/kg (Rat)

 Dermal
 LD50
 >1200 mg/kg (Rat)

- · Primary irritant effect:
- · On the skin: Irritant to skin and mucous membranes.
- On the eye: Irritating effect.
- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- *Mobility in soil:* No further relevant information available.
- Ecotoxical effects:
- Remark: Toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water. Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

(Contd. on page 7)



Trade name: PH-745 Phosphor Binder

Reviewed on 11/23/2016

(Contd. of page 6)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of as regular garbage/trash. Do not allow product to reach sewage system. Disposal must be made in accordance with Federal, State, and Local regulations.

Safety Data Sheet

acc. to OSHA HCS

- · Uncleaned packagings
- Recommendation: Disposal must be made in accordance with Federal, State, and Local regulations.

UN-Number	UN3082
DOT, ADR, IMDG, IATA:	0113082
UN proper shipping name DOT, ADR:	Environmentally hazardous substances, liquid, n.o.s. (4,-
IMDG:	Isopropylidenediphenol- Epichlorohydrin Copolymer). ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUI. N.O.S. (4.4'-Isopropylidenediphenol- Epichlorohydrin Copolyme.
IATA:	MARINE POLLUTANT. Environmentally hazardous substance, liquid, n.o.s. (4 Isopropylidenediphenol-Epichlorohydrin Copolymer).
Transport hazard class(es)	
DOT, ADR, IMDG, IATA:	
Class:	9 Miscellaneous dangerous substances and articles
Label:	9
Packing group DOT, ADR, IMDG, IATA	111
Environmental hazards:	Product contains environmentally hazardous substances: 4,4'-Isopropylidenediphenol- Epichlorohydrin Copolymer.
Marine pollutant:	Yes (DOT)
Special precautions for user:	Warning: Miscellaneous dangerous substances and articles.
Danger code (Kemler): EMS Number:	90 F-A.S-F
Stowage Category:	A
Transport in bulk according to Annex I MARPOL73/78 and the IBC Code:	II of Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations:	On passenger aircraft/rail: No limit On cargo aircraft only: No limit



Printing date 11/23/2016

Reviewed on 11/23/2016

Trade name: PH-745 Phosphor Binder

	(Contd. of page 7
· ADR	
• Excepted quantities (EQ):	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· IMDG	
· Limited quantities (LQ):	5L
• Excepted quantities (EQ):	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCES
	LIQUID, N.O.S. (4,4'-ISOPROPYLIDENEDIPHENOL
	EPICHLOROHYDRIN COPOLYMER), 9, III.

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely hazardous substances):

None of the ingredients are listed.

• Section 313 (Specific toxic chemical listings):

112-15-2 2-(2-ethoxyethoxy)ethyl acetate

• TSCA (Toxic Substances Control Act):

All ingredients are listed or comply with TSCA regulations.

Proposition 65

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

• TLV (Threshold Limit Value established by ACGIH):

None of the ingredients are listed.

 \cdot NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

· New Jersey State Right To Know List:

112-15-2 2-(2-ethoxyethoxy)ethyl acetate

· Pennsylvania Hazardous Substances List:

112-15-2 2-(2-ethoxyethoxy)ethyl acetate

(Contd. on page 9)

US



Printing date 11/23/2016

Reviewed on 11/23/2016

Trade name: PH-745 Phosphor Binder

	(Contd. of page 8
California SCA	QMD Rule 443.1 VOC's: No information available.
GHS label elem Hazard pictogro	ents: The product is classified and labeled according to the Globally Harmonized System (GHS). ams:
<!-- -->< ¥	
\sim \sim	
GHS07 GHS	509
Signal word: W	arning
	ining components of labeling:
Phenoxy Resin	
Hazard stateme	
H315 Causes sk	
	rious eye irritation.
	e an allergic skin reaction.
	quatic life with long lasting effects.
Precautionary s	
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P273	Avoid release to the environment.
<i>P301+P310</i>	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P305+P351+P3	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if presen and easy to do. Continue rinsing.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/internationa regulations.
National regula	tions: None
Other regulation	ns, limitations and prohibitive regulations
	5/EU along with EU Directive 2022/19/EU – Waste from Electrical and Electronic

Applied Ink Solutions products do not exceed the amount of allowable levels concerning: Cadmium(Cd); Hexavalent Chromium (CrVI); Mercury (Hg); Lead (Pb); Polybrominated Biphenyls (PBB's) as bromide; Polybrominated Diphenyl Ethers (PBDEs) as bromide, decaBDE.

Applied Ink Solutions has confirmed with our precious metal suppliers that they do not use conflict minerals, as outlined in the **Dodd-Frank Wall Street Reform and Consumer Protection Act in Title XV, Section 1502.** • **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: Mr. Cole
- **Revision History:** New SDS
- Date of preparation / last revision 11/23/2016

(Contd. on page 10)

US



Safety Data Sheet acc. to OSHA HCS

Reviewed on 11/23/2016

Trade name: PH-745 Phosphor Binder

	(Contd. of page
Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement	t concerning the Internation
Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2	
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2	
<i>Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A</i>	
Skin Sens. 1: Sensitization - Skin, Hazard Category 1	
Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2	