Reviewed on 08/11/2022



Safety Data Sheet acc. to OSHA HCS

Printing date 08/11/2022

1 Identification

· Product identifier

- Trade name: AG-1218 Silver Conductive Ink
- · Application of the substance / the mixture Functional electronic screen printing ink
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Kayaku Advanced Materials, Inc. 200 Flanders Road Westborough, MA 01581 Tel: (617) 965-5511 Fax: (617) 965-5818

- Information department: Product Safety Email: productsafety@kayakuAM.com • Emergency telephone number:
- Kayaku Advanced Materials : 617-965-5511 Chemtrec USA Emergency : 800-424-9300 Chemtrec International Emergency : 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture

GHS09 Environment

Aquatic Acute 1	H400 Very toxic to aquatic life.
Aquatic Chronic 1	H410 Very toxic to aquatic life with long lasting effects.

Flammable Liquids 4 H227 Combustible liquid.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Warning · Hazard statements H227 Combustible liquid. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. · Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P261 Avoid breathing dust/fume/gas/mist/vapors/spray P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P310 If swallowed: Immediately call a poison center/doctor. P302+P352 If on skin: Wash with plenty of soap and water.



Printing date 08/11/2022

Reviewed on 08/11/2022

Trade name:	AG-1218	Silver	Conductive	Ink

P304+P341	(Contd. of page) If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable fo breathing.
P305+P351+P	<i>338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if preser and easy to do. Continue rinsing.</i>
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use to extinguish: Alcohol resistant foam, Fire-extinguishing powder, Carbo dioxide.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
	Iealth = 0
	$\begin{aligned} Health &= 0\\ Fire &= 2\\ Peactivity &= 0 \end{aligned}$
HMIS-ratings (HEALTH 0 FIRE 2	$\begin{aligned} Health &= 0\\ Fire &= 2\\ Peactivity &= 0 \end{aligned}$

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
Silver	� Aquatic Acute 1, H400; Aquatic Chronic 1, H410	60-80%
Dimethyl adipate	Aquatic Acute 3, H402	5-15%
Dimethyl succinate	Flammable Liquids 4, H227	5-15%
Components:		
Dimethyl glutarate		10-25%
Proprietary polyester		5-15%
(Silver Dimethyl adipate Dimethyl succinate C omponents: Dimethyl glutarate	Silver Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Dimethyl adipate Aquatic Acute 3, H402 Dimethyl succinate Flammable Liquids 4, H227 Components: Dimethyl glutarate

4 First-aid measures

• Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

• After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

⁻ US -



Printing date 08/11/2022

Reviewed on 08/11/2022

Trade name: AG-1218 Silver Conductive Ink

(Contd. of page 2)

• After eye contact: Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

• After swallowing:

Do not induce vomiting unless instructed to do so by a physician. Wash out mouth with water and keep person at rest. Seek immediate medical attention.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed Treat symptomatically.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- Alcohol resistant foam

Fire-extinguishing powder

- ABC powder
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Wear SCBA.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- Ensure adequate ventilation
- Keep away from ignition sources
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

7440-22-4 Silver	0.3 mg/m
106-65-0 Dimethyl succinate	2.5 ppm
PAC-2:	
7440-22-4 Silver	170 mg/m.
106-65-0 Dimethyl succinate	28 ppm
PAC-3:	
7440-22-4 Silver	990 mg/m

(Contd. of page 3)

170 ppm



Safety Data Sheet acc. to OSHA HCS

Printing date 08/11/2022

Reviewed on 08/11/2022

Trade name: AG-1218 Silver Conductive Ink

106-65-0 Dimethyl succinate

7 Handling and storage

· Handling:

- **Precautions for safe handling** Prevent formation of aerosols. Ensure good ventilation/exhaust at the workplace.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility:
- Do not store together with alkalis (caustic solutions). Do not store together with oxidizing and acidic materials.
- Further information about storage conditions:
- Keep container well-sealed in cool, dry location.
- Protect from heat and direct sunlight.
- Store receptacle in a well ventilated area.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. • *Material of gloves Nitrile rubber, NBR*

· Penetration time of glove material Contact glove manufacture for break-through time.

(Contd. on page 5)




Printing date 08/11/2022

Reviewed on 08/11/2022

Trade name: AG-1218 Silver Conductive Ink

(Contd. of page 4)

• Eye protection:



Information on basic physical and c	hemical properties	
General Information	r r	
Appearance:		
Form:	Liquid	
Color:	Silver-colored	
Odor: Odor threshold:	Sweet Not determined.	
pH-value:	Not determined.	
-	Not delet mined.	
Change in condition Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	96 °C (204.8 °F)	
Flash point:	90 °C (194 °F)	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 \bullet C (68 \bullet F):	8.3 hPa (6.2 mm Hg)	
<i>Density at 20 °C (68 °F):</i>	6.81639 g/cm³ (56.88277 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	1.6-2.3 (BuAc=1)	
Solubility in / Miscibility with		
Water:	Water miscible No	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.0 %	
Solids content:	68-72 %	

(Contd. of page 5)



Safety Data Sheet acc. to OSHA HCS

Printing date 08/11/2022

Reviewed on 08/11/2022

Trade name: AG-1218 Silver Conductive Ink

• Other information

No further relevant information available.

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability Stable
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid Heat, flames and sparks. Extremes of temperature and direct sunlight. Contact with incompatible materials.
- Incompatible materials: Strong Oxidizing Agents, Strong Acids, Strong Bases
- Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

· NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

· Toxicity

• Aquatic toxicity:

7440-22-4 Silver

LC50/96 h (static) 0.0062 mg/l (Lepomis macrochirus (Bluegill)) 0.00155-0.00293 mg/l (Pimephales promelas)

· Persistence and degradability No further relevant information available.

• Behavior in environmental systems:

· Bioaccumulative potential No further relevant information available.

• *Mobility in soil* No further relevant information available.

(Contd. on page 7)

⁻us



Printing date 08/11/2022

Reviewed on 08/11/2022

Trade name: AG-1218 Silver Conductive Ink

(Contd. of page 6)

• Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of as regular garbage/trash. Do not allow product to reach sewage system. Disposal must be made in accordance with Federal, State, and Local regulations.

· Uncleaned packagings:

• Recommendation: Disposal must be made in accordance with Federal, State, and Local regulations.

UN-Number DOT, ADR, IMDG, IATA	UN3082
UN proper shipping name DOT, ADR IMDG IATA	Environmentally hazardous substances, liquid, n.o.s. (Silver) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID N.O.S. (Silver), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID N.O.S. (Silver)
Transport hazard class(es)	
Class Label	9 Miscellaneous dangerous substances and articles 9
Packing group DOT, ADR, IMDG, IATA	III
	III Product contains environmentally hazardous substances: Silver Yes (DOT)



Printing date 08/11/2022

Reviewed on 08/11/2022

Trade name: AG-1218 Silver Conductive Ink

	(Contd. of page
Stowage Category	A
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: No limit
~ `	On cargo aircraft only: No limit
ADR	
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCES
-	LIQUID, N.O.S. (SILVER), 9, III

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

7440-22-4 Silver

• **TSCA** (Toxic Substances Control Act): All ingredients are listed or comply with TSCA regulations.

· Proposition 65

• Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

7440-22-4 Silver

· TLV (Threshold Limit Value)

None of the ingredients are listed.

(Contd. on page 9)

D

US -



Printing date 08/11/2022

Reviewed on 08/11/2022

Trade name: AG-1218 Silver Conductive Ink

	(Contd. of page
·NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients are listed.	
Massachusetts State Right To Know List	
7440-22-4 Silver	
· New Jersey State Right To Know List	
7440-22-4 Silver	
1119-40-0 Dimethyl glutarate	
627-93-0 Dimethyl adipate	

· Pennsylvania Hazardous Substances List

7440-22-4 Silver 1119-40-0 Dimethyl glutarate 627-93-0 Dimethyl adipate

· California SCAQMD Rule 443.1 VOC's: No information available.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



•	Signal	word	Warning
---	--------	------	---------

· Hazard statements

H227 Combustible liquid.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

· Precautionary statements

1 i ccantonary stat	
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P302+P352	If on skin: Wash with plenty of soap and water.
P304+P341	If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for
	breathing.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present
	and easy to do. Continue rinsing.
<i>P333+P313</i>	If skin irritation or rash occurs: Get medical advice/attention.
<i>P337+P313</i>	<i>If eye irritation persists: Get medical advice/attention.</i>
P370+P378	In case of fire: Use to extinguish: Alcohol resistant foam, Fire-extinguishing powder, Carbon
	dioxide.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

• Other regulations, limitations and prohibitive regulations RoHS (EU)2015/863 along with EU Directive 2022/19/EU – Waste from Electrical and Electronic Equipment (WEEE):

(Contd. on page 10)



Reviewed on 08/11/2022

Printing date 08/11/2022

Trade name: AG-1218 Silver Conductive Ink

(Contd. of page 9)

Applied Ink Solutions products do not exceed the amount of allowable levels concerning: Cadmium (Cd); Mercury (Hg); Lead (Pb); Hexavalent chromium (Cr6+); Polybrominated biphenyls (PBB); Polybrominated diphenyl ethers (PBDE); Bis(2-Ethylhexyl) phthalate (DEHP); Benzyl butyl phthalate (BBP); Dibutyl phthalate (DBP); Diisobutyl phthalate (DIBP); Bis(2-Ethylhexyl) phthalate (DEHP); Benzyl butyl phthalate (BBP); Dibutyl phthalate (DBP); Diisobutyl phthalate (DIBP).

Applied Ink Solutions has confirmed with our precious metal suppliers that they do not use conflict minerals, as outlined in the Dodd-Frank Wall Street Reform and Consumer Protection Act in Title XV, Section 1502.

Registration, Evaluation and Authorization of Chemicals (REACH) & Substances of Very High Concern (SVHC): This product does not contain substances on the SVHC list.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Department issuing SDS: Product safety department

- Contact: Tom Cole, EHS Manager (tcole@kayakuAM.com)
- *Revision History:* The manufacturer's information in Section 1 has been updated.

• Date of preparation / last revision 08/11/2022

• Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 4: Flammable liquids - Category 4 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard - Category 3 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1