

Printing date 07/29/2022

1 Identification

· Product identifier

- · Trade name: AG-515-1 Silver Conductive Ink
- · Application of the substance / the mixture Functional electronic screen printing ink
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Kayaku Advanced Materials, Inc. 200 Flanders Road Westborough, MA 01581 Tel: (617) 965-5511 Fax: (617) 965-5818

- Information department: Product Safety Email: productsafety@kayakuAM.com • Emergency telephone number:
- Kayaku Advanced Materials : 617-965-5511 Chemtrec USA Emergency : 800-424-9300 Chemtrec International Emergency : 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



Aquatic Acute 1H400 Very toxic to aquatic life.Aquatic Chronic 1H410 Very toxic to aquatic life with long lasting effects.



Eye Irritation 2A H319 Causes serious eye irritation.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



Signal word Warning
 Hazard statements
 H319 Causes serious eye irritation.
 H400 Very toxic to aquatic life.
 H410 Very toxic to aquatic life with long lasting effects.
 Precautionary statements
 P261 Avoid breathing dust/fume/gas/mist/vapors/spray
 P273 Avoid release to the environment.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)

US

Reviewed on 07/29/2022



Reviewed on 07/29/2022

Printing date 07/29/2022

ade name: AG-51	5-1 Silver Conductive Ink
	(Contd. of page 1
P301+P310	If swallowed: Immediately call a poison center.
P302+P352	If on skin: Wash with plenty of soap and water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
<i>P305+P351+P</i> .	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if presen and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/internationa regulations.
· Classification s	8
· NFPA ratings (
2 0 F	$\begin{aligned} \text{lealth} &= 2\\ \text{lire} &= 1\\ \text{eactivity} &= 0 \end{aligned}$
· HMIS-ratings (scale 0 - 4)
FIRE 1	Health = 2 $Fire = 1$ $Reactivity = 0$
· Other hazards · Results of PBT	and vPvB assessment
• PBT: Not applie	
vPvB: Not appli	
TI	

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
7440-22-4 Silver	40-60%	
Aquatic Acute 1, H400; Aquatic Chronic 1, H410		
112-15-2 Diethylene glycol monoethyl ether acetate Eye Irritation 2A, H319	25-50%	
Eye Irritation 2A, H319		
· Additional Components:		
Proprietary polyester	5-15%	

4 First-aid measures

· Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

(Contd. on page 3)

US



Printing date 07/29/2022

Reviewed on 07/29/2022

Trade name: AG-515-1 Silver Conductive Ink

(Contd. of page 2)

• After swallowing:

Do not induce vomiting unless instructed to do so by a physician. Wash out mouth with water and keep person at rest. Seek immediate medical attention.

• Information for doctor:

- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed Treat symptomatically.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- Alcohol resistant foam
- Fire-extinguishing powder
- Carbon dioxide
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Wear SCBA.

6 Accidental release measures

· Personal n	recautions, protective equipment and emergency procedures	
	equate ventilation	
	ective equipment. Keep unprotected persons away.	
	ental precautions: Do not allow to enter sewers/ surface or ground water.	
	nd material for containment and cleaning up:	
	h liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
	equate ventilation.	
	to other sections	
•	1 7 for information on safe handling.	
	<i>a</i> 8 for information on personal protection equipment.	
	13 for disposal information.	
	Action Criteria for Chemicals	
• PAC-1:		
7440-22-4	Silver	0.3 mg/m^3
112-15-2	Diethylene glycol monoethyl ether acetate	16 mg/m ³
· PAC-2:		
7440-22-4	Silver	170 mg/m ³
112-15-2	Diethylene glycol monoethyl ether acetate	170 mg/m ³
· PAC-3:	·	•
7440-22-4	Silver	990 mg/m ³
112-15-2	Diethylene glycol monoethyl ether acetate	1,000 mg/m ³

7 Handling and storage

· Handling:

 \cdot Precautions for safe handling

Ensure good ventilation/exhaust at the workplace.

⁻ US



Printing date 07/29/2022

Reviewed on 07/29/2022

Trade name: AG-515-1 Silver Conductive Ink

(Contd. of page 3)

Prevent formation of aerosols. • Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

- Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and containers:** No special requirements.
- Information about storage in one common storage facility: Do not store together with alkalis (caustic solutions).
- Do not store together with oxidizing and acidic materials.
- Further information about storage conditions: Keep container well-sealed in cool, dry location.
- Protect from heat and direct sunlight.
- Store receptacle in a well ventilated area.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at
- the workplace.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from food and beverages.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- · Respiratory equipment:
- In case of low exposure, use cartridge respirator. In case of intensive or longer exposure, use SCBA. **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- · Material of gloves Nitrile rubber, NBR
- Penetration time of glove material Contact glove manufacture for break-through time.

(Contd. on page 5)




Printing date 07/29/2022

Reviewed on 07/29/2022

Trade name: AG-515-1 Silver Conductive Ink

(Contd. of page 4)

• Eye protection:



Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	Silver-colored	
Odor: Odor threshold:	Slightly sweet Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	217.4 °C (423.3 °F)	
Flash point:	98 °C (208.4 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	310 °C (590 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 25 \bullet C (77 \bullet F):	0.1 hPa	
Density at 20 °C (68 °F):	6.13825 g/cm³ (51.2237 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	1.6-2.3 (BuAc=1)	
Solubility in / Miscibility with		
Water:	Water miscible No	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:	0.00 %	

(Contd. of page 5)



Safety Data Sheet acc. to OSHA HCS

Printing date 07/29/2022

Reviewed on 07/29/2022

Trade name: AG-515-1 Silver Conductive Ink

Solids content:

60.0 +/- 2.0 %

• Other information

No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability Stable
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Contact with incompatible materials.
- · Incompatible materials: Strong Oxidizing Agents, Strong Acids, Strong Bases
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

· NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

· Toxicity

• Aquatic toxicity:

7440-22-4 Silver

LC50/96 h (static) 0.0062 mg/l (Lepomis macrochirus (Bluegill))

0.00155-0.00293 mg/l (Pimephales promelas)

• Persistence and degradability No further relevant information available.

• Behavior in environmental systems:

· **Bioaccumulative potential** No further relevant information available.

• Mobility in soil No further relevant information available.

(Contd. on page 7)

-Us



Printing date 07/29/2022

Reviewed on 07/29/2022

Trade name: AG-515-1 Silver Conductive Ink

(Contd. of page 6)

• Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • **Results of PBT and vPvB assessment**

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of as regular garbage/trash. Do not allow product to reach sewage system. Disposal must be made in accordance with Federal, State, and Local regulations.

· Uncleaned packagings:

· Recommendation: Disposal must be made in accordance with Federal, State, and Local regulations.

UN-Number	
DOT, ADR, IMDG, IATA	UN3082
UN proper shipping name	
DOT	Environmentally hazardous substance, liquid, n.o.s. (Silver)
ADR, IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUI
	N.O.S. (Silver)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUI
	N.O.S. (Silver), MARINE POLLUTANT
Transport hazard class(es)	
Class	9 Miscellaneous dangerous substances and articles
Class Label	9 Miscellaneous dangerous substances and articles 9
Label	0
	•
Label Packing group	9 111
Label Packing group DOT, ADR, IMDG, IATA	9
Label Packing group DOT, ADR, IMDG, IATA Environmental hazards:	9 III Not applicable.
Label Packing group DOT, ADR, IMDG, IATA Environmental hazards: Marine pollutant:	9 III Not applicable. Yes (DOT) Warning: Miscellaneous dangerous substances and articles
Label Packing group DOT, ADR, IMDG, IATA Environmental hazards: Marine pollutant: Special precautions for user	9 III Not applicable. Yes (DOT) Warning: Miscellaneous dangerous substances and articles



Printing date 07/29/2022

Reviewed on 07/29/2022

Trade name: AG-515-1 Silver Conductive Ink

	(Contd. of page 2
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: No limit
	On cargo aircraft only: No limit
ADR	
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
IMDG	
\cdot Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN ''Model Regulation'':	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (SILVER), 9, III

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

• Section 313 (Specific toxic chemical listings):

7440-22-4 Silver

112-15-2 Diethylene glycol monoethyl ether acetate

• TSCA (Toxic Substances Control Act): All ingredients are listed or comply with TSCA regulations.

· Hazardous Air Pollutants

None of the ingredients are listed.

Proposition 65

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

(Contd. on page 9)

- US —



Printing date 07/29/2022

Reviewed on 07/29/2022

Trade name: AG-515-1 Silver Conductive Ink

(Contd. of page 8)

D

· EPA (Environmental Protection Agency)

7440-22-4 Silver

• TLV (Threshold Limit Value)

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

· Massachusetts State Right To Know List

7440-22-4 Silver

· New Jersey State Right To Know List

7440-22-4 Silver

112-15-2 Diethylene glycol monoethyl ether acetate

· Pennsylvania Hazardous Substances List

7440-22-4 Silver

112-15-2 Diethylene glycol monoethyl ether acetate

· California SCAQMD Rule 443.1 VOC's: No information available.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Warning
· Hazard statements
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.

H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.

· Precautionary statements

P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
DA01 DA10	

- *P301+P310* If swallowed: Immediately call a poison center.
- *P302+P352* If on skin: Wash with plenty of soap and water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- *P333+P313* If skin irritation or rash occurs: Get medical advice/attention.
- *P337+P313* If eye irritation persists: Get medical advice/attention.
- *P403+P233* Store in a well-ventilated place. Keep container tightly closed.
- *P501* Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

• Other regulations, limitations and prohibitive regulations

RoHS (*EU*)2015/863 along with *EU* Directive 2022/19/EU – Waste from Electrical and Electronic Equipment (WEEE):

(Contd. on page 10)



Reviewed on 07/29/2022

Printing date 07/29/2022

Trade name: AG-515-1 Silver Conductive Ink

(Contd. of page 9)

Applied Ink Solutions products do not exceed the amount of allowable levels concerning: Cadmium (Cd); Mercury (Hg); Lead (Pb); Hexavalent chromium (Cr6+); Polybrominated biphenyls (PBB); Polybrominated diphenyl ethers (PBDE); Bis(2-Ethylhexyl) phthalate (DEHP); Benzyl butyl phthalate (BBP); Dibutyl phthalate (DBP); Diisobutyl phthalate (DIBP).

Applied Ink Solutions has confirmed with our precious metal suppliers that they do not use conflict minerals, as outlined in the Dodd-Frank Wall Street Reform and Consumer Protection Act in Title XV, Section 1502.

Registration, Evaluation and Authorization of Chemicals (REACH) & Substances of Very High Concern (SVHC): This product does not contain substances on the SVHC list.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: Tom Cole, EHS Manager (tcole@kayakuAM.com)
- Revision History: New SDS
- Date of preparation / last revision 07/29/2022
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1