

Printing date 08/04/2022 Reviewed on 08/04/2022

## 1 Identification

- · Product identifier
- · Trade name: AG-800 Silver Conductive Ink
- · Application of the substance / the mixture Functional electronic silver printing ink
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Kayaku Advanced Materials, Inc.

200 Flanders Road Westborough, MA 01581 Tel: (617) 965-5511 Fax: (617) 965-5818

· Information department:

Product Safety

Email: productsafety@kayakuAM.com

· Emergency telephone number:

Kayaku Advanced Materials : 617-965-5511 Chemtrec USA Emergency : 800-424-9300

Chemtrec International Emergency: 703-527-3887

## 2 Hazard(s) identification

· Classification of the substance or mixture



GHS09 Environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

Flammable Liquids 4 H227 Combustible liquid.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS09

- · Signal word Warning
- · Hazard-determining components of labeling:

Silver

· Hazard statements

H227 Combustible liquid.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

*P273* Avoid release to the environment.

*P280* Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)



Printing date 08/04/2022 Reviewed on 08/04/2022

#### Trade name: AG-800 Silver Conductive Ink

(Contd. of page 1)

P301+P310 If swallowed: Immediately call a poison center/doctor.

P302+P352 If on skin: Wash with plenty of soap and water.

P304+P341 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for

breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

*P337+P313 If eye irritation persists: Get medical advice/attention.* 

P370+P378 In case of fire: Use to extinguish: Alcohol resistant foam, Fire-extinguishing powder, Carbon

dioxide.

*P403+P233* Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 0 Fire = 2

Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH 0
FIRE 2
REACTIVITY 0

Health = 0Fire = 2

REACTIVITY 0 Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

· **PBT**: Not applicable. · **vPvB**: Not applicable.

#### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous	s components:		
7440-22-4	Silver	♦ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	40-60%
106-65-0	Dimethyl succinate	Flammable Liquids 4, H227	5-15%
627-93-0	Dimethyl adipate	Aquatic Acute 3, H402	5-15%
· Additional	Components:		
1119-40-0	Dimethyl glutarate		10-25%
	Proprietary vinyl		5-15%

## 4 First-aid measures

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.

(Contd. on page 3)



Printing date 08/04/2022 Reviewed on 08/04/2022

Trade name: AG-800 Silver Conductive Ink

(Contd. of page 2)

· After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

· After swallowing:

Do not induce vomiting unless instructed to do so by a physician. Wash out mouth with water and keep person at rest. Seek immediate medical attention.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed Treat symptomatically.

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Alcohol resistant foam

Fire-extinguishing powder

ABC powder

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Wear SCBA.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

*Ensure adequate ventilation* 

Keep away from ignition sources

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

- · Handling:
- · Precautions for safe handling Ensure good ventilation/exhaust at the workplace.
- · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility:

Do not store together with oxidizing and acidic materials.

(Contd. on page 4)



Printing date 08/04/2022 Reviewed on 08/04/2022

Trade name: AG-800 Silver Conductive Ink

(Contd. of page 3)

Do not store together with alkalis (caustic solutions).

Further information about storage conditions:

Keep container well-sealed in cool, dry location.

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

· **Specific end use(s)** No further relevant information available.

# 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- · Material of gloves Nitrile rubber, NBR
- · Penetration time of glove material Contact glove manufacture for break-through time.
- · Eye protection:



Tightly sealed goggles

#### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid
Color: Silver grey
Odor: Sweet

· *Odor threshold:* Not determined.

· pH-value: Not determined.

· Change in condition

**Melting point/Melting range:** Undetermined. **Boiling point/Boiling range:** 96 °C (204.8 °F)

(Contd. on page 5)



Printing date 08/04/2022 Reviewed on 08/04/2022

Trade name: AG-800 Silver Conductive Ink

	(0	Contd. of pag
Flash point:	90 °C (194 °F)	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	5.48667 g/cm³ (45.78626 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	1.6-2.3 (BuAc=1)	
Solubility in / Miscibility with		
Water:	Water miscible No	
Partition coefficient (n-octanol/wat	ter): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
VOC content:	10-30 %	
Solids content:	54-58 %	
Other information	No further relevant information available.	

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid

Contact with incompatible materials.

Heat, flames and sparks. Extremes of temperature and direct sunlight.

- · Incompatible materials: Strong Oxidizing Agents, Strong Acids, Strong Bases
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: May cause skin irritation

(Contd. on page 6)



Printing date 08/04/2022 Reviewed on 08/04/2022

Trade name: AG-800 Silver Conductive Ink

(Contd. of page 5)

- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

· NTP (National Toxicology Program)

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

## 12 Ecological information

· Toxicity

· Aquatic toxicity:

7440-22-4 Silver

LC50/96 h (static) 0.0062 mg/l (Lepomis macrochirus (Bluegill))

0.00155-0.00293 mg/l (Pimephales promelas)

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of as regular garbage/trash. Do not allow product to reach sewage system. Disposal must be made in accordance with Federal, State, and Local regulations.

- · Uncleaned packagings:
- Recommendation: Disposal must be made in accordance with Federal, State, and Local regulations.



Printing date 08/04/2022 Reviewed on 08/04/2022

Trade name: AG-800 Silver Conductive Ink

(Contd. of page 6)

Transport information		
UN-Number DOT, ADR, IMDG, IATA	UN3082	
UN proper shipping name DOT, ADR IMDG IATA	Environmentally hazardous substances, liquid, n.o.s. (Silver) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUIN.O.S. (Silver), MARINE POLLUTANT Environmentally hazardous substance, liquid, n.o.s. (Silver)	
Transport hazard class(es)		
DOT, ADR, IMDG, IATA		
Class Label	9 Miscellaneous dangerous substances and articles	
Packing group DOT, ADR, IMDG, IATA	III	
Environmental hazards: Marine pollutant:	Not applicable. Yes (DOT)	
Special precautions for user Hazard identification number (Kemler code) EMS Number: Stowage Category	Warning: Miscellaneous dangerous substances and articles : 90 F-A,S-F A	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.	
Transport/Additional information:		
DOT Quantity limitations	On passenger aircraft/rail: No limit On cargo aircraft only: No limit	
ADR Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	
UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (SILVER), 9, III	



Reviewed on 08/04/2022 Printing date 08/04/2022

Trade name: AG-800 Silver Conductive Ink

	(0	Contd. of pa
Regulato	ry information	
· Safety, hea · Sara	alth and environmental regulations/legislation specific for the substance or mixture	
	5 (extremely hazardous substances):	
	e ingredients are listed.	
	3 (Specific toxic chemical listings):	
7440-22-4		
	xic Substances Control Act): All ingredients are listed or comply with TSCA regulations.	
· Chemicals	known to cause cancer:	
None of the	e ingredients are listed.	
Chemicals	known to cause reproductive toxicity for females:	
None of the	e ingredients are listed.	
· Chemicals	known to cause reproductive toxicity for males:	
None of the	e ingredients are listed.	
Chemicals	known to cause developmental toxicity:	
	e ingredients are listed.	
Carcinogo	nic categories	
	ronmental Protection Agency)	
7440-22-4		
	rshold Limit Value)	
	e ingredients are listed.	
	a (National Institute for Occupational Safety and Health) e ingredients are listed.	
7440-22-4	setts State Right To Know List	
	y State Right To Know List	
7440-22-4		
	Dimethyl glutarate  Dimethyl adipate	
02/-93-0	Proprietary vinyl	
D 1		
7440-22-4	nia Hazardous Substances List	
	Dimethyl glutarate	
	Dimethyl adipate	
02/-93-0	Dimenyi adipate	

· California SCAQMD Rule 443.1 VOC's: No information available.

Proprietary vinyl

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 9)



Printing date 08/04/2022 Reviewed on 08/04/2022

Trade name: AG-800 Silver Conductive Ink

(Contd. of page 8)

#### · Hazard pictograms



#### · Signal word Warning

#### · Hazard-determining components of labeling:

Silver

#### · Hazard statements

H227 Combustible liquid.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

#### · Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

*P273* Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

*P301+P310 If swallowed: Immediately call a poison center/doctor.* 

*P302+P352 If on skin: Wash with plenty of soap and water.* 

P304+P341 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for

breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

*P333+P313* If skin irritation or rash occurs: Get medical advice/attention.

*P337+P313 If eye irritation persists: Get medical advice/attention.* 

P370+P378 In case of fire: Use to extinguish: Alcohol resistant foam, Fire-extinguishing powder, Carbon

dioxide.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### · National regulations:

#### · Other regulations, limitations and prohibitive regulations

RoHS (EU)2015/863 along with EU Directive 2022/19/EU – Waste from Electrical and Electronic Equipment (WEEE):

Applied Ink Solutions products do not exceed the amount of allowable levels concerning: Cadmium (Cd); Mercury (Hg); Lead (Pb); Hexavalent chromium (Cr6+); Polybrominated biphenyls (PBB); Polybrominated diphenyl ethers (PBDE); Bis(2-Ethylhexyl) phthalate (DEHP); Benzyl butyl phthalate (BBP); Dibutyl phthalate (DBP); Diisobutyl phthalate (DIBP); Bis(2-Ethylhexyl) phthalate (DEHP); Benzyl butyl phthalate (BBP); Dibutyl phthalate (DIBP).

Applied Ink Solutions has confirmed with our precious metal suppliers that they do not use conflict minerals, as outlined in the Dodd-Frank Wall Street Reform and Consumer Protection Act in Title XV, Section 1502.

Registration, Evaluation and Authorization of Chemicals (REACH) & Substances of Very High Concern (SVHC): This product does not contain substances on the SVHC list.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.



Printing date 08/04/2022 Reviewed on 08/04/2022

Trade name: AG-800 Silver Conductive Ink

(Contd. of page 9)

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: Tom Cole, EHS Manager (tcole@kayakuAM.com)
- · Revision History: The manufacturer's information in Section 1 has been updated.
- · Date of preparation / last revision 08/04/2022
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flammable Liquids 4: Flammable liquids - Category 4

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard - Category 3

- US