

# Safety Data Sheet acc. to OSHA HCS

Printing date 08/24/2022

Reviewed on 08/24/2022

## 1 Identification

- **Product identifier**
- **Trade name:** *BT-101 Barium Titanate Dielectric*
- **Application of the substance / the mixture** *Functional electronic screen printing ink*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
*Kayaku Advanced Materials, Inc.*  
*200 Flanders Road*  
*Westborough, MA 01581*  
*Tel: (617) 965-5511*  
*Fax: (617) 965-5818*
- **Information department:**  
*Product Safety*  
*Email: productsafety@kayakuAM.com*
- **Emergency telephone number:**  
*Kayaku Advanced Materials : 617-965-5511*  
*Chemtrec USA Emergency : 800-424-9300*  
*Chemtrec International Emergency : 703-527-3887*

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Carcinogenicity 2

H351 Suspected of causing cancer. Route of exposure: Inhalation.



GHS07

Acute Toxicity - Oral 4

H302 Harmful if swallowed.

Acute Toxicity - Inhalation 4

H332 Harmful if inhaled.

Eye Irritation 2A

H319 Causes serious eye irritation.

- **Label elements**

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS07



GHS08

- **Signal word** *Warning*

- **Hazard-determining components of labeling:**

*Barium titanium trioxide*
*Titanium dioxide*

- **Hazard statements**

*H302+H332 Harmful if swallowed or if inhaled.*
*H319 Causes serious eye irritation.*
*H351 Suspected of causing cancer. Route of exposure: Inhalation.*

(Contd. on page 2)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 08/24/2022

Reviewed on 08/24/2022

**Trade name: BT-101 Barium Titanate Dielectric**

(Contd. of page 1)

### · Precautionary statements

- P261 Avoid breathing dust/fume/gas/mist/vapors/spray  
 P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P301+P310 If swallowed: Immediately call a poison center/doctor.  
 P302+P352 If on skin: Wash with plenty of soap and water.  
 P304+P341 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.  
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
 P337+P313 If eye irritation persists: Get medical advice/attention.  
 P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### · Classification system:

#### · NFPA ratings (scale 0 - 4)



#### · HMIS-ratings (scale 0 - 4)



### · Other hazards

### · Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## 3 Composition/information on ingredients

### · Chemical characterization: Mixtures

· **Description:** Mixture of the substances listed below with nonhazardous additions.

#### · Dangerous components:

112-15-2	Diethylene glycol monoethyl ether acetate	25-50%
	⚠ Eye Irritation 2A, H319	
12047-27-7	Barium titanium trioxide	25-50%
	⚠ Acute Toxicity - Oral 4, H302; Acute Toxicity - Inhalation 4, H332	
13463-67-7	Titanium dioxide	10-25%
	⚠ Carcinogenicity 2, H351	
	Acrylic Resin	10-25%
	⚠ Specific Target Organ Toxicity - Single Exposure 3, H335	

## 4 First-aid measures

### · Description of first aid measures

· **General information:** Immediately remove any clothing soiled by the product.

(Contd. on page 3)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 08/24/2022

Reviewed on 08/24/2022

**Trade name: BT-101 Barium Titanate Dielectric**

(Contd. of page 2)

- **After inhalation:**  
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**  
Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.
- **After swallowing:** Do not induce vomiting; immediately call a doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
Alcohol resistant foam  
Fire-extinguishing powder  
ABC powder
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Wear SCBA.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation  
Keep away from ignition sources
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

#### · PAC-1:

112-15-2	Diethylene glycol monoethyl ether acetate	16 mg/m3
13463-67-7	Titanium dioxide	30 mg/m3

#### · PAC-2:

112-15-2	Diethylene glycol monoethyl ether acetate	170 mg/m3
13463-67-7	Titanium dioxide	330 mg/m3

#### · PAC-3:

112-15-2	Diethylene glycol monoethyl ether acetate	1,000 mg/m3
----------	---	-------------

(Contd. on page 4)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 08/24/2022

Reviewed on 08/24/2022

**Trade name: BT-101 Barium Titanate Dielectric**

13463-67-7 Titanium dioxide

(Contd. of page 3)

 2,000 mg/m<sup>3</sup>

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
 Ensure good ventilation/exhaust at the workplace.  
 Prevent formation of aerosols.
- **Information about protection against explosions and fires:**  
 Keep ignition sources away - Do not smoke.  
 Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:**  
 Do not store together with alkalis (caustic solutions).  
 Do not store together with oxidizing and acidic materials.
- **Further information about storage conditions:**  
 Keep container well-sealed in cool, dry location.  
 Protect from heat and direct sunlight.  
 Store receptacle in a well ventilated area.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
 The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.  
 At this time, the other constituents have no known exposure limits.

#### 12047-27-7 Barium titanium trioxide

PEL	Long-term value: 0.5 mg/m <sup>3</sup> as Ba
REL	Long-term value: 0.5 mg/m <sup>3</sup> as Ba
TLV	Long-term value: 0.5 mg/m <sup>3</sup> as Ba

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
 Keep away from food and beverages.  
 Immediately remove all soiled and contaminated clothing.  
 Wash hands before breaks and at the end of work.  
 Avoid contact with the eyes.  
 Avoid contact with the eyes and skin.

(Contd. on page 5)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 08/24/2022

Reviewed on 08/24/2022

**Trade name: BT-101 Barium Titanate Dielectric**

(Contd. of page 4)

- **Respiratory equipment:**  
In case of low exposure, use cartridge respirator. In case of intensive or longer exposure, use SCBA.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Material of gloves** Nitrile rubber, NBR
- **Penetration time of glove material** Contact glove manufacture for break-through time.
- **Eye protection:**



Tightly sealed goggles

### 9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

<b>Form:</b>	Liquid
<b>Color:</b>	Opaque white
<b>Odor:</b>	Sweet
<b>Odor threshold:</b>	Not determined.

- **pH-value:** Not determined.

- **Change in condition**

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	Undetermined.

- **Flash point:** 98 °C (208.4 °F)

- **Flammability (solid, gaseous):** Not applicable.

- **Decomposition temperature:** Not determined.

- **Auto igniting:** Product is not selfigniting.

- **Danger of explosion:** Product does not present an explosion hazard.

- **Explosion limits:**

<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.

- **Vapor pressure:** Not determined.

- **Density:** See other information

- **Relative density** Not determined.

- **Vapor density** Not determined.

- **Solubility in / Miscibility with**

<b>Water:</b>	Water miscible No
---------------	-------------------

(Contd. on page 6)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 08/24/2022

Reviewed on 08/24/2022

**Trade name: BT-101 Barium Titanate Dielectric**

(Contd. of page 5)

- |   |                 |
|---|-----------------|
| · <b>Partition coefficient (n-octanol/water):</b> Not determined.     |                 |
| · <b>Viscosity:</b>   |                 |
| Dynamic:  | Not determined. |
| Kinematic:  | Not determined. |
| · <b>Solvent content:</b>   |                 |
| Organic solvents:   | 0.0 %           |
| Solids content:   | 65 - 69 %       |
| · <b>Other information</b> No further relevant information available. |                 |

### 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability** Stable
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid**  
Heat, flames and sparks. Extremes of temperature and direct sunlight.  
Contact with incompatible materials.
- **Incompatible materials:** Strong Oxidizing Agents, Strong Acids, Strong Bases
- **Hazardous decomposition products:** Carbon monoxide and carbon dioxide

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Harmful  
Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

13463-67-7	Titanium dioxide	2B
------------	------------------	----

- **NTP (National Toxicology Program)**

None of the ingredients are listed.
-------------------------------------

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients are listed.
-------------------------------------

(Contd. on page 7)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 08/24/2022

Reviewed on 08/24/2022

**Trade name: BT-101 Barium Titanate Dielectric**

(Contd. of page 6)

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
*Water hazard class 1 (Self-assessment): slightly hazardous for water*  
*Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.*
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
*Must not be disposed of as regular garbage/trash. Do not allow product to reach sewage system.*  
*Disposal must be made in accordance with Federal, State, and Local regulations.*
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made in accordance with Federal, State, and Local regulations.

### 14 Transport information

· <b>UN-Number</b>	
· <b>DOT, ADR, ADN, IMDG, IATA</b>	Not Regulated
· <b>UN proper shipping name</b>	
· <b>ADR, ADN, IMDG, IATA</b>	Not Regulated
· <b>Transport hazard class(es)</b>	
· <b>DOT, ADR, ADN, IMDG, IATA</b>	
· <b>Class</b>	Not Regulated
· <b>Packing group</b>	
· <b>DOT, ADR, IMDG, IATA</b>	Not Regulated
· <b>Environmental hazards:</b>	Not applicable.
· <b>Special precautions for user</b>	Not applicable.
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>UN "Model Regulation":</b>	Not Regulated

(Contd. on page 8)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 08/24/2022

Reviewed on 08/24/2022

 Trade name: **BT-101 Barium Titanate Dielectric**

(Contd. of page 7)

### 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

112-15-2 Diethylene glycol monoethyl ether acetate

12047-27-7 Barium titanium trioxide

· TSCA (Toxic Substances Control Act): All ingredients are listed or comply with TSCA regulations.

· Proposition 65

· Chemicals known to cause cancer:

13463-67-7 Titanium dioxide

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

12047-27-7 Barium titanium trioxide

D, CBD(inh), NL(oral)

· TLV (Threshold Limit Value)

13463-67-7 Titanium dioxide

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

13463-67-7 Titanium dioxide

· New Jersey State Right To Know List

112-15-2 Diethylene glycol monoethyl ether acetate

· Pennsylvania Hazardous Substances List

112-15-2 Diethylene glycol monoethyl ether acetate

· California SCAQMD Rule 443.1 VOC's: No information available.

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS07 GHS08

· Signal word Warning

· Hazard-determining components of labeling:

Barium titanium trioxide

Titanium dioxide

(Contd. on page 9)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 08/24/2022

Reviewed on 08/24/2022

**Trade name: BT-101 Barium Titanate Dielectric**

(Contd. of page 8)

**Hazard statements**

- H302+H332 Harmful if swallowed or if inhaled.  
 H319 Causes serious eye irritation.  
 H351 Suspected of causing cancer. Route of exposure: Inhalation.

**Precautionary statements**

- P261 Avoid breathing dust/fume/gas/mist/vapors/spray  
 P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P301+P310 If swallowed: Immediately call a poison center/doctor.  
 P302+P352 If on skin: Wash with plenty of soap and water.  
 P304+P341 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.  
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
 P337+P313 If eye irritation persists: Get medical advice/attention.  
 P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Product safety department  
 • **Contact:** Tom Cole, EHS Manager (tcole@kayakuAM.com)

**Revision History:**

The manufacturer's information in Section 1, the product hazard information in Section 2 and the component hazard information in Section 3 have been updated.

- **Date of preparation / last revision** 08/24/2022

**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 DOT: US Department of Transportation  
 IATA: International Air Transport Association  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 NFPA: National Fire Protection Association (USA)  
 HMIS: Hazardous Materials Identification System (USA)  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative  
 NIOSH: National Institute for Occupational Safety  
 OSHA: Occupational Safety & Health  
 TLV: Threshold Limit Value  
 PEL: Permissible Exposure Limit  
 REL: Recommended Exposure Limit  
 Acute Toxicity - Oral 4: Acute toxicity – Category 4  
 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A  
 Carcinogenicity 2: Carcinogenicity – Category 2  
 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3