

Printing date 05/15/2020

Reviewed on 05/15/2020

## 1 Identification

- **Product identifier**
- **Trade name:** *WB-101 Water-Based Silver Conductive Ink*
- **Application of the substance / the mixture** *Film coating*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
*Kayaku Advanced Materials, Inc.*  
*200 Flanders Road*  
*Westborough, MA 01581*  
*Tel: (617) 965-5511*  
*Fax: (617) 965-5818*
- **Information department:**  
*Product Safety*  
*Email: [productsafety@kayakuAM.com](mailto:productsafety@kayakuAM.com)*
- **Emergency telephone number:**  
*Kayaku Advanced Materials : 617-965-5511*  
*Chemtrec USA Emergency : 800-424-9300*  
*Chemtrec International Emergency : 703-527-3887*

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Repr. 1B      H360 May damage fertility or the unborn child.



GHS09 Environment

Aquatic Acute 1      H400 Very toxic to aquatic life.

Aquatic Chronic 1      H410 Very toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2      H315 Causes skin irritation.

Eye Irrit. 2A      H319 Causes serious eye irritation.

Skin Sens. 1      H317 May cause an allergic skin reaction.

- **Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS07



GHS08



GHS09

- **Signal word** *Danger*

(Contd. on page 2)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 05/15/2020

Reviewed on 05/15/2020

**Trade name: WB-101 Water-Based Silver Conductive Ink**

(Contd. of page 1)

· **Hazard-determining components of labeling:**

Silver

· **Hazard statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H360 May damage fertility or the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

· **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 If swallowed: Immediately call a poison center/doctor.

P302+P352 If on skin: Wash with plenty of soap and water.

P304+P341 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 2

Fire = 1

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = \*2

Fire = 1

Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

### 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

7440-22-4	Silver	60-80%
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	

(Contd. on page 3)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 05/15/2020

Reviewed on 05/15/2020

**Trade name: WB-101 Water-Based Silver Conductive Ink**

(Contd. of page 2)

	Urethane acrylate oligomer		10-25%
	⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1B, H317		
872-50-4	N-methyl-2-pyrrolidinone		1-5%
	⚠ Acute Tox. 3, H331; ⚠ Repr. 1B, H360; ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335; Flam. Liq. 4, H227		
<b>Additional Components:</b>			
577-11-7	Diocetyl sodium sulfosuccinate	⚠ Acute Tox. 4, H302; Eye Irrit. 2A, H319	<1%
7732-18-5	Water		10-25%

### 4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**  
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**  
Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.
- **After swallowing:**  
Do not induce vomiting unless instructed to do so by a physician. Wash out mouth with water and keep person at rest. Seek immediate medical attention.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
Alcohol resistant foam  
Fire-extinguishing powder  
ABC powder
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Wear SCBA.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 4)

Printing date 05/15/2020

Reviewed on 05/15/2020

**Trade name: WB-101 Water-Based Silver Conductive Ink**

(Contd. of page 3)

Ensure adequate ventilation.

**· Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

**· Handling:**
**· Precautions for safe handling**

Ensure good ventilation/exhaust at the workplace.

Prevent formation of aerosols.

**· Information about protection against explosions and fires:**

Protect against electrostatic charges.

Keep ignition sources away - Do not smoke.

**· Conditions for safe storage, including any incompatibilities**
**· Storage:**
**· Requirements to be met by storerooms and containers:** No special requirements.

**· Information about storage in one common storage facility:**

Do not store together with alkalis (caustic solutions).

Do not store together with oxidizing and acidic materials.

**· Further information about storage conditions:**

Keep container well-sealed in cool, dry location.

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

**· Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

**· Additional information about design of technical systems:** No further data; see item 7.

**· Control parameters**
**· Components with limit values that require monitoring at the workplace:**
**872-50-4 N-methyl-2-pyrrolidinone**

WEEL Long-term value: 10 ppm

Skin

**· Ingredients with biological limit values:**
**872-50-4 N-methyl-2-pyrrolidinone**

BEI 100 mg/L

Medium: urine

Time: end of shift

Parameter: 5-Hydroxy-N-methyl-2-pyrrolidone

**· Additional information:** The lists that were valid during the creation were used as basis.

**· Exposure controls**
**· Personal protective equipment:**
**· General protective and hygienic measures:**

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

(Contd. on page 5)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 05/15/2020

Reviewed on 05/15/2020

**Trade name: WB-101 Water-Based Silver Conductive Ink**

(Contd. of page 4)

· **Respiratory equipment:**

*In case of low exposure, use cartridge respirator. In case of intensive or longer exposure, use SCBA.*

· **Protection of hands:**



Protective gloves

*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.*

· **Material of gloves** Nitrile rubber, NBR

· **Penetration time of glove material** Contact glove manufacture for break-through time.

· **Eye protection:**



Tightly sealed goggles

### 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

<b>Form:</b>	Liquid
<b>Color:</b>	Silver-colored
<b>Odor:</b>	Characteristic
<b>Odor threshold:</b>	Not determined.

· **pH-value:** Not determined.

· **Change in condition**

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	Undetermined.

· **Flash point:** 94 °C (201.2 °F)

· **Flammability (solid, gaseous):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.

· **Vapor pressure:** Not determined.

· **Density:** See other information

· **Relative density** Not determined.

· **Vapor density** Not determined.

· **Solubility in / Miscibility with**

**Water:** Water miscible No

(Contd. on page 6)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 05/15/2020

Reviewed on 05/15/2020

**Trade name: WB-101 Water-Based Silver Conductive Ink**

(Contd. of page 5)

- |                                                                       |                 |
|-----------------------------------------------------------------------|-----------------|
| · <b>Partition coefficient (n-octanol/water):</b> Not determined.     |                 |
| · <b>Viscosity:</b>                                                   |                 |
| Dynamic:                                                              | Not determined. |
| Kinematic:                                                            | Not determined. |
| · <b>Solvent content:</b>                                             |                 |
| Organic solvents:                                                     | 1-5 %           |
| Water:                                                                | 10-25 %         |
| VOC content:                                                          | 1-5 %           |
| Solids content:                                                       | 78-82 %         |
| · <b>Other information</b> No further relevant information available. |                 |

### 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability** Stable
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid**  
Heat, flames and sparks. Extremes of temperature and direct sunlight.  
Contact with incompatible materials.
- **Incompatible materials:** Strong Oxidizing Agents, Strong Acids, Strong Bases
- **Hazardous decomposition products:** Carbon monoxide and carbon dioxide

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

**872-50-4 N-methyl-2-pyrrolidinone**

Oral	LD50	3914 mg/kg (Rat)
Dermal	LD50	8000 mg/kg (rabbit)
Inhalative	LC50/4 h	>5.0 mg/l (Rat)

- **Primary irritant effect:**
- **on the skin:** May cause skin irritation
- **on the eye:** Irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients are listed.

- **NTP (National Toxicology Program)**

None of the ingredients are listed.

(Contd. on page 7)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 05/15/2020

Reviewed on 05/15/2020

**Trade name: WB-101 Water-Based Silver Conductive Ink**

(Contd. of page 6)

 · **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients are listed.

### 12 Ecological information

 · **Toxicity**

 · **Aquatic toxicity:**
**7440-22-4 Silver**

 LC50/96 h (static) 0.0062 mg/l (*Lepomis macrochirus* (Bluegill))

 0.00155-0.00293 mg/l (*Pimephales promelas*)

 · **Persistence and degradability** No further relevant information available.

 · **Behavior in environmental systems:**

 · **Bioaccumulative potential** No further relevant information available.

 · **Mobility in soil** No further relevant information available.

 · **Additional ecological information:**

 · **General notes:**

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

 · **Results of PBT and vPvB assessment**

 · **PBT:** Not applicable.

 · **vPvB:** Not applicable.

 · **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

 · **Waste treatment methods**

 · **Recommendation:**

Must not be disposed of as regular garbage/trash. Do not allow product to reach sewage system.

Disposal must be made in accordance with Federal, State, and Local regulations.

 · **Uncleaned packagings:**

 · **Recommendation:** Disposal must be made in accordance with Federal, State, and Local regulations.

### 14 Transport information

 · **UN-Number**

 · **DOT, ADR, IMDG, IATA**

UN3082

 · **UN proper shipping name**

 · **DOT, ADR**

 · **IMDG**

 · **IATA**

Environmentally hazardous substances, liquid, n.o.s. (Silver)

 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
 N.O.S. (Silver), MARINE POLLUTANT

Environmentally hazardous substance, liquid, n.o.s. (Silver)

(Contd. on page 8)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 05/15/2020

Reviewed on 05/15/2020

**Trade name: WB-101 Water-Based Silver Conductive Ink**

(Contd. of page 7)

 · **Transport hazard class(es)**

 · **DOT, ADR, IMDG, IATA**

 · **Class**

9 Miscellaneous dangerous substances and articles

 · **Label**

9

 · **Packing group**

 · **DOT, ADR, IMDG, IATA**

III

 · **Environmental hazards:**

Product contains environmentally hazardous substances: Silver

 · **Marine pollutant:**

Yes (DOT)

 · **Special precautions for user**

Warning: Miscellaneous dangerous substances and articles

 · **Hazard identification number (Kemler code):**

90

 · **EMS Number:**

F-A,S-F

 · **Stowage Category**

A

 · **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

 · **Transport/Additional information:**

 · **DOT**

 · **Quantity limitations**

On passenger aircraft/rail: No limit

On cargo aircraft only: No limit

 · **ADR**

 · **Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

 · **IMDG**

 · **Limited quantities (LQ)**

5L

 · **Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

 · **UN "Model Regulation":**

UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (SILVER), 9, III

### 15 Regulatory information

 · **Safety, health and environmental regulations/legislation specific for the substance or mixture**

 · **Sara**

 · **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

 · **Section 313 (Specific toxic chemical listings):**

7440-22-4 Silver

872-50-4 N-methyl-2-pyrrolidinone

(Contd. on page 9)



Printing date 05/15/2020

Reviewed on 05/15/2020

**Trade name: WB-101 Water-Based Silver Conductive Ink**

(Contd. of page 8)

- **TSCA (Toxic Substances Control Act):** All ingredients are listed or comply with TSCA regulations.
- **Proposition 65**

 · **Chemicals known to cause cancer:**

None of the ingredients are listed.

 · **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

 · **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

 · **Chemicals known to cause developmental toxicity:**

872-50-4 | N-methyl-2-pyrrolidinone

 · **Carcinogenic categories**

 · **EPA (Environmental Protection Agency)**

7440-22-4 | Silver

D

 · **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients are listed.

 · **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed.

 · **Massachusetts State Right To Know List**

7440-22-4 | Silver

872-50-4 | N-methyl-2-pyrrolidinone

 · **New Jersey State Right To Know List**

7440-22-4 | Silver

872-50-4 | N-methyl-2-pyrrolidinone

 · **Pennsylvania Hazardous Substances List**

7440-22-4 | Silver

872-50-4 | N-methyl-2-pyrrolidinone

- **California SCAQMD Rule 443.1 VOC's:** No information available.

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS07

GHS08

GHS09

- **Signal word** Danger

- **Hazard-determining components of labeling:**

Silver

- **Hazard statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H360 May damage fertility or the unborn child.

H400 Very toxic to aquatic life.

(Contd. on page 10)

## Safety Data Sheet

*acc. to OSHA HCS*

Printing date 05/15/2020

Reviewed on 05/15/2020

**Trade name: WB-101 Water-Based Silver Conductive Ink**

(Contd. of page 9)

H410 Very toxic to aquatic life with long lasting effects.

· **Precautionary statements**

- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P310 If swallowed: Immediately call a poison center/doctor.
- P302+P352 If on skin: Wash with plenty of soap and water.
- P304+P341 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **National regulations:**

· **Other regulations, limitations and prohibitive regulations**

Kayaku Advanced Materials has confirmed with our precious metal suppliers that they do not use conflict minerals, as outlined in the Dodd-Frank Wall Street Reform and Consumer Protection Act in Title XV, Section 1502.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Product safety department

· **Contact:** Tom Cole, EHS Manager (tcole@kayakuAM.com)

· **Revision History:** The manufacturer's information in Section 1 has been updated.

· **Date of preparation / last revision** 05/15/2020 / 1

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

(Contd. on page 11)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 05/15/2020

Reviewed on 05/15/2020

**Trade name: WB-101 Water-Based Silver Conductive Ink**

(Contd. of page 10)

Flam. Liq. 4: Flammable liquids – Category 4  
Acute Tox. 3: Acute toxicity – Category 3  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  
Skin Sens. 1: Skin sensitisation – Category 1  
Skin Sens. 1B: Skin sensitisation – Category 1B  
Repr. 1B: Reproductive toxicity – Category 1B  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1  
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

US