

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.04.2023

Version number 9 (replaces version 8)

Revision: 11.04.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### · 1.1 Product identifier

• Trade name: EBR PG

• Article number: G042075

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

- · Sector of Use SU16 Manufacture of computer, electronic and optical products, electrical equipment
- **Product category** PC21 Laboratory chemicals
- · Application of the substance / the mixture Solvents

#### · 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Kayaku Advanced Materials, Inc. 200 Flanders Road Westborough, MA 01581 Tel: (617) 965-5511 Fax: (617) 965-5818

The person responsible in EU Member State: ONLY REPRESENTATIVE Lionel Marcélis, PhD President REACH NATION SRL 22 Rue Notre Dame au Bois 1440 Braine-le-Château BELGIUM Tel : +32491880259

\*Only Representative for 1,3-dioxolane (CAS 646-06-0) only. Other substances are being supported under REACH by Only Representatives of Non-European suppliers and others may be exempt from registration.

Further information obtainable from: Product Safety
Email: productsafety@kayakuam.com
1.4 Emergency telephone number: Kayaku Advanced Materials : 617-965-5511 Chemtrec USA Emergency : 800-424-9300 (24 hr) Chemtrec International Emergency : 703-527-3887 (24 hr)

#### SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008

GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

(Contd. on page 2)

EU -



Printing date 11.04.2023

Version number 9 (replaces version 8)

Revision: 11.04.2023

Trade name: EBR PG

	(Contd. of page 1)
$\mathbf{\Lambda}$	
GHS0	)7
STOT SE 3 H3	36 May cause drowsiness or dizziness.
2.2 Label element	
	ding to Regulation (EC) No 1272/2008
	lassified and labelled according to the CLP regulation.
Hazard pictogra	ms
	$\Lambda \Lambda$
< <u>@</u> }	
$\sim$	
GHS02 GHS	05 GHS07
Signal word Dat	nger
-	ning components of labelling:
1,3-dioxolane	ning components of moening.
1-methoxy-2-pro	ppanol
Hazard statemen	
H225 Highly flat	mmable liquid and vapour.
	rious eye damage.
	e drowsiness or dizziness.
Precautionary s	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
P261	smoking.
P280	Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304+P341	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position
	comfortable for breathing.
P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use to extinguish: Alcohol resistant foam, Fire-extinguishing powder, Carbon
D402 + D225	dioxide.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
2.3 Other hazard	6
	and vPvB assessment
<b>PBT:</b> Not applic	
vPvB: Not applie	
	f endocrine-disrupting properties
None of the ingr	edients are included in the list established in accordance with Article 59(1) for having endocrine
disrupting prope	
disrupting prope None of the ingr	redients are substances identified as having endocrine disrupting properties in accordance with
disrupting prope None of the ingr	redients are substances identified as having endocrine disrupting properties in accordance with out in Commission Delegated Regulation (EU) 2017/2100 (or Commission Regulation (EU)



Printing date 11.04.2023

Version number 9 (replaces version 8)

Revision: 11.04.2023

Trade name: EBR PG

(Contd. of page 2)

#### SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Solvent mixture

· Dangerous components:		
CAS: 646-06-0 EINECS: 211-463-5 Index number: 605-017-00-2	1,3-dioxolane	50-80%
Reg.nr.: 01-2119490744-29-001	7	
CAS: 107-98-2 EINECS: 203-539-1 Index number: 603-064-00-3	1-methoxy-2-propanol Flam. Liq. 3, H226; 🚺 STOT SE 3, H336	5-30%
Additional information. For the	wording of the listed hazard phrases refer to section 16	

Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

• After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

· After swallowing: If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

#### **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

• Suitable extinguishing agents:

Alcohol resistant foam

Fire-extinguishing powder

ABC powder

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released:

Formaldehyde

Can form explosive gas-air mixtures.

Containers may explode due to pressure increase when container is exposed to extreme heat. Vapors may travel a considerable distance to a source of ignition and flash back along vapor trail.

(Contd. on page 4)

<sup>–</sup> EU



Printing date 11.04.2023

Version number 9 (replaces version 8)

Revision: 11.04.2023

(Contd. of page 3)

Trade name: EBR PG

· 5.3 Advice for firefighters

· Protective equipment: Wear self-contained respiratory protective device.

#### **SECTION 6:** Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Keep away from ignition sources. Use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away.
6.2 Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust Ensure adequate ventilation. • 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### SECTION 7: Handling and storage

### · 7.1 Precautions for safe handling

Keep away from heat and direct sunlight.
Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).
Prevent formation of aerosols.
Information about fire - and explosion protection:
Keep ignition sources away - Do not smoke.
Protect from heat.
Use explosion-proof apparatus / fittings and spark-proof tools.
Protect against electrostatic charges.
7.2 Conditions for safe storage, including any incompatibilities
Storage:
Requirements to be met by storerooms and containers:

Store in inert atmosphere or keep well sealed to prevent the formation of peroxides and other oxidation products. Store in a cool location.

• Information about storage in one common storage facility: Do not store together with alkalis (caustic solutions). Do not store together with oxidising and acidic materials. • Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

Protect from heat and direct sunlight.

· 7.3 Specific end use(s) Positive radiation resist edge bead remover

(Contd. on page 5)



Printing date 11.04.2023

Version number 9 (replaces version 8)

Revision: 11.04.2023

Trade name: EBR PG

(Contd. of page 4)

# **SECTION 8: Exposure controls/personal protection** · 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace: 107-98-2 1-methoxy-2-propanol *IOELV* Short-term value: 568 mg/m<sup>3</sup>, 150 ppm Long-term value: 375 mg/m<sup>3</sup>, 100 ppm Skin • Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls • Appropriate engineering controls No further data; see section 7. · Individual protection measures, such as personal protective equipment • General protective and hygienic measures: Keep away from food and beverages. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols. • Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation. · Hand protection Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves Butyl rubber, BR Nitrile rubber, NBR · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye/face protection Tightly sealed goggles **SECTION 9: Physical and chemical properties**

- •9.1 Information on basic physical and chemical properties
- · General Information
- · Physical state
- · Colour:
- Odour:
- Odour threshold:

Liquid Clear to light yellow Characteristic Not determined.

(Contd. on page 6)

EU -

EU



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.04.2023

Version number 9 (replaces version 8)

Revision: 11.04.2023

Trade name: EBR PG

	(Contd. of page
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point	
and boiling range	75 °C
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	2.1 Vol %
Upper:	20.5 Vol %
Opper.	Not determined.
Flash point:	<7.5 °C
	270 °C
Auto-ignition temperature:	
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water	
(log value)	Not determined.
Vapour pressure at 20 °C:	133 hPa
Density and/or relative density	
Density at 20 °C:	$1.0355 \text{ g/cm}^3$
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Liquid
Important information on protection o	
health and environment, and on safety	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Solvent content:	-
Organic solvents:	50-80 %
Change in condition	
Evaporation rate	Not determined.
-	
Information with regard to physical	
hazard classes	17 • 1
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	
Highly flammable liquid and vapour.	Void
Highly flammable liquid and vapour. <b>Flammable solids</b>	Void Void
Highly flammable liquid and vapour. Flammable solids Self-reactive substances and mixtures	Void
Highly flammable liquid and vapour. <b>Flammable solids</b>	



Printing date 11.04.2023

*Version number 9 (replaces version 8)* 

Revision: 11.04.2023

Trade name: EBR PG

		(Contd. of page
Self-heating substances and mi		
Substances and mixtures, which	e emit	
flammable gases in contact with	water	
Void		
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

#### SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

#### • 10.2 Chemical stability Stable

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions
- Polymerisation.
- Possible formation of peroxide.
- 10.4 Conditions to avoid
- Contact with incompatible materials.
- Heat, flames and sparks. Extremes of temperature and direct sunlight.
- 10.5 Incompatible materials: Strong Oxidizing Agents, Strong Acids, Strong Bases
- · 10.6 Hazardous decomposition products:
- Formaldehyde
- Carbon monoxide and carbon dioxide

#### SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

646-06-0 1,3-dioxolane		
Oral	LD50	3000 mg/kg (Rat)
Dermal	LD50	8480 mg/kg (rabbit)
Inhalative	LC50	68.4 mg/L (Rat)
107-98-21	107-98-2 1-methoxy-2-propanol	
Oral	LD50	5660 mg/kg (Rat)
Dermal	LD50	13000 mg/kg (rabbit)
Inhalative	LC50/4 h	54.6 mg/l (Rat)
· Skin corro	Skin corrosion/irritation Not a known skin irritant	
	· Serious eye damage/irritation	
Causes ser	Causes serious eye damage.	

· Respiratory or skin sensitisation No information

· Germ cell mutagenicity No information

· Carcinogenicity No information

• Reproductive toxicity Based on available data, the classification criteria are not met.

(Contd. on page 8)

<sup>-</sup> EU

# ADVANCED MATERIALS

#### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.04.2023

Version number 9 (replaces version 8)

Revision: 11.04.2023

Trade name: EBR PG

(Contd. of page 7)

· STOT-single exposure

May cause drowsiness or dizziness.

· STOT-repeated exposure No information

· Aspiration hazard No information

· Experience with humans: No further relevant information available.

• 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: E	Cological information
· 12.1 Toxicity	
• Aquatic toxicity:	
646-06-0 1,3-dioxo	lane
Oral 14 day NOEC	T > 1000  mg/l (algae)
EC50	7650 mg/kg (daphnia magna)
LC50 48 hr	12000 mg/L (Sheepshead minnow)
107-98-2 1-methox	y-2-propanol
EC50 96 hr	23300 (daphnia magna)
	>1000 (green algae)
LC50/96 h	20800 mg/l (Pimephales promelas)
	d degradability The single components are biodegradable
· 12.3 Bioaccumulat	•
	ution coefficient n-octanol/water a worth-mentioning accumulation in organisms is not
expected.	
• 12.4 Mobility in soi	
indicating very high	elene glycol monomethyl ether, rapid dissipation in soil expected. Koc value between 1 and 50 soil mobility
· · ·	Γ and vPvB assessment
• <b>PBT:</b> Not applicabl	
• <b>vPvB:</b> Not applicable	
· 12.6 Endocrine dist	
	- Fride Contraction and the second seco

The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects

- Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Disposal must be made in accordance with International, National, and regional regulations.

(Contd. on page 9)

- EU

ADVANCED MATERIALS

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.04.2023

Version number 9 (replaces version 8)

Revision: 11.04.2023

(Contd. of page 8)

Trade name: EBR PG

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	
· 14.1 UN number or ID number · ADR, IMDG, IATA	UN1166
· 14.2 UN proper shipping name · ADR · IMDG, IATA	1166 DIOXOLANE DIOXOLANE
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA	
· Class	3 Flammable liquids.
· Label	3
· 14.4 Packing group · ADR, IMDG, IATA	11
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Warning: Flammable liquids.
• Hazard identification number (Kemler code):	33
· EMS Number:	F-E,S-D
• 14.7 Maritime transport in bulk according to IM instruments	<i>IO</i> Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	IL
• Transport category • Tunnel restriction code	2 D/E
	2/2
· UN "Model Regulation":	UN1166, DIOXOLANE, 3, II

# SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

• Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t

• Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t

(Contd. on page 10)



Printing date 11.04.2023

*Version number 9 (replaces version 8)* 

Revision: 11.04.2023

(Contd. of page 9)

Trade name: EBR PG

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H318 Causes serious eye damage.
- H336 May cause drowsiness or dizziness.
- · Classification according to Regulation (EC) No 1272/2008
- Art. 9(1) of Regulation (EC) No. 1272/2008 was used for classification purposes.
- · Department issuing SDS: Product safety department
- · Contact: Tom Cole, EHS Manager (tcole@kayakuam.com)
- · Revision History:

The manufacturer's information in Section 1, the product hazard information in Section 2 and the component hazard information in Section 3 have been updated.

Version number of previous version: 8

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- *PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative*

(Contd. on page 11)

<sup>·</sup> Abbreviations and acronyms:

Flam. Liq. 2: Flammable liquids – Category 2



Printing date 11.04.2023

*Version number 9 (replaces version 8)* 

Revision: 11.04.2023

Trade name: EBR PG

Flam. Liq. 3: Flammable liquids – Category 3 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 (Contd. of page 10)

- EU -