

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.04.2023



# **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008

flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Printing date 11.04.2023

Version number 9

Revision: 11.04.2023

Trade name: EBR PG

	(Contd. of pa
$\wedge$	
$\mathbf{\vee}$	
STOT SE 3 H3	36 May cause drowsiness or dizziness.
2.2 Label eleme	
	ding to Regulation (EC) No 1272/2008
1	lassified and labelled according to the GB CLP regulation.
Hazard pictogra	ums
$\land$	$\land \land$
< ( ) < E	
GHS02 GHS	505 GHS07
Signal word Da	nger
Hazard-determi	ning components of labelling:
1,3-dioxolane	8
1-methoxy-2-pro	opanol
Hazard stateme	
H225 Highly fla	mmable liquid and vapour.
H318 Causes se	rious eye damage.
H336 May cause	e drowsiness or dizziness.
Precautionary s	tatements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources smoking.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P304+P341	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a post
	comfortable for breathing.
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lense
	present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use to extinguish: Alcohol resistant foam, Fire-extinguishing powder, Can dioxide.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/internation regulations.
2.3 Other hazar	8
None of the ingr	edients are included in the list established in accordance with Article 59(1) for having endoc
disrupting prope	erties.
	redients are substances identified as having endocrine disrupting properties in accordance
	out in Commission Delegated Regulation (EU) 2017/2100 (or Commission Regulation (
2018/605.	
Results of PBT	and vPvB assessment
PBT: Not applic	



Printing date 11.04.2023

Version number 9

Revision: 11.04.2023

Trade name: EBR PG

(Contd. of page 2)

· vPvB: Not applicable.

# SECTION 3: Composition/information on ingredients

#### · 3.2 Chemical characterisation: Mixtures

• **Description:** Solvent mixture

· Dangerous components:			
	1,3-dioxolane	🚸 Flam. Liq. 2, H225; 🚸 Eye Dam. 1, H318	50-80%
EINECS: 211-463-5			
CAS: 107-98-2	1-methoxy-2-propanol	🚸 Flam. Liq. 3, H226; 🕔 STOT SE 3, H336	5-30%
EINECS: 203-539-1			
• Additional information: For the wording of the listed hazard phrases refer to section 16.			

# **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

• After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

• After swallowing: If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

# **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

Suitable extinguishing agents:

Alcohol resistant foam

Fire-extinguishing powder

ABC powder

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture
- In case of fire, the following can be released:

Formaldehyde

Can form explosive gas-air mixtures.

Containers may explode due to pressure increase when container is exposed to extreme heat. Vapors may travel a considerable distance to a source of ignition and flash back along vapor trail.

(Contd. on page 4)

GB -

Version number 9

Revision: 11.04.2023

Trade name: EBR PG

*Printing date 11.04.2023* 

· 5.3 Advice for firefighters

· Protective equipment: Wear self-contained respiratory protective device.

· 6.1 Personal precautions, protective equipment and emergency procedures

# **SECTION 6:** Accidental release measures

Ensure adequate ventilation
Keep away from ignition sources.
Use respiratory protective device against the effects of fumes/dust/aerosol.
Wear protective equipment. Keep unprotected persons away.
6.2 Environmental precautions:
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
6.4 Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

# · 7.1 Precautions for safe handling

Keep away from heat and direct sunlight. Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air). Prevent formation of aerosols. · Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect from heat. Use explosion-proof apparatus / fittings and spark-proof tools. Protect against electrostatic charges. • 7.2 Conditions for safe storage, including any incompatibilities · Storage: • Requirements to be met by storerooms and containers: Store in inert atmosphere or keep well sealed to prevent the formation of peroxides and other oxidation products. Store in a cool location. · Information about storage in one common storage facility: Do not store together with alkalis (caustic solutions). Do not store together with oxidising and acidic materials.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

Protect from heat and direct sunlight.

• 7.3 Specific end use(s) Positive radiation resist edge bead remover

(Contd. on page 5)



(Contd. of page 3)

# Advanced materials

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.04.2023

Version number 9

Revision: 11.04.2023

Trade name: EBR PG

(Contd. of page 4)

# **SECTION 8: Exposure controls/personal protection** · 8.1 Control parameters • Additional information about design of technical facilities: No further data; see section 7. · Ingredients with limit values that require monitoring at the workplace: 107-98-2 1-methoxy-2-propanol WEL Short-term value: 560 mg/m<sup>3</sup>, 150 ppm Long-term value: 375 mg/m<sup>3</sup>, 100 ppm Sk • Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls · Personal protective equipment: · General protective and hygienic measures: Keep away from food and beverages. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols. • Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves Butyl rubber, BR Nitrile rubber, NBR · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye protection: Tightly sealed goggles **SECTION 9: Physical and chemical properties**

- •9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:
- Form: Colour:
- · Odour:
- Odour threshold:

Liquid Clear to light yellow Characteristic Not determined.

(Contd. on page 6)



Printing date 11.04.2023

Version number 9

Revision: 11.04.2023

Trade name: EBR PG

	(Contd. of page
pH-value:	Not determined.
Change in condition Melting point/freezing point: Initial boiling point and boiling range	Undetermined. 2: 75 °C
Flash point:	<7.5 °C
Flammability (solid, gas):	Not applicable.
Auto-ignition temperature:	270 °C
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapou mixtures are possible.
Explosion limits: Lower: Upper:	2.1 Vol % 20.5 Vol % Not determined.
Vapour pressure at 20 °C:	133 hPa
Density at 20 °C: Relative density Vapour density Evaporation rate	1.0355 g/cm <sup>3</sup> Not determined. Not determined. Not determined.
Solubility in / Miscibility with water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
Solvent content: Organic solvents:	50-80 %
9.2 Other information	No further relevant information available.

# SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

• 10.2 Chemical stability Stable

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions

Polymerisation.

Possible formation of peroxide.

· 10.4 Conditions to avoid

Contact with incompatible materials. Heat, flames and sparks. Extremes of temperature and direct sunlight.

• 10.5 Incompatible materials: Strong Oxidizing Agents, Strong Acids, Strong Bases

(Contd. on page 7)

GB

Printing date 11.04.2023

ADVANCED MATERIALS

Version number 9

Revision: 11.04.2023

Trade name: EBR PG

(Contd. of page 6)

• **10.6 Hazardous decomposition products:** Formaldehyde

Carbon monoxide and carbon dioxide

# SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 valu	s relevant for	classification:

646-06-0 1	646-06-0 1,3-dioxolane			
	LD50	3000 mg/kg (Rat)		
	LD50	8480 mg/kg (rabbit)		
Inhalative	LC50	68.4 mg/L (Rat)		
107-98-2 1-methoxy-2-propanol				
Oral	LD50	5660 mg/kg (Rat)		

Orai	LDSU	3000 mg/kg (Rai)
Dermal	LD50	13000 mg/kg (rabbit)
Inhalative	LC50/4 h	54.6 mg/l (Rat)

· Primary irritant effect:

· Skin corrosion/irritation Not a known skin irritant

 $\cdot$  Serious eye damage/irritation

Causes serious eye damage.

· Respiratory or skin sensitisation No information

• Experience with humans: No further relevant information available.

• Additional toxicological information:

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

· Germ cell mutagenicity No information

· Carcinogenicity No information

• Reproductive toxicity Based on available data, the classification criteria are not met.

- STOT-single exposure
- May cause drowsiness or dizziness.
- · STOT-repeated exposure No information
- · Aspiration hazard No information

# SECTION 12: Ecological information

· 12.1 Toxicity

646-0	)6-0 1,3-dioxol	ine	
Oral	14 day NOEC	>1000 mg/l (algae)	
	EC50	7650 mg/kg (daphnia magna)	
	LC50 48 hr	12000 mg/L (Sheepshead minnow)	
107-9	8-2 1-methoxy	-2-propanol	
	EC50 96 hr	23300 (daphnia magna)	
		>1000 (green algae)	
	LC50/96 h	20800 mg/l (Pimephales promelas)	
I			(Contd. on page



Printing date 11.04.2023

Version number 9

Revision: 11.04.2023

(Contd. of page 7)

Trade name: EBR PG

- · 12.2 Persistence and degradability The single components are biodegradable
- · 12.3 Bioaccumulative potential

Due to the distribution coefficient n-octanol/water a worth-mentioning accumulation in organisms is not expected.

· 12.4 Mobility in soil

*Component:* Propylene glycol monomethyl ether, rapid dissipation in soil expected. Koc value between 1 and 50 indicating very high soil mobility.

- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

# SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	tion	
· 14.1 UN-Number · ADR, IMDG, IATA	UN1166	
· 14.2 UN proper shipping name · ADR · IMDG, IATA	1166 DIOXOLANE DIOXOLANE	
· 14.3 Transport hazard class(es)		
· Class · Label	3 Flammable liquids. 3	
· 14.4 Packing group · ADR, IMDG, IATA	II	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Warning: Flammable liquids.	
		(Contd. on page 9



Printing date 11.04.2023

Version number 9

Revision: 11.04.2023

Trade name: EBR PG

	(Contd. of page 8)
· Hazard identification number (Kemler code):	33
EMS Number:	F-E,S-D
· 14.7 Transport in bulk according to Annex II o	of
Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
·ADR	
· Limited quantities (LQ)	1L
· Transport category	2
• Tunnel restriction code	D/E
· UN ''Model Regulation'':	UN1166, DIOXOLANE, 3, II

# **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H318 Causes serious eye damage.

H336 May cause drowsiness or dizziness.

- · Department issuing SDS: Product safety department
- · Contact: Tom Cole, EHS Manager (tcole@kayakuam.com)
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2
- Flam. Liq. 2: Flammable liquids Category 2 Flam. Liq. 3: Flammable liquids – Category 3
- Eye Dam. 1: Serious eye damage/eye irritation Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3