

Printing date 03.04.2025

Version number 12

Revision: 03.04.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: EBR PG

· Article number: G042075

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

· Sector of Use SU16 Manufacture of computer, electronic and optical products, electrical equipment

• **Product category** PC21 Laboratory chemicals

· Application of the substance / the mixture Solvents

· 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Kayaku Advanced Materials, Inc. 200 Flanders Road Westborough, MA 01581 Tel: (617) 965-5511 Fax: (617) 965-5818

The appointed Only Representative\* for the United Kingdom (UK): H2 COMPLIANCE UK Ltd, Mazars Tower Bridge House, St Katharine's Way, St Katharine's & Wapping, London, United Kingdom E1W 1DD Tel: +353-21-4868120 Email: info@h2compliance.com

\*Only Representative for 1,3-dioxolane (EINICS 211-463-5, CAS 646-06-0) only. Other substances are being supported under UK- REACH by Only Representatives of Non-UK suppliers and others may be exempt from registration.

Further information obtainable from: Product Safety
Email: productsafety@kayakuam.com
1.4 Emergency telephone number: Kayaku Advanced Materials : 617-965-5511 Chemtrec USA Emergency : 800-424-9300 (24 hr) Chemtrec International Emergency : 703-527-3887 (24 hr)

## **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008

GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

GHS(

GHS08 health hazard

*Repr. 1B* H360FD May damage fertility. May damage the unborn child.

(Contd. on page 2)

- GB



Revision: 03.04.2025

Printing date 03.04.2025

Version number 12

Trade name: EBR PG
--------------------

•	(Contd. of page
GHSU CHSU	05 corrosion
Eye Dam. 1 H3	318 Causes serious eye damage.
GHS	)7
STOT SE 3 H3	May cause drowsiness or dizziness.
2.2 Label eleme	nts
Labelling accor	ding to Regulation (EC) No 1272/2008
	lassified and labelled according to the GB CLP regulation.
Hazard pictogra	ims
N P	
GHS02 GHS	605 GHS07 GHS08
Signal word Da	NGOV
0	
	ning components of labelling:
1,3-dioxolane	
1-methoxy-2-pro	
Hazard stateme	
	flammable liquid and vapour.
	s serious eye damage.
	amage fertility. May damage the unborn child.
	ause drowsiness or dizziness.
Precautionary s	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. smoking.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P263	Avoid contact during pregnancy and while nursing.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P304+P341	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a posit
	comfortable for breathing.
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses
	present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use to extinguish: Alcohol resistant foam, Fire-extinguishing powder, Carl dioxide.
	Store in a well-ventilated place. Keep cool.
P403+P235	Dispose of contents/container in accordance with local/regional/national/internatio
P403+P235 P501	
P501	regulations.
P501 Additional info	regulations. rmation:
P501	regulations. rmation:



Revision: 03.04.2025

Printing date 03.04.2025

Version number 12

Trade name: EBR PG

(Contd. of page 2)

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

#### **SECTION 3:** Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- **Description:** Solvent mixture

· Dangerous components:	
	50-80%
EINECS: 211-463-5 🐼 Flam. Liq. 2, H225; 🚸 Repr. 1B, H360FD; 🏟 Eye Dam. 1, H318	
CAS: 107-98-2 1-methoxy-2-propanol	5-30%
EINECS: 203-539-1 🐼 Flam. Liq. 3, H226; 🚸 STOT SE 3, H336	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4:** First aid measures

• 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

• After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

· After swallowing: If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

### **SECTION 5: Firefighting measures**

• 5.1 Extinguishing media

Suitable extinguishing agents:

Alcohol resistant foam Fire-extinguishing powder

ABC powder

· For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Formaldehyde

Can form explosive gas-air mixtures.

Containers may explode due to pressure increase when container is exposed to extreme heat. Vapors may travel a considerable distance to a source of ignition and flash back along vapor trail.

(Contd. on page 4)

GB



Printing date 03.04.2025

Version number 12

Revision: 03.04.2025

(Contd. of page 3)

Trade name: EBR PG

· 5.3 Advice for firefighters

· Protective equipment: Wear self-contained respiratory protective device.

· 6.1 Personal precautions, protective equipment and emergency procedures

### **SECTION 6:** Accidental release measures

- Ensure adequate ventilation
  Keep away from ignition sources.
  Use respiratory protective device against the effects of fumes/dust/aerosol.
  Wear protective equipment. Keep unprotected persons away.
  6.2 Environmental precautions:
  Dilute with plenty of water.
  Do not allow to enter sewers/ surface or ground water.
  6.3 Methods and material for containment and cleaning up:
  Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
  Ensure adequate ventilation.
  6.4 Reference to other sections
  - See Section 7 for information on safe handling.
  - See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

# · 7.1 Precautions for safe handling

Keep away from heat and direct sunlight.
Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).
Prevent formation of aerosols.
Information about fire - and explosion protection: Keep ignition sources away - Do not smoke.
Protect from heat.
Use explosion-proof apparatus / fittings and spark-proof tools.
Protect against electrostatic charges.
7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• *Requirements to be met by storerooms and containers:* Store in inert atmosphere or keep well sealed to prevent the formation of peroxides and other oxidation products. Store in a cool location.

- Information about storage in one common storage facility: Do not store together with alkalis (caustic solutions).
   Do not store together with oxidising and acidic materials.
   Further information about storage conditions:
- Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

Protect from heat and direct sunlight.

• 7.3 Specific end use(s) Positive radiation resist edge bead remover

(Contd. on page 5)



Printing date 03.04.2025

Version number 12

Revision: 03.04.2025

Trade name: EBR PG

(Contd. of page 4)

· Ingredients with limit values	s that require monitoring at the workplace:
107-98-2 1-methoxy-2-prop	anol
WEL Short-term value: 560	
Long-term value: 375	mg/m³, 100 ppm
Sk Additional information. The	e lists valid during the making were used as basis.
	e iisis valia aaring ine making were used as basis.
· 8.2 Exposure controls	
<ul> <li>Personal protective equipme</li> <li>General protective and hygi</li> </ul>	
Keep away from food and be	
	ed and contaminated clothing
Wash hands before breaks a	
Avoid contact with the eyes of	
Do not inhale gases / fumes /	
	suitable respiratory protective device in case of insufficient ventilation.
· Protection of hands:	
NO Dustasting slower	
Protective gloves	
The glove material has to be	impermeable and resistant to the product/ the substance/ the preparation.
	al on consideration of the penetration times, rates of diffusion and the degradation
· Material of gloves	
Butyl rubber, BR	
Nitrile rubber, NBR	
· Penetration time of glove m	aterial
The exact break through tin	ne has to be found out by the manufacturer of the protective gloves and has to be
observed.	
• Eye protection:	
Tightly sealed go	ooles
Tignity Searca go	55.00
• <b>Body protection:</b> Long-sleev	ed work clothes
<b>SECTION 9: Physical</b>	and chemical properties
• 9 1 Information on basic nb	nysical and chemical properties
• 9.1 Information on basic pr	ysicai ana chemicai properties
· Appearance:	
Form:	Liquid
	Diding
Colour:	Clear to light yellow

(Contd. on page 6) GB-



Printing date 03.04.2025

Version number 12

Revision: 03.04.2025

Trade name: EBR PG

	(Contd. of page 5
· Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition Melting point/freezing point: Initial boiling point and boiling range	Undetermined. e: 75 °C
· Flash point:	<7.5 °C
· Flammability	Not applicable.
· Auto-ignition temperature:	270 °C
Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapou mixtures are possible.
• Explosion limits: Lower: Upper:	2.1 Vol % 20.5 Vol % Not determined.
· Vapour pressure at 20 °C:	133 hPa
Density at 20 °C: Relative density Vapour density Evaporation rate	1.0355 g/cm <sup>3</sup> Not determined. Not determined. Not determined.
Solubility in / Miscibility with water:	Fully miscible.
· Partition coefficient: n-octanol/water:	Not determined.
Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
9.2 Other information	No further relevant information available.

# SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

• 10.2 Chemical stability Stable

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions
- Polymerisation.

Possible formation of peroxide.

· 10.4 Conditions to avoid

Contact with incompatible materials.

Heat, flames and sparks. Extremes of temperature and direct sunlight.

• 10.5 Incompatible materials: Strong Oxidizing Agents, Strong Acids, Strong Bases

• **10.6 Hazardous decomposition products:** Formaldehyde

(Contd. on page 7)

GB

ADVANCED MATERIALS

# Safety data sheet according to UK REACH

Printing date 03.04.2025

Version number 12

Revision: 03.04.2025

(Contd. of page 6)

Trade name: EBR PG

Carbon monoxide and carbon dioxide

## **SECTION 11: Toxicological information**

#### • 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

_		•			
LD/LC50 values relevant for classification:       646-06-0 1,3-dioxolane					
					Oral
	Dermal	LD50	8480 mg/kg (rabbit)		
	Inhalative	LC50	68.4 mg/L (Rat)		
	107-98-2 1-methoxy-2-propanol				
	Oral	LD50	5660 mg/kg (Rat)		
	Dermal	LD50	13000 mg/kg (rabbit)		
	Inhalative	LC50/4 h	54.6 mg/l (Rat)		
	· Primary ir	ritant effe	ct:		
	· Skin corro	osion/irrita	tion Based on available data, the classification criteria are not met.		
Serious eye damage/irritation					
	Causes serious eye damage.				
• <b>Respiratory or skin sensitisation</b> Based on available data, the classification criteria are not met.					
	• Experience with humans: No further relevant information available. • Additional toxicological information:				
	· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)				
	· Germ cell mutagenicity No information				
	· Carcinoge	e <b>nicity</b> No i	nformation		
· Reproductive toxicity			v		
			. May damage the unborn child.		
	~~~ .		· -		

· STOT-single exposure

May cause drowsiness or dizziness.

· STOT-repeated exposure No information

· Aspiration hazard No information

## **SECTION 12: Ecological information**

· 12.1 Toxicity

646-0	6-0 1,3-dioxol	ane	
Oral	14 day NOEC	>1000 mg/l (algae)	
	EC50	7650 mg/kg (daphnia magna)	
	LC50 48 hr	12000 mg/L (Sheepshead minnow)	
107-9	8-2 1-methoxy	-2-propanol	
	EC50 96 hr	23300 (daphnia magna)	
		>1000 (green algae)	
	LC50/96 h	20800 mg/l (Pimephales promelas)	
· 12.2 I	Persistence and	d degradability The single components are biodegradable	
			(Contd. on page

- GB



Printing date 03.04.2025

Version number 12

Revision: 03.04.2025

Trade name: EBR PG

· 12.3 Bioaccumulative potential

(Contd. of page 7)

GB

Due to the distribution coefficient n-octanol/water a worth-mentioning accumulation in organisms is not expected.

· 12.4 Mobility in soil

Component: Propylene glycol monomethyl ether, rapid dissipation in soil expected. Koc value between 1 and 50 indicating very high soil mobility.

• Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

· 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

· 14.1 UN-Number · ADR, IMDG, IATA	UN1166	
	0111100	
· 14.2 UN proper shipping name		
ADR	1166 DIOXOLANE	
· IMDG, IATA	DIOXOLANE	
· 14.3 Transport hazard class(es)		
ADR, IMDG, IATA		
· Class	3 Flammable liquids.	
· Label	3	
· 14.4 Packing group		
ADR, IMDG, IATA	II	
· 14.5 Environmental hazards:		
17.5 Environneniui nugurus.	No	
• Marine pollutant:	NO	
	Warning: Flammable liquids.	



Printing date 03.04.2025

Version number 12

Revision: 03.04.2025

Trade name: EBR PG

	(Contd. of page	3e 8
· EMS Number:	F-E,S-D	
· 14.7 Transport in bulk according to A		
Marpol and the IBC Code	Not applicable.	
• Transport/Additional information:		
· <i>ADR</i>		
· Limited quantities (LQ)	1L	
· Transport category	2	
• Tunnel restriction code	D/E	
· UN "Model Regulation":	UN1166, DIOXOLANE, 3, II	

### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

· Directive 2012/18/EU

• Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t

- Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H318 Causes serious eye damage.

H336 May cause drowsiness or dizziness.

H360FD May damage fertility. May damage the unborn child.

· Department issuing SDS: Product safety department

· Contact: Tom Cole, EHS Manager (tcole@kayakuam.com)

• Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 10)

<sup>-</sup> GB



Printing date 03.04.2025

Version number 12

Revision: 03.04.2025

Trade name: EBR PG

(Contd. of page 9) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Flam. Lig. 3: Flammable liquids – Category 1 Repr. 1B: Reproductive toxicity – Category 1B STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 6B