

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.10.2021

Version number 4

Revision: 12.10.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name: CPG Thinner

• Article number: J040100

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

- Sector of Use SU16 Manufacture of computer, electronic and optical products, electrical equipment
- Application of the substance / the mixture Thinner, Diluent
- · 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Manufacturer: Kayaku Advanced Materials 200 Flanders Road Westborough, MA 01581 Telephone: (617) 965-5511 Fax: (617) 965-5818

Importer: A-Gas Electronic Materials Unit 3, IO Centre Swift Valley Rugby, Warwickshire CV21 1TW, UK Tel: +44-0-1788-537535 Fax: +44-0-1788-535835 Website: www.agasem.com Email: customerservice.em@agas.com

Further information obtainable from: Product Safety
Email: productsafety@kayakuAM.com
1.4 Emergency telephone number: Kayaku Advanced Materials : 617-965-5511 Chemtrec USA Emergency : 800-424-9300 (24 hr) Chemtrec International Emergency : 703-527-3887 (24 hr)

SECTION 2: Hazards identification

• 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008



Flam. Liq. 3 H226 Flammable liquid and vapour.

Corrosion

Eye Dam. 1 H318 Causes serious eye damage.

(Contd. on page 2)

- GB



Printing date 12.10.2021

Version number 4

Revision: 12.10.2021

Trade name: CPG Thinner

	(Contd. of pag
\wedge	
\mathbf{V}	
Skin Irrit. 2 H.	315 Causes skin irritation.
STOT SE 3 H.	336 May cause drowsiness or dizziness.
2.2 Label eleme	nts
	ding to Regulation (EC) No 1272/2008
	lassified and labelled according to the CLP regulation.
Hazard pictogra	ams
GHS02 GHS	505 GHS07
011502 011	505 GH507
Signal word Da	nger
	ining components of labelling:
gamma-Butyrol	
1-Methoxy-2-pr	
Hazard stateme	
	le liquid and vapour.
H315 Causes sk	
	rious eye damage.
	e drowsiness or dizziness.
Precautionary s	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
D2 (0)	smoking.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P304+P341	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a posi-
$D_{205} \pm D_{251} \pm D_{251}$	comfortable for breathing. 338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lense.
1 303 +1 331 +1.	present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use alcohol resistant foam to extinguish.
P370+P378	In case of fire: Use fire-extinguishing powder to extinguish.
P370+P378	In case of fire: Use carbon dioxide to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/internation
1001	regulations.
2.3 Other hazar	8
Results of PBT	and vPvB assessment
PBT: Not applie	cable.
	(Contd. on pag



Printing date 12.10.2021

Version number 4

Revision: 12.10.2021

Trade name: CPG Thinner

(Contd. of page 2)

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
	Cyclopentanone	40-60%
EINECS: 204-435-9	🚸 Flam. Liq. 3, H226; 🚸 Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 108-65-6	1-Methoxy-2-propanol acetate	25-50%
EINECS: 203-603-9	🔞 Flam. Liq. 3, H226; 🚸 STOT SE 3, H336	
	gamma-Butyrolactone	5-15%
EINECS: 202-509-5		
· Additional informat	ion: For the wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

• After swallowing: If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:
- Alcohol resistant foam

Fire-extinguishing powder

ABC powder

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)

GB -



Printing date 12.10.2021

Version number 4

Revision: 12.10.2021

Trade name: CPG Thinner

Ensure adequate ventilation

(Contd. of page 3)

Keep away from ignition sources.
6.2 Environmental precautions: Do not allow to enter sewers/surface or ground water.
6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents
6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaust at the workplace. Keep away from heat and direct sunlight. Prevent formation of aerosols.

• Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Use explosion-proof apparatus / fittings and spark-proof tools.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and containers: No special requirements.

• Information about storage in one common storage facility: Do not store together with alkalis (caustic solutions). Do not store together with oxidising and acidic materials.

- Further information about storage conditions: Store in cool, dry conditions in well sealed containers. Protect from heat and direct sunlight. Store receptacle in a well ventilated area.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:

108-65-6 1-Methoxy-2-propanol acetate

WEL Short-term value: 548 mg/m³, 100 ppm Long-term value: 274 mg/m³, 50 ppm Sk

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from food and beverages.

(Contd. on page 5)

GB -



Printing date 12.10.2021

Version number 4

Revision: 12.10.2021

(Contd. of page 4)

Trade name: CPG Thinner

Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling range: Flash point: Flammability (solid, gas): Ignition temperature: Decomposition temperature: Auto-ignition temperature:	Not determined. Undetermined.
pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling range: Flash point: Flammability (solid, gas): Ignition temperature:	Not determined. Undetermined. 130 °C 30 °C Not applicable. 315 °C
pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling range: Flash point: Flammability (solid, gas):	Not determined. Undetermined. 130 °C 30 °C Not applicable.
pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling range: Flash point:	Not determined. Undetermined. : 130 °C 30 °C
pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling range:	Not determined. Undetermined. : 130 °C
pH-value:	
Odour threshold:	Not determined.
Form: Colour: Odour:	Fluid Clear to light yellow Characteristic Not determined.
SECTION 9: Physical and chemic 9.1 Information on basic physical and cl General Information Appearance:	hemical properties
observed. Eye protection: Tightly sealed goggles	уу.т.уу.т. у
Material of gloves Nitrile rubber, NBR Penetration time of glove material	e and resistant to the product/ the substance/ the preparation. found out by the manufacturer of the protective gloves and has to be
Protective gloves	
Protection of hands:	



Printing date 12.10.2021

Version number 4

Revision: 12.10.2021

Trade name: CPG Thinner

	(Contd. o	f page 5
Upper:	10.8 Vol %	
· Vapour pressure at 20 °C:	11 hPa	
· Density at 20 °C:	0.97269 g/cm ³	
· Relative density	Not determined.	
· Vapour density	Not determined.	
Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	47.0 %	
• 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

Contact with incompatible materials.

- · 10.5 Incompatible materials: Strong Oxidizing Agents, Strong Acids, Strong Bases
- 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- \cdot Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

120-92-3 Cyclopentanone

Oral	LD50	1820 mg/kg (Rat)
Dermal		>2000 mg/kg (rabbit)
Inhalative		19.5 mg/l (Rat)

· Primary irritant effect:

· Skin corrosion/irritation

Causes skin irritation.

• Serious eye damage/irritation

Causes serious eye damage.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Experience with humans: Target Organs: Central nervous system, kidney, liver, lungs

(Contd. on page 7)

GB

ADVANCED MATERIALS

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.10.2021

Version number 4

Revision: 12.10.2021

Trade name: CPG Thinner

(Contd. of page 6)

· Additional toxicological information:

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

• Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

· STOT-single exposure

May cause drowsiness or dizziness.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity:

120-92-3 Cyclopentanone

LC50/48 hr 2950 mg/L (golden orfe)

LC50/96 h >100 mg/l (fish)

EC50/48 h 3600 mg/l (Ceriodaphnia dubia (water flea))

100 mg/l (daphnia magna)

EC50/72 h >100 mg/l (scenedesmus subspicatus)

• 12.2 Persistence and degradability No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

· 12.4 Mobility in soil No further relevant information available.

• Additional ecological information:

• General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA

UN1993

(Contd. on page 8)

GR



Revision: 12.10.2021

Printing date 12.10.2021

Version number 4

Trade name: CPG Thinner

	(Contd. of page
- 14.2 UN proper shipping name - ADR, IMDG - IATA	FLAMMABLE LIQUID, N.O.S. (CYCLOPENTANONE, Methoxy-2-propanol acetate) Flammable liquid, n.o.s. (Cyclopentanone, 1-Methoxy-2 propanol acetate)
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class Label	3 Flammable liquids. 3
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category	Warning: Flammable liquids. 30 F-E, <u>S-E</u> A
14.7 Transport in bulk according to Annex II o Marpol and the IBC Code	o f Not applicable.
Transport/Additional information:	
ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml 3 D/E
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S (CYCLOPENTANONE, 1-METHOXY-2-PROPANO ACETATE), 3, III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

 \cdot Named dangerous substances - ANNEX I None of the ingredients is listed.

(Contd. on page 9)

GB -

ADVANCED MATERIALS

Safety data sheet according to 1907/2006/EC, Article 31

Version number 4

Revision: 12.10.2021

Trade name: CPG Thinner

Printing date 12.10.2021

(Contd. of page 8)

- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour. H302 Harmful if swallowed.

- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Department issuing SDS: Product safety department

· Contact: Tom Cole, EHS Manager (tcole@kayakuAM.com)

• Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3