

Printing date 27.04.2023 Version number 5 (replaces version 4)

Revision: 27.04.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: LOR B Series Resists

· Article number:

G316702, G316703, G316704, G316707, G316708, G316709, G316710, G316711, G316712, G316715, G316716, G316719

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use SU16 Manufacture of computer, electronic and optical products, electrical equipment
- · Product category PC30 Photo-chemicals
- · Application of the substance / the mixture Photoresist
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Kayaku Advanced Materials, Inc.

200 Flanders Road

Westborough, MA 01581

Tel: (617) 965-5511 Fax: (617) 965-5818

· Further information obtainable from:

**Product Safety** 

Email: productsafety@kayakuam.com

· 1.4 Emergency telephone number:

Kayaku Advanced Materials : 617-965-5511 Chemtrec USA Emergency : 800-424-9300 (24 hr)

Chemtrec International Emergency : 703-527-3887 (24 hr)

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS02

GHS07

· Signal word Warning



Printing date 27.04.2023 Version number 5 (replaces version 4) Revision: 27.04.2023

Trade name: LOR B Series Resists

(Contd. of page 1)

#### · Hazard statements

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

#### · Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

*P260 Do not breathe dust/fume/gas/mist/vapours/spray.* 

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

*P302+P352 IF ON SKIN: Wash with plenty of soap and water.* 

P304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

*P337+P313 If eye irritation persists: Get medical advice/attention.* 

P370+P378 In case of fire: Use to extinguish: Alcohol resistant foam, Fire-extinguishing powder, Carbon

dioxide.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

egulations.

#### · 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · **vPvB**: Not applicable.

#### · Determination of endocrine-disrupting properties

None of the ingredients are included in the list established in accordance with Article 59(1) for having endocrine disrupting properties.

None of the ingredients are substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 (or Commission Regulation (EU) 2018/605.

## SECTION 3: Composition/information on ingredients

#### · 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:	
CAS: 120-92-3	e 3, H226; <b>(1)</b> Skin Irrit. 2, H315; Eye Irrit. 2, H319
	mide copolymer 1-20% , H315; Eye Irrit. 2, H319
CAS: 107-98-2	ropanol 10-25% 3, H226; � STOT SE 3, H336
Proprietary D  • Acute Tox.	ve B 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319



Printing date 27.04.2023 Version number 5 (replaces version 4) Revision: 27.04.2023

Trade name: LOR B Series Resists

(Contd. of page 2)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

## SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

Alcohol resistant foam

Fire-extinguishing powder

Carbon dioxide

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Containers may explode due to pressure increase when container is exposed to extreme heat. Vapors may travel a considerable distance to a source of ignition and flash back along vapor trail.

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

#### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources.

- 6.2 Environmental precautions: Do not allow to enter sewers/surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.



Revision: 27.04.2023 *Version number 5 (replaces version 4) Printing date 27.04.2023* 

Trade name: LOR B Series Resists

(Contd. of page 3)

### SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaust at the workplace.

Prevent formation of aerosols.

Keep away from heat and direct sunlight.

Use only under yellow light

#### · Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

*Use explosion-proof apparatus / fittings and spark-proof tools.* 

Protect against electrostatic charges.

- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and containers:

Store in a cool location.

Due to photo-sensitivity, store product in brown-glass or stainless steel receptacles.

Information about storage in one common storage facility:

Do not store together with oxidising and acidic materials.

Do not store together with alkalis (caustic solutions).

Further information about storage conditions:

Store in cool, dry conditions in well sealed containers.

Store receptacle in a well ventilated area.

Protect from heat and direct sunlight.

· 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

### · Ingredients with limit values that require monitoring at the workplace:

#### 107-98-2 1-methoxy-2-propanol

IOELV Short-term value: 568 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from food and beverages.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of low exposure use cartridge respirator. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 5)



Printing date 27.04.2023 Version number 5 (replaces version 4) Revision: 27.04.2023

Trade name: LOR B Series Resists

nd protection

(Contd. of page 4)

## · Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- · Material of gloves Nitrile rubber, NBR
- · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

## SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Odour threshold:
Melting point/freezing point:

Liquid
Yellow-brown
Sweetish
Not determined.
Undetermined.

· Boiling point or initial boiling point

and boiling range 120 °C

· Flammability Not applicable.

· Lower and upper explosion limit

· Lower: 2.3 Vol %
· Upper: Not determined.

· Flash point: 30 °C · Auto-ignition temperature: 270 °C

• Decomposition temperature: Not determined. • pH Not determined.

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

·Solubility

water: Not miscible or difficult to mix.

· Partition coefficient n-octanol/water

(log value) Not determined.

· Vapour pressure at 20 °C: 12 hPa

· Density and/or relative density

Density: Not determined
 Relative density See Other information

(Contd. on page 6)



Printing date 27.04.2023 Version number 5 (replaces version 4) Revision: 27.04.2023

Trade name: LOR B Series Resists

Vapour density	Not detern	nined.			
9.2 Other information	Name	Number	Sp. Grav.	VOC(%by wt.)	VOC(g/L)
·	LOR 0.7B	G316702	0.947	98	925
	LOR 1B	G316703	0.952	96	915
	LOR 2B	G316704	0.955	95	910
	LOR 3B	G316707	0.961	93	900
	LOR 5B	G316708	0.966	92	890
	LOR 6B	G316709	0.967	91	885
	LOR 7B	G316710	0.969	91	880
	LOR 10B	G316711	0.974	89	870
	LOR 15B	G316712	0.978	88	860
	LOR 20B	G316715	0.985	86	850
	LOR 30B	G316716	0.987	85	840
	LOR 50B	G316719	0.998	82	815
Appearance:	LON JOB	3310/17	0.770	02	015
Form:	Liquid				
I orm. Important information on protection of					
health and environment, and on safety.					
Ignition temperature:		not selfion	itina		
	Product is not selfigniting.  Product is not explosive. However, formation of explosive air/				
•				ver formation of	f explosive air/v
•	Product is	not explos	sive. Howe	ver, formation of	f explosive air/v
Explosive properties:	Product is		sive. Howe	ver, formation of	f explosive air/v
Explosive properties:  Change in condition	Product is mixtures a	not explos re possible.	sive. Howe	ver, formation of	f explosive air/v
Explosive properties: Change in condition Evaporation rate	Product is	not explos re possible.	sive. Howe	ver, formation og	f explosive air/v
Explosive properties:  Change in condition  Evaporation rate  Information with regard to physical	Product is mixtures a	not explos re possible.	sive. Howe	ver, formation of	f explosive air/v
Explosive properties:  Change in condition  Evaporation rate  Information with regard to physical hazard classes	Product is mixtures a Not detern	not explos re possible.	sive. Howe	ver, formation oj	f explosive air/v
Explosive properties:  Change in condition  Evaporation rate  Information with regard to physical hazard classes  Explosives	Product is mixtures a  Not determ	not explos re possible.	sive. Howe	ver, formation oj	f explosive air/v
Explosive properties:  Change in condition Evaporation rate  Information with regard to physical hazard classes Explosives Flammable gases	Product is mixtures a Not determ	not explos re possible.	sive. Howe	ver, formation oj	f explosive air/v
Explosive properties:  Change in condition Evaporation rate  Information with regard to physical hazard classes Explosives Flammable gases Aerosols	Product is mixtures a Not determ	not explos re possible.	sive. Howe	ver, formation oj	f explosive air/v
Explosive properties:  Change in condition Evaporation rate  Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases	Product is mixtures a Not determ	not explos re possible.	sive. Howe	ver, formation oj	f explosive air/v
Explosive properties:  Change in condition Evaporation rate  Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure	Product is mixtures a Not determ	not explos re possible.	sive. Howe	ver, formation oj	f explosive air/v
Explosive properties:  Change in condition Evaporation rate  Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids	Product is mixtures a Not determ	not explos re possible.	sive. Howe	ver, formation og	f explosive air/v
Explosive properties:  Change in condition Evaporation rate  Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable liquid and vapour.	Product is mixtures a Not determ  Void Void Void Void Void Void Void	not explos re possible.	sive. Howe	ver, formation og	f explosive air/v
Explosive properties:  Change in condition Evaporation rate  Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable liquid and vapour. Flammable solids	Product is mixtures a Not determ  Void Void Void Void Void Void Void	not explos re possible.	sive. Howe	ver, formation of	f explosive air/v
Explosive properties:  Change in condition Evaporation rate  Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable liquid and vapour. Flammable solids Self-reactive substances and mixtures	Product is mixtures a Not determ  Void Void Void Void Void Void  Void Void Void	not explos re possible.	sive. Howe	ver, formation of	f explosive air/v
Explosive properties:  Change in condition Evaporation rate  Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable liquid and vapour. Flammable solids Self-reactive substances and mixtures Pyrophoric liquids	Product is mixtures a Not determ  Void Void Void Void Void Void Void Void	not explos re possible.	sive. Howe	ver, formation of	f explosive air/v
Explosive properties:  Change in condition Evaporation rate  Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable liquid and vapour. Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	Product is mixtures a Not determ  Void	not explos re possible.	sive. Howe	ver, formation of	f explosive air/v
Explosive properties:  Change in condition Evaporation rate  Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable liquid and vapour. Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Self-heating substances and mixtures	Product is mixtures a Not determ  Void Void Void Void Void Void Void Void	not explos re possible.	sive. Howe	ver, formation of	f explosive air/v
Explosive properties:  Change in condition Evaporation rate  Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable liquid and vapour. Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures	Product is mixtures a Not determ  Void	not explos re possible.	sive. Howe	ver, formation of	f explosive air/v
Explosive properties:  Change in condition Evaporation rate  Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable liquid and vapour. Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	Product is mixtures a Not determ  Void	not explos re possible.	sive. Howe	ver, formation of	f explosive air/v
Explosive properties:  Change in condition Evaporation rate  Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable liquid and vapour. Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Void	Product is mixtures a Not determ  Void	not explos re possible.	sive. Howe	ver, formation of	f explosive air/v
Explosive properties:  Change in condition Evaporation rate  Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable liquid and vapour. Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Void	Product is mixtures a Not determ  Void	not explos re possible.	sive. Howe	ver, formation of	f explosive air/v
Explosive properties:  Change in condition Evaporation rate  Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable liquid and vapour. Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	Product is mixtures at Not determ  Void Void Void Void  Void Void Void Void Void Void Void Void	not explos re possible.	sive. Howe	ver, formation of	f explosive air/v
Explosive properties:  Change in condition Evaporation rate  Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable liquid and vapour. Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Void Oxidising liquids Oxidising solids Organic peroxides	Product is mixtures a Not determ  Void	not explos re possible.	sive. Howe	ver, formation of	f explosive air/v
Explosive properties:  Change in condition Evaporation rate  Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable liquid and vapour. Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Void Oxidising liquids Oxidising solids	Product is mixtures a Not determ  Void	not explos re possible.	sive. Howe	ver, formation of	f explosive air/v

## SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.



Printing date 27.04.2023 Version number 5 (replaces version 4) Revision: 27.04.2023

Trade name: LOR B Series Resists

(Contd. of page 6)

- · 10.2 Chemical stability Stable
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight. Contact with incompatible materials.

- · 10.5 Incompatible materials: Strong Oxidizing Agents, Strong Acids, Strong Bases
- · 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

*Nitrogen oxides (NOx)* 

### SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 1	· LD/LC50 values relevant for classification:			
120-92-3 (	120-92-3 Cyclopentanone			
Oral	LD50	1180 mg/kg (Rat)		
Dermal	LD50	>2000 mg/kg (rabbit)		
Inhalative	LC50/4 h	>19.5 mg/l (Rat)		
107-98-2 1	107-98-2 1-methoxy-2-propanol			
Oral	LD50	5660 mg/kg (Rat)		
Dermal	LD50	13000 mg/kg (rabbit)		
Inhalative	LC50/4 h	54.6 mg/l (Rat)		
102322-80	102322-80-5 Polyaliphatic imide copolymer			
Oral	LD50	>5000 mg/kg (Rat) (Data for compositionally similar material)		
Dermal	LD50	>5000 mg/kg (Rat) (Data for compositionally similar material)		

· Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye irritation.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- Experience with humans: No further relevant information available.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.



Printing date 27.04.2023 Version number 5 (replaces version 4) Revision: 27.04.2023

Trade name: LOR B Series Resists

(Contd. of page 7)

## SECTION 12: Ecological information

· 12.1 Toxicity

Aquatic toxicity:					
120-92-3 Cyclopentanone					
EC50/48 h	100 mg/l (daphnia magna)				
EC50/72 h	>100 mg/l (scenedesmus subspicatus)				
LC50/96 h	>100 mg/l (fish)				
107-98-2 1-methoxy-2-propanol					
EC50/96 hr	23300 mg/l (daphnia magna)				
	>1000 mg/l (green algae)				
LC50/96 h	20800 mg/l (Pimephales promelas)				

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Disposal must be made in accordance with International, National, and regional regulations.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

$\alpha \pi \alpha \pi \tau \alpha \lambda$	T 1 1 7	• •	, •
SECTION	l 14: Transport	าทาก	rmation
		<b>27171</b> 7	

· 14.1 UN number or ID number

· ADR, IMDG, IATA UN1866

· 14.2 UN proper shipping name

· ADR 1866 RESIN SOLUTION

· IMDG, IATA RESIN SOLUTION

(Contd. on page 9)



Printing date 27.04.2023 *Version number 5 (replaces version 4)* Revision: 27.04.2023

Trade name: LOR B Series Resists

(Contd. of page 8) · 14.3 Transport hazard class(es) · ADR, IMDG, IATA



· Class 3 Flammable liquids. ·Label

· 14.4 Packing group · ADR, IMDG, IATA III

· 14.5 Environmental hazards:

· Marine pollutant: No

· 14.6 Special precautions for user Warning: Flammable liquids.

· Hazard identification number (Kemler code): 33

· EMS Number: F-E,S-E

· 14.7 Maritime transport in bulk according to IMO

Not applicable. instruments

· Transport/Additional information:

 $\cdot ADR$ 

· Limited quantities (LQ) 5L3 · Transport category D/E· Tunnel restriction code

· UN ''Model Regulation'': UN1866, RESIN SOLUTION, 3, III

### SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under *Article* 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

(Contd. on page 10)



Printing date 27.04.2023 Version number 5 (replaces version 4) Revision: 27.04.2023

Trade name: LOR B Series Resists

(Contd. of page 9)

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

#### · Classification according to Regulation (EC) No 1272/2008

Art. 9(1) of Regulation (EC) No. 1272/2008 was used for classification purposes.

- · Department issuing SDS: Product safety department
- · Contact: Tom Cole, EHS Manager (tcole@kayakuam.com)
- · Revision History:

The manufacturer's information in Section 1, the product hazard information in Section 2 and the component hazard information in Section 3 have been updated.

· Version number of previous version: 4

#### · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3