

Printing date 13.10.2021 Version number 7 Revision: 05.08.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: PMGI 101A Developer

· Article number: G090015

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Sector of Use SU16 Manufacture of computer, electronic and optical products, electrical equipment

· Product category PC21 Laboratory chemicals

· Application of the substance / the mixture Photoresist Developer

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Manufacturer:

Kayaku Advanced Materials

200 Flanders Road

Westborough, MA 01581

Telephone: (617) 965-5511 Fax: (617) 965-5818

Importer:

A-Gas Electronic Materials

Unit 3, IO Centre

Swift Valley

Rugby, Warwickshire

CV21 1TW, UK

Tel: +44-0-1788-537535 *Fax:* +44-0-1788-535835

Fax: +44-0-1/88-333833 *Website: www.agasem.com*

Email: customerservice.em@agas.com

· Further information obtainable from:

Product Safety

 ${\it Email: products a fety} @kayaku AM.com$

· 1.4 Emergency telephone number:

Kayaku Advanced Materials : 617-965-5511 Chemtrec USA Emergency : 800-424-9300 (24 hr)

Chemtrec International Emergency: 703-527-3887 (24 hr)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)



Printing date 13.10.2021 Version number 7 Revision: 05.08.2021

Trade name: PMGI 101A Developer

· Hazard pictograms

(Contd. of page 1)



- · Signal word Danger
- · Hazard-determining components of labelling:

Tetraethylammonium hydroxide

· Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Additional information:
- 5 % of the mixture consists of component(s) of unknown toxicity.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous compone	ents:		
CAS: 77-98-5 EINECS: 201-073-3	Tetraethylammonium hydroxide	Skin Corr. 1B, H314	1-5%

· Additional Components:

CAS: 7732-18-5 Water 75-100% EINECS: 231-791-2

· Additional information: For the wording of the listed hazard phrases refer to section 16.

- GB



Printing date 13.10.2021 Version number 7 Revision: 05.08.2021

Trade name: PMGI 101A Developer

(Contd. of page 2)

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

- · After swallowing: Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

Alcohol resistant foam

Fire-extinguishing powder

ABC powder

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)



Printing date 13.10.2021 Version number 7 Revision: 05.08.2021

Trade name: PMGI 101A Developer

(Contd. of page 3)

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaust at the workplace.

Prevent formation of aerosols.

- · *Information about fire and explosion protection:* The product is not flammable.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and containers:

Store in a cool location.

Unsuitable material for receptacle: aluminium.

Use polyolefine receptacles.

Use receptacles with fluoroplastic lining.

· Information about storage in one common storage facility:

Do not store together with oxidising and acidic materials.

· Further information about storage conditions:

Store in cool, dry conditions in well sealed containers.

Store under lock and key and with access restricted to technical experts or their assistants only.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from food and beverages.

Do not inhale gases / fumes / aerosols.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Ensure that washing facilities are available at the work place.

Respiratory protection:

In case of low exposure use cartridge respirator. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



· **Material of gloves** Nitrile rubber, NBR

(Contd. on page 5)



Printing date 13.10.2021 Version number 7 Revision: 05.08.2021

Trade name: PMGI 101A Developer


(Contd. of page 4)

Rubber gloves

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



CHOMICAL	0 DI		7 7			
SECTION :	y• Ph	veical	and ch	omical	nronertu	20
DECITOR.	7 . A IV				propertu	ω

9.1 Information on basic physical and c	hemical properties
General Information	
Appearance:	I invid
Form: Colour:	Liquid
Colour: · Odour:	Colourless Amine-like
· Odour: · Odour threshold:	Not determined.
pH-value:	Alkaline
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	:: 100 °C
Flash point:	Not applicable.
Flammability (solid, gas):	Not applicable.
Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density at 20 °C:	1.0005 g/cm^3
Relative density	Not determined.
· Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.

(Contd. on page 6)



Printing date 13.10.2021 Version number 7 Revision: 05.08.2021

Trade name: PMGI 101A Developer

(Contd. of page 5)

9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions

Reacts with various metals.

Strong exothermic reaction with acids.

Reacts with alkaline metals.

- · 10.4 Conditions to avoid Contact with incompatible materials.
- · 10.5 Incompatible materials:

Strong oxidizing agents

Strong acids

· 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

triethylamine

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

(Contd. on page 7)



Printing date 13.10.2021 Version number 7 Revision: 05.08.2021

Trade name: PMGI 101A Developer

(Contd. of page 6)

- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

ADR, IMDG, IATA CORROSIVE LIQUID, BASIC, ORGANIC, N.O. (Tetraethylammonium hydroxide) 14.3 Transport hazard class(es) ADR, IMDG, IATA Class Label 8 Corrosive substances. Label 14.4 Packing group ADR, IMDG, IATA III 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups Stowage Category Alkalis Stowage Code SW2 Clear of living quarters.	14.1 UN-Number ADR, IMDG, IATA	UN3267
Label 8 14.4 Packing group ADR, IMDG, IATA III 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Warning: Corrosive substances. Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups Alkalis Stowage Category A Stowage Code SW2 Clear of living quarters.	14.2 UN proper shipping name ADR, IMDG, IATA	CORROSIVE LIQUID, BASIC, ORGANIC, N.O. (Tetraethylammonium hydroxide)
Class Label 8 Corrosive substances. 14.4 Packing group ADR, IMDG, IATA III 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups Stowage Category A Stowage Code 8 Corrosive substances. 8 O F-A,S-B Alkalis Stowage Category A SW2 Clear of living quarters.	14.3 Transport hazard class(es)	
Label 8 14.4 Packing group ADR, IMDG, IATA III 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Warning: Corrosive substances. Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups Alkalis Stowage Category A Stowage Code SW2 Clear of living quarters.	ADR, IMDG, IATA	
**Label 8 **14.4 Packing group **ADR, IMDG, IATA III **14.5 Environmental hazards: **Marine pollutant: No **14.6 Special precautions for user **Hazard identification number (Kemler code): 80 **EMS Number: F-A,S-B **Segregation groups **Stowage Category A **Stowage Code SW2 Clear of living quarters.		
14.4 Packing group ADR, IMDG, IATA III 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups Stowage Category A Stowage Code III Mo Varning: Corrosive substances. 80 F-A,S-B Alkalis Stowage Category A SW2 Clear of living quarters.		
ADR, IMDG, IATA III 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups Alkalis Stowage Category A Stowage Code SW2 Clear of living quarters.	Label	8
Marine pollutant:No14.6 Special precautions for userWarning: Corrosive substances.Hazard identification number (Kemler code):80EMS Number:F-A,S-BSegregation groupsAlkalisStowage CategoryAStowage CodeSW2 Clear of living quarters.		III
14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups Alkalis Stowage Category ASW2 Clear of living quarters.	14.5 Environmental hazards:	
Hazard identification number (Kemler code): EMS Number: Segregation groups Alkalis Stowage Category AStowage Code SW2 Clear of living quarters.	Marine pollutant:	No
Hazard identification number (Kemler code):80EMS Number:F-A,S-BSegregation groupsAlkalisStowage CategoryAStowage CodeSW2 Clear of living quarters.	14.6 Special precautions for user	Warning: Corrosive substances.
Segregation groupsAlkalisStowage CategoryAStowage CodeSW2 Clear of living quarters.		
Stowage CategoryAStowage CodeSW2 Clear of living quarters.	EMS Number:	F- A , S - B
Stowage Code SW2 Clear of living quarters.	Segregation groups	Alkalis
	Stowage Category	A
Segregation Code SG35 Stow "separated from" SGG1-acids	Stowage Code	SW2 Clear of living quarters.
	Segregation Code	SG35 Stow "separated from" SGG1-acids
	Marpol and the IBC Code	Not applicable.



Printing date 13.10.2021 Version number 7 Revision: 05.08.2021

Trade name: PMGI 101A Developer

	(Contd. of page
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· Transport category	3
· Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN3267, CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.
2	(Tetraethylammonium hydroxide), 8, III

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H314 Causes severe skin burns and eye damage.

- · Department issuing SDS: Product safety department
- · Contact: Tom Cole, EHS Manager (tcole@kayakuAM.com)
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals – Category 1

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1