Revision: 14.04.2023



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.04.2023 Version

Version number 7 (replaces version 6)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: PMGI SF Series Resists
- · Article number:

G113101, G113102, G113103, G113104, G113105, G113106, G113107, G113175, G113108, G113109, G113110, G113111, G113112, G113113, G113114, G113115, G113117, G113119, G113123

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use SU16 Manufacture of computer, electronic and optical products, electrical equipment
- · Product category PC30 Photo-chemicals
- · Application of the substance / the mixture Photoresist
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Kayaku Advanced Materials, Inc.

200 Flanders Road

Westborough, MA 01581 Tel: (617) 965-5511

Fax: (617) 965-5818

· Further information obtainable from:

Product Safety

Email: productsafety@kayakuam.com

· 1.4 Emergency telephone number:

Kayaku Advanced Materials : 617-965-5511 Chemtrec USA Emergency : 800-424-9300 (24 hr)

Chemtrec International Emergency: 703-527-3887 (24 hr)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS08 health hazard

Repr. 1B H360 May damage fertility or the unborn child.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)



Printing date 14.04.2023 Version number 7 (replaces version 6) Revision: 14.04.2023

Trade name: PMGI SF Series Resists

(Contd. of page 1)

· Hazard pictograms







GHS02 GHS07

· Signal word Danger

· Hazard-determining components of labelling:

Tetrahydrofurfuryl alcohol

· Hazard statements

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H360 May damage fertility or the unborn child.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use to extinguish: Alcohol resistant foam, Fire-extinguishing powder, Carbon

dioxide.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Additional information:

Restricted to professional users.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

· Determination of endocrine-disrupting properties

None of the ingredients are included in the list established in accordance with Article 59(1) for having endocrine disrupting properties.

None of the ingredients are substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 (or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)



Printing date 14.04.2023 Version number 7 (replaces version 6) Revision: 14.04.2023

Trade name: PMGI SF Series Resists

| | Cyclopentanone Flam. Liq. 3, H226; Skin Irrit. 2, H315; Eye Irrit. 2, H319 | 65-85% |
|-------------------------------------------------|------------------------------------------------------------------------------|--------|
| Reg.nr.: 01-2119495595-21-0000 | | |
| CAS: 97-99-4 | Tetrahydrofurfuryl alcohol | 1-15% |
| EINECS: 202-625-6 Index number: 603-061-00-7 | ♦ Repr. 1B, H360; ♦ Eye Irrit. 2, H319 | |
| CAS: 102322-80-5 | Polyaliphatic imide copolymer | 1-25% |
| | ♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319 | - |
| Additional Components: | | |
| Proprietary surfactant | | <1% |

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Alcohol resistant foam

Fire-extinguishing powder

Carbon dioxide

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Containers may explode due to pressure increase when container is exposed to extreme heat. Vapors may travel a considerable distance to a source of ignition and flash back along vapor trail.

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.



Printing date 14.04.2023 Version number 7 (replaces version 6) Revision: 14.04.2023

Trade name: PMGI SF Series Resists

(Contd. of page 3)

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Dispose contaminated material as waste according to section 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaust at the workplace.

Keep receptacles tightly sealed.

Use only under yellow light

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Use explosion-proof apparatus / fittings and spark-proof tools.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and containers:

Store in a cool location.

Store in inert atmosphere or keep well sealed to prevent the formation of peroxides and other oxidation products.

· Information about storage in one common storage facility:

Do not store together with oxidising and acidic materials.

Do not store together with alkalis (caustic solutions).

· Further information about storage conditions:

Store in cool, dry conditions in well sealed containers.

Store receptacle in a well ventilated area.

Protect from heat and direct sunlight.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists valid during the making were used as basis.

(Contd. on page 5)



Printing date 14.04.2023 Version number 7 (replaces version 6) Revision: 14.04.2023

Trade name: PMGI SF Series Resists

(Contd. of page 4)

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Do not inhale gases / fumes / aerosols.

Keep away from food and beverages.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of low exposure use cartridge respirator. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection



Protective gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- · Material of gloves Nitrile rubber, NBR
- · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Liquid

· Colour: Clear to light yellow

Odour: Sweetish
Odour threshold: Not determined.
Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point

and boiling rangeFlammability130-180 °CNot applicable.

· Lower and upper explosion limit

· Lower: 1.5 Vol %
· Upper: Not determined.

• Flash point: 30 °C • Auto-ignition temperature: 280 °C

Decomposition temperature: Not determined.pH Not determined.

· Viscosity:

· Kinematic viscosity Not determined.

(Contd. on page 6)



Printing date 14.04.2023 Version number 7 (replaces version 6) Revision: 14.04.2023

Trade name: PMGI SF Series Resists

| | | | | | | (Contd. of pag | | |
|----------------------------------------------------|-----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|------------|---------------|----------|----------------|--|--|
| Dynamic: | Not de | termined. | | | | | | |
| Solubility | | | | | | | | |
| water: | Slightl | y soluble. | | | | | | |
| Partition coefficient n-octanol/water | | | | | | | | |
| (log value) | | termined. | | | | | | |
| Vapour pressure at 20 °C: | 0.3 hP | а | | | | | | |
| Density and/or relative density | | | | | | | | |
| Density: | | termined. | | | | | | |
| Vapour density | Not de | termined. | | | | | | |
| 9.2 Other information | | Number | | Vol.(%by wt.) | VOC(g/L) | | | |
| | SF1 | G113101 | 0.963 | 84 | 810 | | | |
| | SF2 | G113102 | 0.966 | 83 | 805 | | | |
| | SF3 | G113103 | 0.968 | 83 | 800 | | | |
| | | G113104 | 0.971 | 82 | 790 | | | |
| | | G113105 | 0.973 | 81 | 785 | | | |
| | | G113106 | 0.977 | 80 | 780 | | | |
| | | G113107 | 0.979 | 79 | 775 | | | |
| | SF7.5 | G113175 | 0.981 | 79 | 770 | | | |
| | SF8 | G113108 | 0.983 | 78 | 765 | | | |
| | SF9 | G113109 | 0.984 | 78 | 760 | | | |
| | <i>SF10</i> | G113110 | 0.987 | 77 | 755 | | | |
| | SF11 | G113111 | 0.992 | 75 | 750 | | | |
| | SF12 | G113112 | 0.995 | 74 | 740 | | | |
| | SF13 | G113113 | 0.998 | 73 | 735 | | | |
| | SF14 | G113114 | 1.001 | 73 | 730 | | | |
| | SF15 | G113115 | 1.004 | 72 | 720 | | | |
| | SF17 | G113117 | 1.010 | 70 | 710 | | | |
| | SF19 | G113119 | 1.015 | 69 | 695 | | | |
| | <i>SF23</i> | G113123 | 1.023 | 65 | 670 | | | |
| Appearance: | | | | | | | | |
| Form: | Liquid | | | | | | | |
| Important information on protection of | | | | | | | | |
| health and environment, and on safety | | atia mataal | lficuitina | | | | | |
| Ignition temperature: | Product is not selfigniting. Product is not explosive. However, formation of explosive girlygness. | | | | | | | |
| · Explosive properties: | | Product is not explosive. However, formation of explosive air/vapo mixtures are possible. | | | | | | |
| Change in condition | mixiur | es are poss | we. | | | | | |
| Evaporation rate | Not determined. | | | | | | | |
| • | | | | | | | | |
| Information with regard to physical hazard classes | | | | | | | | |
| Explosives | Void | | | | | | | |
| Flammable gases | Void | | | | | | | |
| Aerosols | Void | | | | | | | |
| Oxidising gases | Void | | | | | | | |
| Gases under pressure | Void | | | | | | | |
| Flammable liquids | roiu | | | | | | | |
| Flammable liquid and vapour. | | | | | | | | |
| Flammable solids | Void | | | | | | | |
| Self-reactive substances and mixtures | v oia Void | | | | | | | |
| Pyrophoric liquids | v oia Void | | | | | | | |
| i vioditorio aguas | roiu | | | | | | | |



Printing date 14.04.2023 Version number 7 (replaces version 6) Revision: 14.04.2023

Trade name: PMGI SF Series Resists

(Contd. of page 6)

• Pyrophoric solids
• Self-heating substances and mixtures
• Substances and mixtures, which emit
flammable gases in contact with water

Void
• Oxidising liquids

Oxidising liquids
 Oxidising solids
 Organic peroxides
 Corrosive to metals
 Desensitised explosives

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability Stable
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid

Contact with incompatible materials.

Heat, flames and sparks. Extremes of temperature and direct sunlight.

- · 10.5 Incompatible materials: Strong Oxidizing Agents, Strong Bases, Strong Acids, Amines
- · 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

| · LD/LC50 | values rela | evant for classification: |
|------------|-------------|---------------------------------------------------------------|
| 120-92-3 | Cyclopento | anone |
| Oral | LD50 | 1180 mg/kg (Rat) |
| Dermal | LD50 | >2000 mg/kg (rabbit) |
| Inhalative | LC50/4 h | >19.5 mg/l (Rat) |
| 97-99-4 T | etrahydroj | furfuryl alcohol |
| Oral | LD50 | 800 mg/kg (Guinea pig) |
| | | 2300 mg/kg (mouse) |
| | | 1600 mg/kg (Rat) |
| Dermal | LD50 | 5000 mg/kg (Guinea pig) |
| 102322-80 | 0-5 Polyali | phatic imide copolymer |
| Oral | LD50 | >5000 mg/kg (Rat) (Data for compositionally similar material) |
| Dermal | LD50 | >5000 mg/kg (Rat) (Data for compositionally similar material) |

· Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.

(Contd. on page 8)



Printing date 14.04.2023 Version number 7 (replaces version 6) Revision: 14.04.2023

Trade name: PMGI SF Series Resists

(Contd. of page 7)

- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity

May damage fertility or the unborn child.

- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

120-92-3 Cyclopentanone

EC50/48 h 100 mg/l (daphnia magna)

 $EC50/72 \ h > 100 \ mg/l \ (scenedesmus subspicatus)$

|LC50/96 h| > 100 mg/l (fish)|

- · 12.2 Persistence and degradability Moderately /partly biodegradable
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Disposal must be made in accordance with International, National, and regional regulations.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

- · 14.1 UN number or ID number
- · ADR, IMDG, IATA

UN1866

(Contd. on page 9)



Printing date 14.04.2023 Version number 7 (replaces version 6) Revision: 14.04.2023

Trade name: PMGI SF Series Resists

| | (Contd. of po |
|-------------------------------------------------|--------------------------------|
| 14.2 UN proper shipping name ADR, IMDG, IATA | RESIN SOLUTION |
| | RESIN SOLUTION |
| 14.3 Transport hazard class(es) | |
| ADR, IMDG, IATA | |
| | |
| Class | 3 Flammable liquids. |
| Label | 3 |
| 14.4 Packing group | |
| ADR, IMDG, IATA | III |
| 14.5 Environmental hazards: | |
| Marine pollutant: | No |
| 14.6 Special precautions for user | Warning: Flammable liquids. |
| Hazard identification number (Kemler code): | 33 |
| EMS Number: | F-E, <u>S-E</u> |
| 14.7 Maritime transport in bulk according to IM | 10 |
| instruments | Not applicable. |
| Transport/Additional information: | |
| ADR | |
| Limited quantities (LQ) | 5L |
| Transport category | 3 |
| Tunnel restriction code | D/E |
| UN "Model Regulation": | UN1866, RESIN SOLUTION, 3, III |

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 30
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 10)



Printing date 14.04.2023 Version number 7 (replaces version 6) Revision: 14.04.2023

Trade name: PMGI SF Series Resists

(Contd. of page 9)

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H360 May damage fertility or the unborn child.

· Classification according to Regulation (EC) No 1272/2008

Art. 9(1) of Regulation (EC) No. 1272/2008 was used for classification purposes.

- · Department issuing SDS: Product safety department
- · Contact: Tom Cole, EHS Manager (tcole@kayakuam.com)
- · Revision History:

The manufacturer's information in Section 1, the product hazard information in Section 2 and the component hazard information in Section 3 have been updated.

- · Version number of previous version: 6
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Repr. 1B: Reproductive toxicity - Category 1B