ADVANCED MATERIALS

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.09.2022

### Version number 6

Revision: 09.09.2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### · 1.1 Product identifier

• Trade name: PMGI SF Series Resists

• Article number:

*G113101, G113102, G113103, G113104, G113105, G113106, G113107, G113175, G113108, G113109, G113110, G113111, G113112, G113113, G113114, G113115, G113117, G113119, G113123* 

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use SU16 Manufacture of computer, electronic and optical products, electrical equipment
- Product category PC30 Photo-chemicals
- Application of the substance / the mixture Photoresist

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Kayaku Advanced Materials, Inc. 200 Flanders Road Westborough, MA 01581 Tel: (617) 965-5511 Fax: (617) 965-5818

• Further information obtainable from: Product Safety Email: productsafety@kayakuAM.com

*Analistic Products a Jery (a, Kuyaku AM. com)* • 1.4 Emergency telephone number: Kayaku Advanced Materials <u>: 617-965-5511</u> Chemtrec USA Emergency <u>: 800-424-9300 (24 hr)</u> Chemtrec International Emergency : 703-527-3887 (24 hr)

## SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008

GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS08 health hazard

*Repr. 1B* H360 May damage fertility or the unborn child.

GHS07

Skin Irrit. 2 H315 Causes skin irritation.

*Eye Irrit. 2* H319 Causes serious eye irritation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

EU -

FU



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.09.2022

Version number 6

Revision: 09.09.2022

Trade name: PMGI SF Series Resists



• *vPvB*: Not applicable.

## **SECTION 3: Composition/information on ingredients**

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

• Dangerous components:		
CAS: 120-92-3 EINECS: 204-435-9	Cyclopentanone	65-85%
<i>EINECS: 204-455-9</i> <i>Index number: 606-025-00-9</i>	📀 Flam. Liq. 3, H226; 🚯 Skin Irrit. 2, H315; Eye Irrit. 2, H319	
Reg.nr.: 01-2119495595-21-0000		
	(Conta	l. on page 3)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.09.2022

Version number 6

Revision: 09.09.2022

### Trade name: PMGI SF Series Resists

	(Cor	ntd. of page 2)
CAS: 97-99-4	Tetrahydrofurfuryl alcohol	1-15%
EINECS: 202-625-6 Index number: 603-061-00-7	<b>♦</b> <i>Repr. 1B, H360;</i> <b>♦</b> <i>Eye Irrit. 2, H319</i>	=
CAS: 102322-80-5	Polyaliphatic imide copolymer	1-25%
	Skin Irrit. 2, H315; Eye Irrit. 2, H319	-
• Additional Components:		
Proprietary surfactant		<1%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

• After skin contact:

*Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.* 

• After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

· After swallowing: If symptoms persist consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

## **SECTION 5: Firefighting measures**

• 5.1 Extinguishing media

- Suitable extinguishing agents:
- Alcohol resistant foam
- Fire-extinguishing powder

Carbon dioxide

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture

Containers may explode due to pressure increase when container is exposed to extreme heat. Vapors may travel a considerable distance to a source of ignition and flash back along vapor trail.

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

## **SECTION 6:** Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources.

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

EU -

### Safety data sheet according to 1907/2006/EC, Article 31

Version number 6

Revision: 09.09.2022

Trade name: PMGI SF Series Resists

Irade name: PMGI SF Series Resists

(Contd. of page 3)

• 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents

Dispose contaminated material as waste according to item 13.

### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaust at the workplace. Keep receptacles tightly sealed. Use only under yellow light Prevent formation of aerosols.

• Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Use explosion-proof apparatus / fittings and spark-proof tools. Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and containers: Store in a cool location.

Store in inert atmosphere or keep well sealed to prevent the formation of peroxides and other oxidation products.

- Information about storage in one common storage facility: Do not store together with oxidising and acidic materials. Do not store together with alkalis (caustic solutions).
- Further information about storage conditions:
   Further information about storage conditions:
   Store in cool, dry conditions in well sealed containers.
   Store receptacle in a well ventilated area.
   Protect from heat and direct sunlight.
   7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see item 7.
- Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Do not inhale gases / fumes / aerosols.

Keep away from food and beverages.

Immediately remove all soiled and contaminated clothing

(Contd. on page 5)



Printing date 09.09.2022

EU -



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.09.2022

Version number 6

Revision: 09.09.2022

Trade name: PMGI SF Series Resists

(Contd. of page 4)

Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. • **Respiratory protection:** 

In case of low exposure use cartridge respirator. In case of intensive or longer exposure use self-contained respiratory protective device.

• Protection of hands:



Protective gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* Nitrile rubber, NBR

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9.1 Information on basic physical and ch	nemical properties
General Information	
Appearance: Form:	Liquid
Colour:	Clear to light yellow
Odour:	Sweetish
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition Melting point/freezing point: Initial boiling point and boiling range:	Undetermined. 130-180 °C
Flash point:	<i>30 °C (クローズドカップ</i> )
Flammability (solid, gas):	Not applicable.
Ignition temperature:	280 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
Explosion limits:	
Lower:	1.5 Vol %
Upper:	Not determined.



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.09.2022

*Version number 6* 

Revision: 09.09.2022

Trade name: PMGI SF Series Resists

						(Contd. of page
• Vapour pressure at 20 •C:	0.3 hPc	a				
· Density:	Not det	termined.				
· Vapour density	Not det	termined.				
• Evaporation rate	Not det	termined.				
· Solubility in / Miscibility with water:	Slightly	v soluble.				
· Partition coefficient: n-octanol/water:	Not det	termined.				
· Viscosity:						
Dynamic:	Not det	termined.				
Kinematic:	Not det	termined.				
· 9.2 Other information	Name	Number	Sp. Grav.	Vol.(%by wt.)	VOC(g/L)	
5		G113101	0.966	99	955	
	SF2	<i>G113102</i>	0.968	98	950	
	SF3	G113103	0.970	97	945	
	SF4	<i>G113104</i>	0.973	96	935	
	SF5	<i>G113105</i>	0.975	95	930	
	SF6	<i>G113106</i>	0.980	94	920	
	SF7	<i>G113107</i>	0.981	<i>93</i>	915	
	SF7.5	<i>G113175</i>	0.983	92.5	910	
	SF8	<i>G113108</i>	0.984	92	905	
	SF9	<i>G113109</i>	0.985	91	900	
	SF10	<i>G113110</i>	0.988	90	890	
	SF11	G113111	0.992	89	880	
	SF12	<i>G113112</i>	0.996	87.5	870	
	SF13	<i>G113113</i>	0.998	87	860	
		<i>G113114</i>	1.001	86	865	
		G113115	1.003	85	850	
	SF17	<i>G113117</i>	1.008	82.5	830	
	SF19	G113119	1.012	81	820	
	SF23	<i>G113123</i>	1.023	77	785	

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability Stable
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid
- Contact with incompatible materials.
- Heat, flames and sparks. Extremes of temperature and direct sunlight.
- · 10.5 Incompatible materials: Strong Oxidizing Agents, Strong Bases, Strong Acids, Amines
- 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

(Contd. on page 7)

EU

ADVANCED MATERIALS

Printing date 09.09.2022

# Safety data sheet according to 1907/2006/EC, Article 31

Version number 6

Revision: 09.09.2022

Trade name: PMGI SF Series Resists

(Contd. of page 6)

	2	l on available data, the classification criteria are not met. evant for classification:
LD/LC30 120-92-3 (		
0ral	LD50	1180 mg/kg (Rat)
Drui Dermal	LD50 LD50	
		> 2000  mg/kg (rabbit)
		l > 19.5 mg/l (Rat)
		furfuryl alcohol
Oral	LD50	800 mg/kg (Guinea pig)
		2300 mg/kg (mouse)
		1600 mg/kg (Rat)
Dermal	LD50	5000 mg/kg (Guinea pig)
102322-80	-5 Polyal	iphatic imide copolymer
Oral	LD50	>5000 mg/kg (Rat) (Data for compositionally similar material)
Dermal	LD50	>5000 mg/kg (Rat) (Data for compositionally similar material)
Additional CMR effec Germ cell Carcinoge Reproduct May dama STOT-sing STOT-rep	sion/irrita n irritatio e damage vious eye i y or skin toxicolog ts (carcin mutageni nicity Bas ive toxiciu ge fertility gle exposu eated expo	ation n. /irritation rritation. sensitisation Based on available data, the classification criteria are not met. gical information: sogenity, mutagenicity and toxicity for reproduction) city Based on available data, the classification criteria are not met. sed on available data, the classification criteria are not met.

## · 12.1 Toxicity

• Aquatic toxicity:

120-92-3 Cyclopentanone

EC50/48 h 100 mg/l (daphnia magna)

*EC50/72 h* >100 mg/l (scenedesmus subspicatus)

LC50/96 h > 100 mg/l (fish)

• 12.2 Persistence and degradability Moderately /partly biodegradable

• 12.3 Bioaccumulative potential No further relevant information available.

• 12.4 Mobility in soil No further relevant information available.

(Contd. on page 8)

EU

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.09.2022

Version number 6

Revision: 09.09.2022

Trade name: PMGI SF Series Resists

ADVANCED MATERIALS

(Contd. of page 7)

• Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· 12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

#### · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Disposal must be made in accordance with International, National, and regional regulations.

### • Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number ADR, IMDG, IATA	UN1866	
14.2 UN proper shipping name ADR, IMDG, IATA	RESIN SOLUTION	
14.3 Transport hazard class(es)		
ADR, IMDG, IATA		
Class	3 Flammable liquids.	
Label	3	
14.4 Packing group ADR, IMDG, IATA	111	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Warning: Flammable liquids.	
Hazard identification number (Kemler code): EMS Number:	33 E E S E	
	<i>F-E,<u>S-E</u></i>	
14.7 Transport in bulk according to Annex II o Marpol and the IBC Code	o <b>f</b> Not applicable.	
Transport/Additional information:		
ADR Limited quantities (LQ)	5L	



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.09.2022

Version number 6

Revision: 09.09.2022

Trade name: PMGI SF Series Resists

		(Contd. of page 8)
· Transport category	3	
• Tunnel restriction code	D/E	
· UN "Model Regulation":	UN1866, RESIN SOLUTION, 3, III	

### **SECTION 15: Regulatory information**

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 30
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H226 Flammable liquid and vapour.

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H360 May damage fertility or the unborn child.
- · Classification according to Regulation (EC) No 1272/2008
- Art. 9(1) of Regulation (EC) No. 1272/2008 was used for classification purposes.
- · Department issuing SDS: Product safety department
- · Contact: Tom Cole, EHS Manager (tcole@kayakuAM.com)

#### · Revision History:

The manufacturer's information in Section 1, the product hazard information in Section 2 and the component hazard information in Section 3 have been updated.

• Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Repr. 1B: Reproductive toxicity - Category 1B

EU -

<sup>·</sup> Directive 2012/18/EU