Reviewed on 04/11/2023



Safety Data Sheet acc. to OSHA HCS

Printing date 04/11/2023

1 Identification

· Product identifier

- Trade name: <u>PMGI SFG Slow Series Resists</u>
- Product number: G212120, G212150, G212160, G212170, G212101, G212102, G212103, G212106, G212109, G212115 • Application of the substance / the mixture Photoresist
- Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Kayaku Advanced Materials, Inc. 200 Flanders Road Westborough, MA 01581 Tel: (617) 965-5511 Fax: (617) 965-5818
- Information department: Product Safety Email: productsafety@kayakuam.com • Emergency telephone number:
- Kayaku Advanced Materials : <u>617-965-5511</u> Chemtrec USA Emergency : <u>800-424-9300</u> Chemtrec International Emergency : <u>703-527-3887</u>

2 Hazard(s) identification

• Classification of the substance or mixture GHS02 Flame Flammable Liquids 3 H226 Flammable liquid and vapor.

GHS07

Skin Irritation 2H315 Causes skin irritation.Eye Irritation 2AH319 Causes serious eye irritation.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



Signal word Warning
Hazard statements
H226 Flammable liquid and vapor.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

(Contd. on page 2)

⁻ ÚS



Printing date 04/11/2023

Reviewed on 04/11/2023

Trade name: PMGI SFG Slow Series Resists

	(Contd. of page 1)
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P302+P352	If on skin: Wash with plenty of soap and water.
P304+P341	If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.
<i>P305+P351+P</i> .	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use to extinguish: Alcohol resistant foam, Fire-extinguishing powder, Carbon dioxide.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification s	vstem:
· NFPA ratings (scale 0 - 4)
F	$\begin{aligned} \text{lealth} &= 2\\ \text{ire} &= 3\\ \text{eactivity} &= 0 \end{aligned}$
• HMIS-ratings (scale 0 - 4)
FIRE 3	Health = 2 Fire = 3 Reactivity = 0
• Other hazards • Results of PBT	and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:		
120-92-3 Cyclopentanone		65-85%
	kin Irritation 2, H315; Eye Irritation 2A, H319	
107-98-2 1-methoxy-2-propanol		1-15%
🛞 Flammable Liquids 3, H226; 🚺 Sp H336	pecific Target Organ Toxicity - Single Exposure 3,	
Additional Components:		
102322-80-5 Polyaliphatic imide copolymer	Skin Irritation 2, H315; Eye Irritation 2A, H319	1-25%

4 First-aid measures

• Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

(Contd. on page 3)

⁻ US



Printing date 04/11/2023

Reviewed on 04/11/2023

Trade name: PMGI SFG Slow Series Resists

(Contd. of page 2)

• After inhalation: Inhalation is not an expected route of exposure. If respiratory irritation or distress occurs remove victim to fresh air. Seek medical attention if respiratory irritation or distress continues.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

• After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

• After swallowing:

Do not induce vomiting unless instructed to do so by a physician. Wash out mouth with water and keep person at rest. Seek immediate medical attention.

· Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed Treat symptomatically.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Alcohol resistant foam Fire-extinguishing powder Carbon dioxide
- For safety reasons unsuitable extinguishing agents: Water with full jet Water
- Special hazards arising from the substance or mixture

Containers may explode due to pressure increase when container is exposed to extreme heat. Vapors may travel a considerable distance to a source of ignition and flash back along vapor trail.

- · Advice for firefighters
- Protective equipment: Wear SCBA.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Keep away from ignition sources Ensure adequate ventilation
- *Environmental precautions:* Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- Do not flush with water or aqueous cleansing agents
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

(Contd. on page 4)

⁻ US



Printing date 04/11/2023

Reviewed on 04/11/2023

Trade name: PMGI SFG Slow Series Resists

Protective Action Criteria for Chemicals	(Contd. of page
· PAC-1:	
120-92-3 Cyclopentanone	0.87 ppm
107-98-2 1-methoxy-2-propanol	100 ppm
· PAC-2:	
120-92-3 Cyclopentanone	9.5 ppm
107-98-2 1-methoxy-2-propanol	160 ppn
• PAC-3:	
120-92-3 Cyclopentanone	57 ppm
107-98-2 1-methoxy-2-propanol	660 ppn

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaust at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Use explosion-proof apparatus / fittings and spark-proof tools.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and containers: Store in a cool location.
- · Information about storage in one common storage facility:
- Do not store together with alkalis (caustic solutions).
- Do not store together with oxidizing and acidic materials.
- Further information about storage conditions: Keep container well-sealed in cool, dry location.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

107-98-2 1-methoxy-2-propanol

- REL Short-term value: 540 mg/m³, 150 ppm
- Long-term value: 360 mg/m³, 100 ppm
- TLV Short-term value: 553 mg/m³, 150 ppm
 - Long-term value: 369 mg/m³, 100 ppm
- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from food and beverages.

(Contd. on page 5)


[–] US



Reviewed on 04/11/2023

Printing date 04/11/2023

Trade name: PMGI SFG Slow Series Resists



Information on basic physical and c	hemical properties
General Information	
Appearance: Form:	Liquid
Form: Color:	Liquid Clear to light yellow
Odor:	Slightly sweet
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	120 °C (248 °F)
Flash point:	30 °C (86 °F) (クローズドカップ)
Flammability (solid, gaseous):	Not applicable.
Auto igniting:	270 °C (518 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	2.3 Vol %
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	12 hPa (9 mm Hg)
Density:	Not determined.

us –



Printing date 04/11/2023

Reviewed on 04/11/2023

Trade name: PMGI SFG Slow Series Resists

						(Contd. of page
· Relative density	See Other	information	1			
· Vapor density	Not detern	nined.				
· Solubility in / Miscibility with						
Water:	Water mise	cible No				
· Partition coefficient (n-octanol/wa	ter): Not detern	iined.				
· Viscosity:						
Dynamic:	Not detern	iined.				
Kinematic:	Not detern	nined.				
• Other information	Name	Number	Sp. Grav.	Vol.(%by wt.)	VOC(g/L)	
-	SFG 0.2S	<i>G212120</i>	0.941	< 99	940	
	SFG 0.5S	G212150	0.942	< 99	940	
	SFG 0.6S	G212160	0.942	< 99	935	
	SFG 0.7S	G212170	0.942	< 99	935	
	SFG 1S	G212101	0.943	99	935	
	SFG 2S	G212102	0.946	98	930	
	SFG 3S	<i>G212103</i>	0.948	97	925	
	SFG 6S	G212106	0.980	94	920	
	SFG 9S	G212109	0.990	91	905	
	SFG 15S	G212115	1.05	85	890	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

- Contact with incompatible materials.
- · Incompatible materials: Strong Oxidizing Agents, Strong Acids, Strong Bases
- *Hazardous decomposition products: Carbon monoxide and carbon dioxide*
- Nitrogen oxides

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

• LD/LC50 values that are relevant for classification:				
120-92-3	Cyclopente	anone		
Oral	LD50	1180 mg/kg (Rat)		
Dermal	LD50	>2000 mg/kg (rabbit)		

Dermui	LDJ0	> 2000 mg/kg (rubbii)
Inhalative	LC50/4 h	>19.5 mg/l (Rat)

- 107-98-2 1-methoxy-2-propanol
- Oral LD50 5660 mg/kg (Rat)

(Contd. on page 7)

US-



Printing date 04/11/2023

Reviewed on 04/11/2023

Trade name: PMGI SFG Slow Series Resists

D 1	(Contd. of page
	LD50 13000 mg/kg (rabbit)
	LC50/4 h 54.6 mg/l (Rat)
102322-80	-5 Polyaliphatic imide copolymer
Oral	LD50 >5000 mg/kg (Rat) (Data for compositionally similar material)
Dermal	LD50 >5000 mg/kg (Rat) (Data for compositionally similar material)
	ritant effect:
	<i>t:</i> Irritant to skin and mucous membranes.
	: Irritating effect. on: No sensitizing effects known.
	toxicological information:
	ct shows the following dangers according to internally approved calculation methods for preparation
Irritant	
· Carcinoge	nic categories
· IARC (Int	ernational Agency for Research on Cancer)
	e ingredients are listed.
	ional Toxicology Program)
	e ingredients are listed.
•	
	(Occupational Safety & Health Administration) e ingredients are listed.
5	
• Toxicity	
• Aquatic to	-
	Cyclopentanone
	100 mg/l (daphnia magna)
	>100 mg/l (scenedesmus subspicatus)
LC50/96 h	
107-98-21	I-methoxy-2-propanol
EC50/96 h	ar 23300 mg/l (daphnia magna)
	>1000 mg/l (green algae)
LC50/96 h	20800 mg/l (Pimephales promelas)
· Persistence	e and degradability Moderately /partly biodegradable
· Behavior i	in environmental systems:
	ulative potential No further relevant information available.
	<i>a soil</i> No further relevant information available.
• Additional	l ecological information:
· Gonoral .	
• General no Water haza	otes:
Water haze	otes: ard class 1 (Self-assessment): slightly hazardous for water
Water haza Do not alla	otes:
Water haze Do not alle • Results of • PBT: Not e	otes: ard class 1 (Self-assessment): slightly hazardous for water ow undiluted product or large quantities of it to reach ground water, water course or sewage system. PBT and vPvB assessment applicable.
Water haze Do not alle • Results of	otes: ard class 1 (Self-assessment): slightly hazardous for water ow undiluted product or large quantities of it to reach ground water, water course or sewage system. PBT and vPvB assessment applicable. applicable.
Water haze Do not alle Results of PBT: Not e	otes: ard class 1 (Self-assessment): slightly hazardous for water ow undiluted product or large quantities of it to reach ground water, water course or sewage system. PBT and vPvB assessment applicable.



Printing date 04/11/2023

Reviewed on 04/11/2023

Trade name: PMGI SFG Slow Series Resists

(Contd. of page 7)

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of as regular garbage/trash. Do not allow product to reach sewage system. Disposal must be made in accordance with Federal, State, and Local regulations.

- · Uncleaned packagings:
- Recommendation: Disposal must be made in accordance with Federal, State, and Local regulations.

UN-Number DOT, ADR, IMDG, IATA	UN1866	
UN proper shipping name DOT, IMDG, IATA ADR	RESIN SOLUTION 1866 RESIN SOLUTION	
Transport hazard class(es)		
DOT		
nametric cost		
Class	3 Flammable liquids	
Label	3	
Class	3 Flammable liquids	
Label	3	
Packing group DOT, ADR, IMDG, IATA	III	
Environmental hazards: Marine pollutant:	No	
Special precautions for user	Warning: Flammable liquids	
	· 33	
Hazard identification number (Kemler code):		
	<i>F-E</i> , <u><i>S-E</i></u>	

(Contd. of page 8)



Safety Data Sheet acc. to OSHA HCS

Printing date 04/11/2023

Reviewed on 04/11/2023

Trade name: PMGI SFG Slow Series Resists

· UN "Model Regulation":

UN1866, RESIN SOLUTION, 3, III

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act): All ingredients are listed or comply with TSCA regulations.

· Hazardous Air Pollutants

None of the ingredients are listed.

· Proposition 65

• Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients are listed.

• TLV (Threshold Limit Value)

None of the ingredients are listed.

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

· Massachusetts State Right To Know List

120-92-3 Cyclopentanone

107-98-2 1-methoxy-2-propanol

· New Jersey State Right To Know List

120-92-3 Cyclopentanone

107-98-2 1-methoxy-2-propanol

· Pennsylvania Hazardous Substances List

120-92-3 Cyclopentanone

107-98-2 1-methoxy-2-propanol

· California SCAQMD Rule 443.1 VOC's: See Table 1 - Section 9

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 10)



Printing date 04/11/2023

Reviewed on 04/11/2023

Trade name: PMGI SFG Slow Series Resists

II	(Contd. of page 9)
Hazard pictogra	<i>uns</i>
\land	
<u> < *%) < 1</u>	
V V	
GHS02 GHS	507
Signal word Wa	rning
Hazard stateme	0
	le liquid and vapor.
H315 Causes sk	1 1
H319 Causes se	rious eye irritation.
Precautionary s	
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P302+P352	If on skin: Wash with plenty of soap and water.
P304+P341	If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.
P305+P351+P3	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
<i>P337+P313</i>	<i>If eye irritation persists: Get medical advice/attention.</i>
P370+P378	In case of fire: Use to extinguish: Alcohol resistant foam, Fire-extinguishing powder, Carbon dioxide.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: Tom Cole, EHS Manager (tcole@kayakuam.com)

The manufacturer's information in Section 1, the product hazard information in Section 2 and the component hazard information in Section 3 have been updated.

- Date of preparation / last revision 04/11/2023
- Abbreviations and acronyms:
- RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
- ICAO: International Civil Aviation Organisation
- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 11)

[·] Revision History:

US ·



Printing date 04/11/2023

Reviewed on 04/11/2023

Trade name: PMGI SFG Slow Series Resists

(Contd. of page 10) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 3: Flammable liquids – Category 3 Skin Irritation 2: Skin corrosion/irritation – Category 2A Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3