Revision: 14.04.2023



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.04.2023 Version number 9 (replaces version 8)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: SU-8 2000 Series Resists
- · Article number:

Y111004, Y111007, Y111014, Y111022, Y111029, Y111045, Y111053, Y111058, Y111064, Y111069, Y111070, Y111072, Y111074, Y111075

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use SU16 Manufacture of computer, electronic and optical products, electrical equipment
- · Product category PC30 Photo-chemicals
- · Application of the substance / the mixture Photoresist
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Kayaku Advanced Materials, Inc.

200 Flanders Road Westborough, MA 01581

Tel: (617) 965-5511 Fax: (617) 965-5818

· Further information obtainable from:

Product Safety

Email: productsafety@kayakuam.com

· 1.4 Emergency telephone number:

Kayaku Advanced Materials : 617-965-5511 Chemtrec USA Emergency : 800-424-9300 (24 hr)

Chemtrec International Emergency: 703-527-3887 (24 hr)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)



Printing date 14.04.2023 Version number 9 (replaces version 8) Revision: 14.04.2023

Trade name: SU-8 2000 Series Resists

(Contd. of page 1)

· Hazard pictograms







GHS02 GHS07

· Signal word Warning

· Hazard statements

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use to extinguish: Alcohol resistant foam, Fire-extinguishing powder, Carbon

dioxide.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT**: Not applicable. · **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
	Epoxy resin Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	3-75%
CAS: 120-92-3	Cyclopentanone Flam. Liq. 3, H226; Skin Irrit. 2, H315; Eye Irrit. 2, H319	15-96%

(Contd. on page 3)



Printing date 14.04.2023 Version number 9 (replaces version 8) Revision: 14.04.2023

Trade name: SU-8 2000 Series Resists

	(Co	ontd. of page 2)
CAS: 108-32-7	Propylene carbonate	0.1-5%
EINECS: 203-572-1	♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319	
Index number: 607-194-00-1		
CAS: 71449-78-0	Sulfonium, diphenyl[4-(phenylthio)phenyl]-, (OC-6-11)-hexafluoroantimonate(1-) (1:1) Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1, H317	0.05-2.5%
CAS: 89452-37-9	Sulfonium, (thiodi-4,1-phenylene) bis[diphenyl-,(OC-6-11)-hexafluoroantimonate (1-) (1:2) Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1, H317	0.05-2.5%

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air and to be sure call for a doctor.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

- · After swallowing: Call for a doctor immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Alcohol resistant foam

Fire-extinguishing powder

Carbon dioxide

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 4)



Printing date 14.04.2023 Version number 9 (replaces version 8) Revision: 14.04.2023

Trade name: SU-8 2000 Series Resists

(Contd. of page 3)

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaust at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Use explosion-proof apparatus / fittings and spark-proof tools.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage.
- · Requirements to be met by storerooms and containers:

Due to photo-sensitivity, store product in brown-glass or stainless steel receptacles.

· Information about storage in one common storage facility:

Do not store together with alkalis (caustic solutions).

Do not store together with acids.

Do not store together with oxidizing materials.

· Further information about storage conditions:

Protect from heat and direct sunlight.

Store in cool, dry conditions in well sealed containers.

Store receptacle in a well ventilated area.

 \cdot 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- \cdot Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from food and beverages.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of low exposure use cartridge respirator. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 5)



Printing date 14.04.2023 Version number 9 (replaces version 8) Revision: 14.04.2023

Trade name: SU-8 2000 Series Resists

· Hand protection

(Contd. of page 4)



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- · Material of gloves Nitrile rubber, NBR
- · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid

· Colour: Clear to light yellow

Odour: Sweetish
Odour threshold: Not determined.
Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point

and boiling rangeFlammability130 °CFlammable.

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined.

· Flash point: 30 °C · Auto-ignition temperature: 430 °C

• Decomposition temperature: Not determined. • pH Not determined.

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

· Solubility

• water: Not miscible or difficult to mix.

· Partition coefficient n-octanol/water

(log value) Not determined.
• Vapour pressure: Not determined.

· Density and/or relative density

Density: Not determined.Relative density Not determined.

(Contd. on page 6)



Printing date 14.04.2023 Version number 9 (replaces version 8) Revision: 14.04.2023

Trade name: SU-8 2000 Series Resists

Appearance: Form: Important information on protection of health and environment, and on safety. Ignition temperature: Explosive properties:	Name SU-8 2000.1	A71			
Appearance: Form: Important information on protection of health and environment, and on safety. Ignition temperature: Explosive properties:		Number	Sp. Grav.	Vol.(%by wt.)	VOC (g/L)
Appearance: Form: Important information on protection of health and environment, and on safety. Ignition temperature: Explosive properties:)U-0 ZUUU.I	Y111004	0.955	96	920
Appearance: Form: Important information on protection of health and environment, and on safety. Ignition temperature: Explosive properties:	SU-8 2000.2	Y111007	0.962	93	900
Appearance: Form: Important information on protection of health and environment, and on safety. Ignition temperature: Explosive properties:	SU-8 2000.5	Y111014	0.981	86	840
Appearance: Form: Important information on protection of health and environment, and on safety. Ignition temperature: Explosive properties:	SU-8 2001	Y111022	0.998	78	780
Appearance: Form: Important information on protection of health and environment, and on safety. Ignition temperature: Explosive properties:	SU-8 2002	Y111029	1.024	71	725
Appearance: Form: Important information on protection of health and environment, and on safety. Ignition temperature: Explosive properties:	SU-8 2005	Y111045	1.072	55	590
Appearance: Form: Important information on protection of health and environment, and on safety. Ignition temperature: Explosive properties:	SU-8 2007	Y111053	1.092	47	520
Appearance: Form: Important information on protection of health and environment, and on safety. Ignition temperature: Explosive properties:	SU-8 2010	Y111058	1.104	42	460
Appearance: Form: Important information on protection of health and environment, and on safety. Ignition temperature: Explosive properties:	SU-8 2015	Y111064	1.124	36	410
Appearance: Form: Important information on protection of health and environment, and on safety. Ignition temperature: Explosive properties:	SU-8 2025	Y111069	1.133	31	355
Appearance: Form: Important information on protection of health and environment, and on safety. Ignition temperature: Explosive properties:	SU-8 2035	Y111070	1.137	30	340
Appearance: Form: Form: Important information on protection of health and environment, and on safety. Ignition temperature: Explosive properties:	SU-8 2050	Y111072	1.142	28	322
Appearance: Form: Important information on protection of health and environment, and on safety. Ignition temperature: Explosive properties:	SU-8 2075	Y111074	1.146	26	300
Form: Important information on protection of health and environment, and on safety. Ignition temperature: Explosive properties:	SU-8 2100	Y111075	1.151	25	285
Important information on protection of health and environment, and on safety. Ignition temperature: Explosive properties:					
health and environment, and on safety. Ignition temperature: Explosive properties:	Fluid				
Ignition temperature:					
Explosive properties:					
n	Product is not	t selfigniting.			
			However, f	formation of ex	plosive air/vap
Change in condition	nixtures are p	ossible.			
	_	_			
Evaporation rate N	Vot determine	?d.			
Information with regard to physical					
hazard classes	_				
•	Void				
8	Void				
	Void				
	Void				
P. Carrier	Void				
-	Flammable lie	_l uid and vap	our.		
	Void				
•	Void				
· · ·	Void				
• •	Void				
	Void				
Substances and mixtures, which emit					
v o	Void Void				
0 1	Void Void				
· ·	Void Void				
0 1	Void Void				
Corrosive to metals Desensitised explosives	v Ola				

SECTION 10: Stability and reactivity

 $\cdot \textit{10.1 Reactivity No further relevant information available}.$



Printing date 14.04.2023 Version number 9 (replaces version 8) Revision: 14.04.2023

Trade name: SU-8 2000 Series Resists

(Contd. of page 6)

- · 10.2 Chemical stability Stable
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid

Contact with incompatible materials.

Heat, flames and sparks. Extremes of temperature and direct sunlight.

- · 10.5 Incompatible materials: Strong Oxidizing Agents, Strong Acids, Strong Bases
- · 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Corrosive gases/vapours

Danger of forming toxic pyrolysis products.

Antimony oxide

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values relevant for classification:	
120-92-3 (Cyclopenta	none
Oral	LD50	1,820 mg/kg (Rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
Inhalative	LC50/4 h	19.5 mg/l (Rat)

- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxi	icity:
120-92-3 Cy	clopentanone
LC50/48 hr	2,950 mg/L (golden orfe)
LC50/96 h	>100 mg/l (fish)
EC50/48 h	3,600 mg/l (Ceriodaphnia dubia (water flea))
	100 mg/l (daphnia magna)
EC50/72 h	>100 mg/l (scenedesmus subspicatus)

· 12.2 Persistence and degradability No further relevant information available.

(Contd. on page 8)



Printing date 14.04.2023 Version number 9 (replaces version 8) Revision: 14.04.2023

Trade name: SU-8 2000 Series Resists

(Contd. of page 7)

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Disposal must be made in accordance with International, National, and regional regulations.

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

· 14.1 UN number or ID number · ADR, IMDG, IATA	UN1866
· 14.2 UN proper shipping name	
· ADR, IATA	RESIN SOLUTION
· IMDG	RESIN SOLUTION (Sulfonium, diphenyl[4-(phenylthiphenyl]-, (OC-6-11)-hexafluoroantimonate(1-) (1:1 Sulfonium, (thiodi-4,1-phenylene) bis[diphenyl-,(OC-6-11 sulfonium, (thiodi-4,1-phenylene) bis[diphenyl-,(OC-6-11 sulfonium)]
	hexafluoroantimonate(1-) (1:2)), MARINE POLLUTANT
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA	
· Class	3 Flammable liquids.
· Label	3
· 14.4 Packing group	
· ADR, IMDG, IATA	III

(Contd. on page 9)



Printing date 14.04.2023 Version number 9 (replaces version 8) Revision: 14.04.2023

Trade name: SU-8 2000 Series Resists

	(Contd. o
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	30
EMS Number:	<i>F-E,<u>S-E</u></i>
Stowage Category	A
14.7 Maritime transport in bulk according to IM	10
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	<i>D/E</i>
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN ''Model Regulation'':	UN 1866 RESIN SOLUTION, 3, III

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category

E2 Hazardous to the Aquatic Environment

P5c FLAMMABLE LIQUIDS

- · Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 10)



Printing date 14.04.2023 Version number 9 (replaces version 8) Revision: 14.04.2023

Trade name: SU-8 2000 Series Resists

(Contd. of page 9)

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

· Classification according to Regulation (EC) No 1272/2008

Art. 9(1) of Regulation (EC) No. 1272/2008 was used for classification purposes.

- · Department issuing SDS: Product safety department
- · Contact: Tom Cole, EHS Manager (tcole@kayakuam.com)
- · Revision History:

The manufacturer's information in Section 1, the product hazard information in Section 2 and the component hazard information in Section 3 have been updated.

- · Version number of previous version: 8
- · Abbreviations and acronyms:

 $ADR: Accord\ relatif\ au\ transport\ international\ des\ marchandises\ dangereuses\ par\ route\ (European\ Agreement\ Concerning\ the\ International\ Concerning\ the\ Concern$

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2