

Safety data sheet

according to 1907/2006/EC, Article 31


Printing date 25.05.2023

Version number 4

Revision: 25.05.2023

(Contd. on page 2)

GB



Flam. Liq. 3 H226 Flammable liquid and vapour.



Printing date 25.05.2023

Version number 4

Revision: 25.05.2023

Trade name: SU-8 2000 Thinner

	(Contd. of pag
\wedge	
$\langle ! \rangle$	
\sim	
Skin Irrit. 2 H3	B15 Causes skin irritation.
Eye Irrit. 2 H3	319 Causes serious eye irritation.
2.2 Label eleme	nts
	ding to Regulation (EC) No 1272/2008
	classified and labelled according to the GB CLP regulation.
Hazard pictogra	ums
<u>₩</u>	
GHS02 GHS	207
011502 0115	
Signal word Wa	rning
Hazard stateme	
H226 Flammab	le liquid and vapour.
H315 Causes sk	
H319 Causes se	rious eye irritation.
Precautionary s	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
	smoking.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P304+P341	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position
	comfortable for breathing.
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses
	present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
<i>P337+P313</i>	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use to extinguish: Alcohol resistant foam, Fire-extinguishing powder, Card
D402 + D225	dioxide.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/internatio regulations.
2.3 Other hazar	8
-	edients are included in the list established in accordance with Article 59(1) for having endoci
disrupting prope	
	redients are substances identified as having endocrine disrupting properties in accordance v
	out in Commission Delegated Regulation (EU) 2017/2100 (or Commission Regulation (I
2018/605.	
Results of PBT	and vPvB assessment
PBT: Not applie	cable.
vPvB: Not appli	cable

(Contd. on page 3)

GB



Printing date 25.05.2023

Version number 4

Revision: 25.05.2023

Trade name: SU-8 2000 Thinner

(Contd. of page 2)

SECTION 3: Composition/information on ingredients

· 3.1 Chemical characterisation: Substances

· CAS No. Description

- 120-92-3 cyclopentanone
- · Identification number(s)
- EC number: 204-435-9
- Index number: 606-025-00-9

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- After inhalation:
- Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed Dizziness
- 4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

Alcohol resistant foam

Fire-extinguishing powder

Carbon dioxide

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture

Containers may explode due to pressure increase when container is exposed to extreme heat. Vapors may travel a considerable distance to a source of ignition and flash back along vapor trail.

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources.
6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

(Contd. on page 4)

⁻ GB

Printing date 25.05.2023

ADVANCED MATERIALS

Version number 4

Revision: 25.05.2023

Trade name: SU-8 2000 Thinner

(Contd. of page 3)

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

 • 7.1 Precautions for safe handling Ensure good ventilation/exhaust at the workplace.
 Prevent formation of aerosols.
 Keep away from heat and direct sunlight.
 • Information about fire - and explosion protection:

Keep ignition about fire - and explosion protection: Keep ignition sources away - Do not smoke. Use explosion-proof apparatus / fittings and spark-proof tools. Protect against electrostatic charges.

- 7.2 Conditions for safe storage, including any incompatibilities • Storage:
- Requirements to be met by storerooms and containers: Store in a cool location.
- Information about storage in one common storage facility: Do not store together with oxidising and acidic materials. Do not store together with alkalis (caustic solutions).
- Further information about storage conditions: Store in cool, dry conditions in well sealed containers. Protect from heat and direct sunlight. Store receptacle in a well ventilated area.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see section 7.
- Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from food and beverages.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.

• Respiratory protection:

In case of low exposure use cartridge respirator. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

· Material of gloves Nitrile rubber, NBR

(Contd. on page 5)

^{· 8.1} Control parameters

GB -



Printing date 25.05.2023

Version number 4

Revision: 25.05.2023

(Contd. of page 4)

Trade name: SU-8 2000 Thinner

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Tightly s

Tightly sealed goggles

· Body protection: Long-sleeved work clothes

9.1 Information on basic physical and c	hemical properties
General Information	
Appearance: Form:	Liquid
Colour:	Clear
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	-51.3 °C
Initial boiling point and boiling range	: 130 °C
Flash point:	30 °C
Flammability (solid, gas):	Not applicable.
Auto-ignition temperature:	430 °C
Decomposition temperature:	Not determined.
Ignition temperature:	Not determined.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapou mixtures are possible.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 50 °C:	<200 hPa
Density at 20 °C:	0.9502/20°C g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.



Printing date 25.05.2023

Version number 4

Revision: 25.05.2023

Trade name: SU-8 2000 Thinner

		(Contd. of page 5)
Kinematic: Organic solvents:	Not determined. 100 %	
Solids content:	0 %	
• 9.2 Other information No further relevant information available.		

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability Stable
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions Danger of polymerisation. Possible formation of peroxide.
- · 10.4 Conditions to avoid
- *Heat, flames and sparks. Extremes of temperature and direct sunlight. Contact with incompatible materials.*
- · 10.5 Incompatible materials: Strong Oxidizing Agents, Strong Acids, Strong Bases
- 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

120-92-3 Cyclopentanone

Oral	LD50	1180 mg/kg (Rat)
		>2000 mg/kg (rabbit)
Inhalative	LC50/4 h	>19.5 mg/l (Rat)

· Primary irritant effect:

· Skin corrosion/irritation

Causes skin irritation.

- · Serious eye damage/irritation
- Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 7)



Printing date 25.05.2023

Version number 4

Revision: 25.05.2023

Trade name: SU-8 2000 Thinner

(Contd. of page 6)

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity:

120-92-3 Cyclopentanone

EC50/48 h 100 mg/l (daphnia magna)

EC50/72 h >100 mg/l (scenedesmus subspicatus)

LC50/96 h > 100 mg/l (fish)

· 12.2 Persistence and degradability No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

· 12.4 Mobility in soil No further relevant information available.

• Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

· 14.1 UN-Number		
ADR, IMDG, IATA	UN2245	
· 14.2 UN proper shipping name		
ADR	2245 CYCLOPENTANONE	
· IMDG, IATA	CYCLOPENTANONE	
· 14.3 Transport hazard class(es)		
ADR, IMDG, IATA		
· Class	3 Flammable liquids.	
· Label	3	



Printing date 25.05.2023

Version number 4

Revision: 25.05.2023

Trade name: SU-8 2000 Thinner

	(Contd. of page
14.4 Packing group	
ADR, IMDG, IATA	III
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	30
EMS Number:	F-E,S-D
14.7 Transport in bulk according to Annex II o	f
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Transport category	3
Tunnel restriction code	D/E
UN "Model Regulation":	UN2245, CYCLOPENTANONE, 3, III

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

specific product features and shall not establish a legally valid contractual relationship. · Department issuing SDS: Product safety department • *Contact:* Tom Cole, EHS Manager (tcole@kayakuam.com) • Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2