

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.05.2023

Version number 7 (replaces version 6)

Revision: 25.05.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name: SU-8 TF 6000 Series Resists

· Article number: Y143007, Y143010, Y143015, Y143027, Y143037, Y143051, Y143061

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

- Sector of Use SU16 Manufacture of computer, electronic and optical products, electrical equipment
- **Product category** PC30 Photo-chemicals
- · Application of the substance / the mixture Photoresist

· 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Kayaku Advanced Materials, Inc. 200 Flanders Road Westborough, MA 01581 Tel: (617) 965-5511 Fax: (617) 965-5818

The person responsible in EU Member State: ONLY REPRESENTATIVE Lionel Marcélis, PhD President REACH NATION SRL 22 Rue Notre Dame au Bois 1440 Braine-le-Château BELGIUM Tel : +32491880259

*Only Representative for 2-methoxy-1-methylethyl acetate (CAS 108-65-6) only. Other substances are being supported under REACH by Only Representatives of Non-European suppliers and others may be exempt from registration.

Further information obtainable from: Product Safety
Email: productsafety@kayakuam.com
1.4 Emergency telephone number: Kayaku Advanced Materials : 617-965-5511 Chemtrec USA Emergency : 800-424-9300 (24 hr) Chemtrec International Emergency : 703-527-3887 (24 hr)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008

GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.

GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

(Contd. on page 2)

EU



Printing date 25.05.2023

Version number 7 (replaces version 6)

Revision: 25.05.2023

Trade name: SU-8 TF 6000 Series Resists

•	(Contd. of page)
GHS	1/
Skin Irrit. 2 H.	315 Causes skin irritation.
	317 May cause an allergic skin reaction.
	336 May cause drowsiness or dizziness.
2.2 Label eleme	
	ding to Regulation (EC) No 1272/2008
	lassified and labelled according to the CLP regulation.
Hazard pictogra	
< (%) < E	
∇	
GHS02 GHS	605 GHS07
Signal word Da	nger
-	ining components of labelling:
Epoxy resin	ning components of tubetting.
gamma-Butyrol	actone
1-Methoxy-2-pr	
Hazard stateme	1
H226 Flammab	le liquid and vapour.
H315 Causes sk	
	rious eye damage.
	e an allergic skin reaction.
	e drowsiness or dizziness.
Precautionary s	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P304+P341	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position
D205 + D251 + D	comfortable for breathing.
$r_{303}+r_{331}+P$.	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, i
P333+P313	present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use to extinguish: Alcohol resistant foam, Fire-extinguishing powder, Carbor
	dioxide.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/internationa
2.3 Other hazar	regulations.
	as and vPvB assessment
PBT: Not appli	
vPvB: Not appli	
r r r pro 1 101 uppli	(Contd. on page 3

ADVANCED MATERIALS

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.05.2023

Version number 7 (replaces version 6)

Revision: 25.05.2023

(Contd. of page 2)

Trade name: SU-8 TF 6000 Series Resists

· Determination of endocrine-disrupting properties

None of the ingredients are included in the list established in accordance with Article 59(1) for having endocrine disrupting properties.

None of the ingredients are substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 (or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 120-92-3 EINECS: 204-435-9 Index number: 606-025-00-9 Reg.nr.: 01-2119495595-21-0000	Cyclopentanone Flam. Liq. 3, H226; Skin Irrit. 2, H315; Eye Irrit. 2, H319	20-50%
CAS: 108-65-6 EINECS: 203-603-9 Index number: 607-195-00-7 Reg.nr.: 01-2119475791-29-0050	1-Methoxy-2-propanol acetate Flam. Liq. 3, H226; STOT SE 3, H336	10-40%
	Epoxy resin	5-60%
CAS: 96-48-0 EINECS: 202-509-5	gamma-Butyrolactone � Eye Dam. 1, H318; � Acute Tox. 4, H302; STOT SE 3, H336	1-10%
· Additional Components:		
Proprietary Photoacid Initiator � Aquatic Chronic 2, H411;	1cute Tox. 4, H302; Acute Tox. 4, H332	0.2-3%
• Additional information: For the w	ording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation:
- Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

- After swallowing: Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

(Contd. on page 4)

EU

^{· 3.2} Mixtures



Printing date 25.05.2023

Revision: 25.05.2023

Trade name: SU-8 TF 6000 Series Resists

(Contd. of page 3)

SECTION 5: Firefighting measures

• 5.1 Extinguishing media

• Suitable extinguishing agents: Alcohol resistant foam Fire-extinguishing powder Carbon dioxide

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Containers may explode due to pressure increase when container is exposed to extreme heat. Vapors may travel a considerable distance to a source of ignition and flash back along vapor trail.

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources.
 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. • 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

- Do not flush with water or aqueous cleansing agents
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaust at the workplace. Prevent formation of aerosols. Keep receptacles tightly sealed.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Use explosion-proof apparatus / fittings and spark-proof tools.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and containers: Store in a cool location.
- · Information about storage in one common storage facility:
- Do not store together with oxidising and acidic materials. Do not store together with amines.

(Contd. on page 5)

ΕU·

ADVANCED MATERIALS

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.05.2023

Version number 7 (replaces version 6)

Revision: 25.05.2023

Trade name: SU-8 TF 6000 Series Resists

(Contd. of page 4)

• Further information about storage conditions:

Store in cool, dry conditions in well sealed containers.

Store receptacle in a well ventilated area.

Protect from heat and direct sunlight.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

108-65-6 1-Methoxy-2-propanol acetate

IOELV Short-term value: 550 mg/m³, 100 ppm Long-term value: 275 mg/m³, 50 ppm Skin

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- Keep away from food and beverages. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

· Respiratory protection:

In case of low exposure use cartridge respirator. In case of intensive or longer exposure use self-contained respiratory protective device.

• Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. • *Material of gloves Nitrile rubber, NBR*

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye/face protection



Tightly sealed goggles

· Body protection: Long-sleeved work clothes

(Contd. on page 6)



Printing date 25.05.2023

Version number 7 (replaces version 6)

Revision: 25.05.2023

Trade name: SU-8 TF 6000 Series Resists

(Contd. of page 5)

9.1 Information on basic physical and	l chemical propertie	es			
General Information					
Physical state	Liquid	_			
Colour:	Clear to light yel	low			
Odour:	Sweetish				
Odour threshold:	Not determined.				
Melting point/freezing point:	Undetermined.				
Boiling point or initial boiling point	10000				
and boiling range	130 °C				
Flammability	Not applicable.				
Lower and upper explosion limit	1 2 17 10/				
Lower:	1.3 Vol %				
Upper: Elash point:	10.8 Vol % 30 °C				
Flash point:	30 °C 315 °C				
Auto-ignition temperature: Decomposition temperature:	Not determined.				
pH	Not determined.				
Viscosity:	1 voi uciel mineu.				
Kinematic viscosity	Not determined.				
Dynamic:	Not determined.				
Solubility	1101 actor minea.				
water:	Partly miscible.				
Partition coefficient n-octanol/water					
(log value)	Not determined.				
Vapour pressure at 20 °C:	11 hPa				
Density and/or relative density					
Density:	See Other inform	ation			
Relative density	Not determined.				
Vapour density	Not determined.				
9.2 Other information	Name	Number	Sp. Grav.	VOC(%by wt.)	VOC (g/
·	SU-8 TF 6000.1	Y143007	0.980	80-85	830
	SU-8 TF 6000.2	Y143010	0.988	80-85	810
	SU-8 TF 6000.5	Y143015	0.999	75-80	770
	SU-8 TF 6001	Y143027	1.025	65-70	680
	SU-8 TF 6002	Y143037	1.050	55-60	600
	SU-8 TF 6005	Y14305	1.085	40-45	480
	SU-8 TF 6010	Y143061	1.150	30-35	400
Appearance:	<i>.</i>				
Form:	Liquid				
Important information on protection of health and environment, and on safet	y.	10			
Ignition temperature:	Product is not set				
Explosive properties:	Product is not ex mixtures are poss		owever, foi	rmation of explo	sive air/va
Change in condition					
Evaporation rate	Not determined.				
Information with regard to physical hazard classes					
Explosives	Void				



Printing date 25.05.2023

Version number 7 (replaces version 6)

Revision: 25.05.2023

Trade name: SU-8 TF 6000 Series Resists

		(Contd. of page 6)
· Flammable gases	Void	
·Aerosols	Void	
• Oxidising gases	Void	
· Gases under pressure	Void	
· Flammable liquids	Flammable liquid and vapour.	
· Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
· Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
• Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability Stable
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions Exothermic polymerisation.
- · 10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

- Contact with incompatible materials.
- · 10.5 Incompatible materials: Strong Oxidizing Agents, Strong Bases, Strong Acids, Amines
- 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide Danger of forming toxic pyrolysis products. Corrosive gases/vapours

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation
- Causes serious eye damage.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure
- May cause drowsiness or dizziness.

· STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 8)

⁻ EU -



Printing date 25.05.2023

Version number 7 (replaces version 6)

Revision: 25.05.2023

(Contd. of page 7)

Trade name: SU-8 TF 6000 Series Resists

- · Aspiration hazard Based on available data, the classification criteria are not met.
- \cdot 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Disposal must be made in accordance with International, National, and regional regulations.

• Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number ADR, IMDG, IATA	UN1866	
14.2 UN proper shipping name ADR, IMDG, IATA	RESIN SOLUTION	
14.3 Transport hazard class(es)		
ADR, IMDG, IATA		
Class	3 Flammable liquids.	



Printing date 25.05.2023

Version number 7 (replaces version 6)

Revision: 25.05.2023

Trade name: SU-8 TF 6000 Series Resists

	(Contd. of page 8)
· Label	3
· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user · Hazard identification number (Kemler code): · EMS Number:	Warning: Flammable liquids. 30 F-E, <u>S-E</u>
· 14.7 Maritime transport in bulk according to IM instruments	<i>O</i> Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Transport category · Tunnel restriction code	5L 3 D/E
· UN ''Model Regulation'':	UN1866, RESIN SOLUTION, 3, III

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 10)

EU



Printing date 25.05.2023

Version number 7 (replaces version 6)

Revision: 25.05.2023

Trade name: SU-8 TF 6000 Series Resists

(Contd. of page 9) · Relevant phrases H226 Flammable liquid and vapour. H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects. · Classification according to Regulation (EC) No 1272/2008 Art. 9(1) of Regulation (EC) No. 1272/2008 was used for classification purposes. · Department issuing SDS: Product safety department · *Contact:* Tom Cole, EHS Manager (tcole@kayakuam.com) · Revision History: The manufacturer's information in Section 1, the product hazard information in Section 2 and the component hazard information in Section 3 have been updated. • Version number of previous version: 6 · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3