ADVANCED MATERIALS

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.05.2022

## Version number 1

Revision: 02.05.2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

- Trade name: TempKoat<sup>TM</sup> P Series Resists
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Sector of Use SU16 Manufacture of computer, electronic and optical products, electrical equipment
- Product category PC30 Photo-chemicals
- · Application of the substance / the mixture Photoresist
- $\cdot$  1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Kayaku Advanced Materials, Inc. 200 Flanders Road Westborough, MA 01581 Tel: (617) 965-5511 Fax: (617) 965-5818

- Further information obtainable from: Product Safety Email: productsafety@kayakuAM.com • 1.4 Emergency telephone number:
- Kayaku Advanced Materials : 617-965-5511 Chemtrec USA Emergency : 800-424-9300 (24 hr) Chemtrec International Emergency : 703-527-3887 (24 hr)

## SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008

GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.

GHS07

STOT SE 3 H336 May cause drowsiness or dizziness.

 2.2 Label elements
 Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
 Hazard pictograms

GHS02 GHS07

· Signal word Warning

- · Hazard-determining components of labelling:
- 1-Methoxy-2-propanol acetate
- *Hazard statements* H226 Flammable liquid and vapour.

(Contd. on page 2)

-----

ADVANCED MATERIALS

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.05.2022

Version number 1

Revision: 02.05.2022

#### Trade name: TempKoat<sup>TM</sup> P Series Resists

(Contd. of page 1) H336 May cause drowsiness or dizziness. · Precautionary statements Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No P210 smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P301+P310 P302+P352 IF ON SKIN: Wash with plenty of soap and water. *P304+P341* IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. *P332+P313* If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. *P337+P313* In case of fire: Use to extinguish: Alcohol resistant foam, Fire-extinguishing powder, Carbon P370+P378 dioxide. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · 2.3 Other hazards · Results of PBT and vPvB assessment

· **PBT:** Not applicable.

• **vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

	· Dangerous components:		
Γ	CAS: 108-65-6	1-Methoxy-2-propanol acetate	40-60%
	EINECS: 203-603-9	🛞 Flam. Liq. 3, H226; 🕔 STOT SE 3, H336	
	Index number: 607-195-00-7		
	Reg.nr.: 01-2119475791-29-0050		
Ī	· Additional Components:		

	Proprietary Resin A	10-25%
	Proprietary Resin B	10-25%
CAS: 120-92-3 EINECS: 204-435-9 Index number: 606-025-00-9 Reg.nr.: 01-2119495595-21-0000	Cyclopentanone	<1%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

EU -



Printing date 02.05.2022

Version number 1

Revision: 02.05.2022

Trade name: TempKoat<sup>TM</sup> P Series Resists

(Contd. of page 2)

• After eye contact: Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

• After swallowing: If symptoms persist consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Alcohol resistant foam Fire-extinguishing powder

Carbon dioxide

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

## **SECTION 6:** Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Keep away from ignition sources. Ensure adequate ventilation
- 6.2 Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
  6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaust at the workplace. Keep away from heat and direct sunlight.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- $\cdot$  7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- *Requirements to be met by storerooms and containers:* Due to photo-sensitivity, store product in brown-glass or stainless steel receptacles.

(Contd. on page 4)

EU

Version number 1

Revision: 02.05.2022

Trade name: TempKoat<sup>TM</sup> P Series Resists

ADVANCED MATERIALS

(Contd. of page 3)

Information about storage in one common storage facility:

Do not store together with oxidising and acidic materials.

Do not store together with alkalis (caustic solutions).

• Further information about storage conditions: Store in cool, dry conditions in well sealed containers. Protect from heat and direct sunlight. Store receptacle in a well ventilated area.

• **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:

108-65-6 1-Methoxy-2-propanol acetate

IOELV Short-term value: 550 mg/m<sup>3</sup>, 100 ppm Long-term value: 275 mg/m<sup>3</sup>, 50 ppm Skin

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- · Material of gloves Nitrile rubber, NBR
- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles


# SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- General Information
- · Appearance:
- Form:
- Colour: • Odour:

Liquid Clear to light yellow Mild

(Contd. on page 5)

EU







Printing date 02.05.2022

Version number 1

Revision: 02.05.2022

Trade name: TempKoat<sup>TM</sup> P Series Resists

	(Contd. of page
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition Melting point/freezing point: Initial boiling point and boiling range	Undetermined. e: 146.4 °C
Flash point:	46 °C (クローズドカップ)
Flammability (solid, gas):	Not applicable.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapou mixtures are possible.
Explosion limits: Lower: Upper:	1.5 Vol % 10.8 Vol %
• Vapour pressure at 20 •C:	5 hPa
Density: Relative density Vapour density Evaporation rate	Not determined. Not determined. Not determined. Not determined.
Solubility in / Miscibility with water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
Solvent content: Organic solvents:	40-60 %
Solids content:	20-55 %
9.2 Other information	Table 1. Product specific gravity and VOC data.
	Name Product No. Sp. Grav. Vol.(%by wt.) VO (g/L) TempKoat™ P20 Y111048 1.0685 55-60 63

# SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability Stable
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

(Contd. on page 6)

Advanced materials

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.05.2022

Version number 1

Revision: 02.05.2022

Trade name: TempKoat<sup>TM</sup> P Series Resists

(Contd. of page 5)

Contact with incompatible materials.

• 10.5 Incompatible materials: Strong Oxidizing Agents, Strong Acids, Strong Bases

· 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide Hydrocarbons Nitrogen oxides (NOx) Amines

# SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

## 108-65-6 1-Methoxy-2-propanol acetate

 Oral
 LD50
 8,532 mg/kg (Rat)

 Dermal
 LD50
 >5,000 mg/kg (Rat)

 Inhalative
 LC50/6 h
 4,345 ppm (Rat)

· Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Experience with humans: Target Organs: Central nervous system, kidney, liver, lungs

 $\cdot$  Additional toxicological information:

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

• Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

· STOT-single exposure

May cause drowsiness or dizziness.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

• 12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- *PBT*: Not applicable.

• **vPvB:** Not applicable.

(Contd. on page 7)



Printing date 02.05.2022

Version number 1

Revision: 02.05.2022

(Contd. of page 6)

Trade name: TempKoat<sup>TM</sup> P Series Resists

· 12.6 Other adverse effects No further relevant information available.

# **SECTION 13: Disposal considerations**

### · 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Disposal must be made in accordance with International, National, and regional regulations.

- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number	
ADR, IMDG, IATA	UN1866
14.2 UN proper shipping name	
ADR, IMDG, IATA	RESIN SOLUTION
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class	3 Flammable liquids.
Label	3
14.4 Packing group	
ADR, IMDĞ, IATA	III
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	30
EMS Number:	<i>F-E</i> , <u><i>S-E</i></u>
Stowage Category	A
14.7 Transport in bulk according to Annex II of	
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities $(\widetilde{E}Q)$	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category Tunnel restriction code	3 D/E



Printing date 02.05.2022

Version number 1

Revision: 02.05.2022

(Contd. of page 7)

Trade name: TempKoat<sup>TM</sup> P Series Resists

· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)

5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

• UN "Model Regulation":

UN 1866 RESIN SOLUTION, 3, III

# SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category P5c FLAMMABLE LIQUIDS

• Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

• Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## · Relevant phrases

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Classification according to Regulation (EC) No 1272/2008

Art. 9(1) of Regulation (EC) No. 1272/2008 was used for classification purposes.

· Department issuing SDS: Product safety department

- · Contact: Tom Cole, EHS Manager (tcole@kayakuAM.com)
- **Revision History:** New SDS.
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

(Contd. on page 9)

EU・

EU



Printing date 02.05.2022

# Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision: 02.05.2022

Trade name: TempKoat<sup>TM</sup> P Series Resists

(Contd. of page 8) GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3