

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.05.2023

Version number 2

Revision: 26.05.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Trade name: TempKoatTM N Series Resists • Article number: T212045 1.2 Relevant identified uses of the substance or mixture and uses advised against • Sector of Use SU16 Manufacture of computer, electronic and optical products, electrical equipment • Product category PC30 Photo-chemicals · Application of the substance / the mixture Photoresist · 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier: Manufacturer: Kayaku Advanced Materials 200 Flanders Road Westborough, MA 01581 Telephone: (617) 965-5511 Fax: (617) 965-5818 Importer: A-Gas Electronic Materials Unit 3, IO Centre Swift Vallev Rugby, Warwickshire CV21 1TW, UK *Tel:* +44-0-1788-537535 Fax: +44-0-1788-535835 Website: www.agasem.com Email: customerservice.em@agas.com • Further information obtainable from: Product Safety Email: productsafety@kayakuam.com · 1.4 Emergency telephone number: Kayaku Advanced Materials : 617-965-5511 Chemtrec USA Emergency : 800-424-9300 (24 hr) Chemtrec International Emergency: 703-527-3887 (24 hr) **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008

flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



STOT SE 3 H336 May cause drowsiness or dizziness.

(Contd. on page 2)



Safety data sheet according to 1907/2006/EC, Article 31

Revision: 26.05.2023

Printing date 26.05.2023

Version number 2

Trade name: $TempKoat^{TM} N$ Series Resists

	(Contd. of page 1
2.2 Label eleme	ents
Labelling accor	ding to Regulation (EC) No 1272/2008
	classified and labelled according to the GB CLP regulation.
Hazard pictogra	ams
GHS02 GHS	\$07
Signal word Wa	urning
-	ining components of labelling:
1-Methoxy-2-pr	
Hazard stateme	
	le liquid and vapour.
	e drowsiness or dizziness.
Precautionary s	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. N
	smoking.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P304+P341	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position
	comfortable for breathing.
P305+P351+P.	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,
	present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
<i>P337+P313</i>	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use to extinguish: Alcohol resistant foam, Fire-extinguishing powder, Carbo dioxide.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Additional info	
	cture consists of component(s) of unknown toxicity.
	of components with unknown hazards to the aquatic environment.
2.3 Other hazar	
	redients are included in the list established in accordance with Article 59(1) for having endocrin
disrupting prop	
	redients are substances identified as having endocrine disrupting properties in accordance wit
	out in Commission Delegated Regulation (EU) 2017/2100 (or Commission Regulation (EU
2018/605.	
	and vPvB assessment
PBT: Not appli	
vPvB: Not appli	

(Contd. on page 3)

GB



Printing date 26.05.2023

Safety data sheet according to 1907/2006/EC, Article 31

Version number 2

Revision: 26.05.2023

Trade name: TempKoatTM N Series Resists

(Contd. of page 2)

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components: CAS: 108-65-6 1-Methoxy-2-propanol acetate 25-50% EINECS: 203-603-9 🛞 Flam. Liq. 3, H226; 🕔 STOT SE 3, H336 Amido ether 5-15% 🛈 Acute Tox. 4, H302; Eye Irrit. 2, H319 CAS: 120-92-3 Cyclopentanone 1-5% EINECS: 204-435-9 🚸 Flam. Liq. 3, H226; 🕔 Skin Irrit. 2, H315; Eye Irrit. 2, H319 Additional Components: Proprietary Copolymer 🚸 Repr. 1A, H360-H362; STOT RE 2, H373; 📀 Eye Dam. 1, H318 25-50% • Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:
- Alcohol resistant foam
- Fire-extinguishing powder
- Carbon dioxide
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources.
- 6.2 Environmental precautions: Dilute with plenty of water.

(Contd. on page 4)

⁻ GB

Safety data sheet

according to 1907/2006/EC, Article 31 Version number 2

Revision: 26.05.2023

Trade name: TempKoatTM N Series Resists

(Contd. of page 3)

Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

• 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaust at the workplace. Prevent formation of aerosols.

• *Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.*

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• **Requirements to be met by storerooms and containers:** No special requirements.

• Information about storage in one common storage facility: Do not store together with oxidising and acidic materials. Do not store together with alkalis (caustic solutions).

Further information about storage conditions: Store in cool, dry conditions in well sealed containers. Protect from heat and direct sunlight. Store receptacle in a well ventilated area.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Additional information about design of technical facilities: No further data; see section 7.

· Ingredients with limit values that require monitoring at the workplace:

108-65-6 1-Methoxy-2-propanol acetate

WEL Short-term value: 548 mg/m³, 100 ppm Long-term value: 274 mg/m³, 50 ppm Sk

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Personal protective equipment:

• General protective and hygienic measures: Wash hands before breaks and at the end of work.

• Respiratory protection:

In case of low exposure use cartridge respirator. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 5)

GB



Printing date 26.05.2023



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.05.2023

Version number 2

Revision: 26.05.2023

Trade name: TempKoatTM N Series Resists

(Contd. of page 4)

· Protection of hands:



Protective gloves

- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
- · Material of gloves Nitrile rubber, NBR
- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Long-sleeved work clothes

SECTION 9: Physical and chemical properties

General Information Appearance:	
Form:	Liquid
Colour:	Light yellow
Odour:	Sweetish
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	146.4 °C
Flash point:	46 °C
Flammability (solid, gas):	Not applicable.
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapou mixtures are possible.
Explosion limits:	
Lower:	1.5 Vol %
Upper:	10.8 Vol %
Vapour pressure at 20 °C:	5 hPa
Density:	See Other information
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.05.2023

Version number 2

Revision: 26.05.2023

Trade name: TempKoatTM N Series Resists

	(Cor	ntd. of page 5
· Solubility in / Miscibility with water:	Fully miscible.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
• 9.2 Other information	Name Number Sp. Grav. Vol.(%by wt.) VOC(g/L) N15 T212045 1.07 50-55 540	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

• 10.2 Chemical stability Stable

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid

Contact with incompatible materials.

Heat, flames and sparks. Extremes of temperature and direct sunlight.

· 10.5 Incompatible materials: Strong Oxidizing Agents, Strong Acids, Strong Bases

• 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide Hydrocarbons Nitrogen oxides (NOx) Sulphur oxides (SOx)

SECTION 11: Toxicological information

·11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

108-65-61	-Methoxy-	2-propanol acetate
Oral	LD50	8,532 mg/kg (Rat)
	LD50	>5,000 mg/kg (Rat)
Inhalative	LC50/6 h	4,345 ppm (Rat)

· Primary irritant effect:

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· Experience with humans: Target Organs: Central nervous system, kidney, liver, lungs

• Additional toxicological information:

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.

· STOT-single exposure

May cause drowsiness or dizziness.

(Contd. on page 7)

GB -



Printing date 26.05.2023

Safety data sheet according to 1907/2006/EC, Article 31

Version number 2

Revision: 26.05.2023

Trade name: TempKoatTM N Series Resists

(Contd. of page 6)

• **STOT-repeated exposure** Based on available data, the classification criteria are not met. • **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA	UN1866	
14.2 UN proper shipping name		
ADR, IMDG, IATA	RESIN SOLUTION	
14.3 Transport hazard class(es)		
ADR, IMDG, IATA		
Class	3 Flammable liquids.	
Label	3	
14.4 Packing group		
14.4 I ucking group	III	



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.05.2023

Version number 2

Revision: 26.05.2023

Trade name: TempKoatTM N Series Resists

	(Contd. of page 7
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	30
EMS Number:	<i>F-E,<u>S-E</u></i>
Stowage Category	A
14.7 Transport in bulk according to Annex II o)f
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
· Limited quantities (LQ)	5L
• Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
_	Maximum net quantity per outer packaging: 1000 ml
Transport category	3 D/F
• Tunnel restriction code	<i>D/E</i>
·IMDG	
· Limited quantities (LQ)	5L
\cdot Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1866 RESIN SOLUTION, 3, III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases
H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
H360 May damage fertility or the unborn child.
H362 May cause harm to breast-fed children.

(Contd. on page 9)

[—] GB



Printing date 26.05.2023

Safety data sheet according to 1907/2006/EC, Article 31

Version number 2

Revision: 26.05.2023

Trade name: TempKoatTM N Series Resists

	(Contd. of page
<i>H373</i> .	May cause damage to organs through prolonged or repeated exposure.
Depar	tment issuing SDS: Product safety department
-	ct: Tom Cole, EHS Manager (tcole@kayakuam.com)
	viations and acronyms:
	cord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the Internation
	re of Dangerous Goods by Road)
	International Maritime Code for Dangerous Goods
	nternational Air Transport Association
GHS: G	Blobally Harmonised System of Classification and Labelling of Chemicals
EINECS	S: European Inventory of Existing Commercial Chemical Substances
ELINCS	S: European List of Notified Chemical Substances
CAS: CI	hemical Abstracts Service (division of the American Chemical Society)
LC50: L	Lethal concentration, 50 percent
	Lethal dose, 50 percent
	ersistent, Bioaccumulative and Toxic
	ery Persistent and very Bioaccumulative
	.iq. 3: Flammable liquids – Category 3
	ox. 4: Acute toxicity – Category 4
	it. 2: Skin corrosion/irritation – Category 2
	it. 2: Serious eye damage/eye irritation – Category 2
STOT S	E 3: Specific target organ toxicity (single exposure) – Category 3