ADVANCED MATERIALS

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.08.2022

#### Version number 3

Revision: 11.08.2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name: AGCL-907 - 65/35 Silver/Silver Chloride Electrically Conductive Ink

- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Sector of Use SU16 Manufacture of computer, electronic and optical products, electrical equipment
- Application of the substance / the mixture Functional electronic silver/silver chloride printing ink
- $\cdot$  1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Kayaku Advanced Materials, Inc. 200 Flanders Road Westborough, MA 01581 Tel: (617) 965-5511 Fax: (617) 965-5818

Further information obtainable from: Product Safety
Email: productsafety@kayakuAM.com
1.4 Emergency telephone number: Kayaku Advanced Materials : 617-965-5511 Chemtrec USA Emergency : 800-424-9300 (24 hr) Chemtrec International Emergency : 703-527-3887 (24 hr)

## SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008

GHS0.	5 corrosion
Eye Dam. 1	H318 Causes serious eye damage.
GHS09	9 environment
Aquatic Acute 1	H400 Very toxic to aquatic life.
Aquatic Chronic	1 H410 Very toxic to aquatic life with long lasting effects.
Acute Tox. 4	7 H332 Harmful if inhaled.
STOT SE 3	H336 May cause drowsiness or dizziness.
	nts ling to Regulation (EC) No 1272/2008 assified and labelled according to the CLP regulation. (Contd. on page .




Printing date 11.08.2022

Version number 3

Revision: 11.08.2022

Trade name: AGCL-907 - 65/35 Silver/Silver Chloride Electrically Conductive Ink



• **vPvB:** Not applicable.

#### **SECTION 3:** Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous compone	ents:	
CAS: 7440-22-4	Silver	25-50%
EINECS: 231-131-3	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 96-48-0	gamma-Butyrolactone	25-50%
EINECS: 202-509-5	♦ Eye Dam. 1, H318;	
CAS: 7783-90-6	Silver chloride	10-25%
EINECS: 232-033-3	Aquatic Chronic 1, H410	
· Additional Compone	ents:	
Polyurethane polym	er	5-15%
		(Contd. on page 3)
		E7



Printing date 11.08.2022

Version number 3

Revision: 11.08.2022

Trade name: AGCL-907 - 65/35 Silver/Silver Chloride Electrically Conductive Ink

(Contd. of page 2)

• Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

• After swallowing: Call for a doctor immediately.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media

- Suitable extinguishing agents:
- Alcohol resistant foam Fire-extinguishing powder ABC powder
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.

## SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Wear protective equipment. Keep unprotected persons away. Keep away from ignition sources.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaust at the workplace. Prevent formation of aerosols.

(Contd. on page 4)

EU -



Printing date 11.08.2022

Version number 3

Revision: 11.08.2022

Trade name: AGCL-907 - 65/35 Silver/Silver Chloride Electrically Conductive Ink

(Contd. of page 3)

- *Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.*
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in one common storage facility: Do not store together with oxidising and acidic materials. Do not store together with alkalis (caustic solutions).
- Further information about storage conditions: Store in cool, dry conditions in well sealed containers. Protect from heat and direct sunlight. Store receptacle in a well ventilated area.
- 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see item 7.
- Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from food and beverages.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- Respiratory protection:

In case of low exposure use cartridge respirator. In case of intensive or longer exposure use self-contained respiratory protective device.

• Protection of hands:



Protective gloves

*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.* • *Material of gloves Nitrile rubber, NBR* 

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)



Printing date 11.08.2022


Version number 3

Revision: 11.08.2022

Trade name: AGCL-907 - 65/35 Silver/Silver Chloride Electrically Conductive Ink

(Contd. of page 4)

• Eye protection:



9.1 Information on basic physical and ch	nemical properties	
General Information		
Appearance:	T · · 1	
Form: Colour:	Liquid Silver-coloured	
Odour:	Sweetish	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range:	Undetermined.	
Flash point:	100 °C	
Flammability (solid, gas):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	2.7 Vol %	
Upper:	15.6 Vol %	
Vapour pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not determined.	
Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	25 - 50 %	
Solids content:	66 - 70 %	



Printing date 11.08.2022

Version number 3

Revision: 11.08.2022

(Contd. of page 5)

Trade name: AGCL-907 - 65/35 Silver/Silver Chloride Electrically Conductive Ink

• 9.2 Other information

No further relevant information available.

## SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability Stable
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight. Contact with incompatible materials.

- 10.5 Incompatible materials: Strong Oxidizing Agents, Strong Acids, Strong Bases
- · 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

## **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity
- Harmful if inhaled.

· LD/LC50 values relevant for classification:

96-48-0 gamma-Butyrolactone

Oral	LD50	1540 mg/kg (Rat)
	LD50	5000 mg/kg (gui)
Inhalative	LC50/4 h	>5.1 mg/l (Rat)

#### · Primary irritant effect:

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation
- Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause drowsiness or dizziness.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity:

#### 96-48-0 gamma-Butyrolactone

LC50/96 h >220 - <460 mg/l (golden orfe)

(Contd. on page 7)

EU -



#### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.08.2022

Version number 3

Revision: 11.08.2022

Trade name: AGCL-907 - 65/35 Silver/Silver Chloride Electrically Conductive Ink

		(Contd. of page 6)
EC50/48 h	>500 mg/l (daphnia magna)	
EC50/72 h	360 mg/l (green algae)	
EC50/17 h	>10000 mg/l (bacterium)	
7440-22-4 Silver		
LC50/96 h (static)	0.0062 mg/l (Lepomis macrochirus (Bluegill))	
	0.00155-0.00293 mg/l (Pimephales promelas)	
7783-90-6 Silver o	hloride	
LC50/96 h	.0076 mg/l (rainbow trout (Oncorhynchus mykiss))	
<ul> <li>12.3 Bioaccumula</li> <li>12.4 Mobility in set</li> </ul>	nd degradability No further relevant information available. tive potential No further relevant information available. pil No further relevant information available.	
• Additional ecologi • General notes:	ical information:	
Water hazard clas	s 2 (German Regulation) (Self-assessment): hazardous for water	
	uct to reach ground water, water course or sewage system.	
	g water if even small quantities leak into the ground.	
12.5 Results of PE	BT and vPvB assessment	

• **PBT:** Not applicable.

- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Disposal must be made in accordance with International, National, and regional regulations.

• Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

· 14.1 UN-Number	
ADR, IMDG, IATA	UN3082
· 14.2 UN proper shipping name	
· ADR, IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID
	N.O.S. (Silver, Silver chloride)
·IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID
	N.O.S. (Silver, Silver chloride), MARINE POLLUTANT



Printing date 11.08.2022

Version number 3

Revision: 11.08.2022

Trade name: AGCL-907 - 65/35 Silver/Silver Chloride Electrically Conductive Ink

	(Contd. of page 7)
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA	
· Class · Label	9 Miscellaneous dangerous substances and articles. 9
· 14.4 Packing group	,
· ADR, IMDĞ, IATA	III
· 14.5 Environmental hazards:	Product contains environmentally hazardous substances: Silver
<ul> <li>14.6 Special precautions for user</li> <li>Hazard identification number (Kemler code):</li> <li>EMS Number:</li> <li>Stowage Category</li> </ul>	Warning: Miscellaneous dangerous substances and articles. 90 F-A,S-F A
14.7 Transport in bulk according to Annex II o Marpol and the IBC Code	of Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
• Transport category • Tunnel restriction code	3 E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN ''Model Regulation'':	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (SILVER, SILVER CHLORIDE), 9, III

## **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category E1 Hazardous to the Aquatic Environment

• Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t

• Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

(Contd. on page 9)

EU

ADVANCED MATERIALS

#### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.08.2022

Version number 3

Revision: 11.08.2022

Trade name: AGCL-907 - 65/35 Silver/Silver Chloride Electrically Conductive Ink

(Contd. of page 8)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H302 Harmful if swallowed. H318 Causes serious eye damage. H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. · Classification according to Regulation (EC) No 1272/2008 Art. 9(1) of Regulation (EC) No. 1272/2008 was used for classification purposes. · Department issuing SDS: Product safety department · Contact: Tom Cole, EHS Manager (tcole@kayakuAM.com) · Revision History: The manufacturer information in Section 1 has been updated. • Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1