

Printing date 08/14/2019 Reviewed on 08/14/2019

### 1 Identification

- · Product identifier
- · Trade name: 2200 PMMA Series Resists in Anisole
- · Product number:

M830002, M830002, M830003, M830004, M830005, M830006, M830007, M830008, M830009, M830010

- · Application of the substance / the mixture Photoresist
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Kayaku Advanced Materials

200 Flanders Road

Westborough, MA 01581

Tel: (617) 965-5511 Fax: (617) 965-5818

· Information department:

Product Safety

Email: productsafety@kayakuAM.com

· Emergency telephone number:

Kayaku Advanced Materials : 617-965-5511 Chemtrec USA Emergency : 800-424-9300

Chemtrec International Emergency: 703-527-3887

### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.



Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS02

GHS07

- · Signal word Warning
- · Hazard-determining components of labeling: Anisole
- · Hazard statements

H226 Flammable liquid and vapor.

(Contd. on page 2)



Printing date 08/14/2019 Reviewed on 08/14/2019

Trade name: 2200 PMMA Series Resists in Anisole

(Contd. of page 1)

H332 Harmful if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

#### · Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 If swallowed: Immediately call a poison center/doctor.

P302+P352 If on skin: Wash with plenty of soap and water.

P304+P341 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for

breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P370+P378 In case of fire: Use for extinction: Alcohol resistant foam.
P370+P378 In case of fire: Use for extinction: Fire-extinguishing powder.

P370+P378 In case of fire: Use for extinction: Carbon dioxide.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 1 Fire = 2Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

| · Dangerous components:   |         |
|---|---------|
| 100-66-3 Anisole  | 80-100% |
| Flam. Liq. 3, H226; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335 |         |



Printing date 08/14/2019 Reviewed on 08/14/2019

Trade name: 2200 PMMA Series Resists in Anisole

(Contd. of page 2)

· Additional Components:

9011-14-7 Poly(methyl methacrylate)

1-20%

### 4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Inhalation is not an expected route of exposure. If respiratory irritation or distress occurs remove victim to fresh air. Seek medical attention if respiratory irritation or distress continues.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

· After swallowing:

Do not induce vomiting unless instructed to do so by a physician. Wash out mouth with water and keep person at rest. Seek immediate medical attention.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed Treat symptomatically.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Alcohol resistant foam

Fire-extinguishing powder

Carbon dioxide

· For safety reasons unsuitable extinguishing agents:

Water with full jet

Water

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Wear SCBA.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)



Printing date 08/14/2019 Reviewed on 08/14/2019

Trade name: 2200 PMMA Series Resists in Anisole

(Contd. of page 3)

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Use only in well ventilated areas.

Keep receptacles tightly sealed.

Ensure good ventilation/exhaust at the workplace.

Prevent formation of aerosols.

Use only under yellow light

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

*Use explosion-proof apparatus / fittings and spark-proof tools.* 

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and containers:

Store in inert atmosphere or keep well sealed to prevent the formation of peroxides and other oxidation products.

· Information about storage in one common storage facility:

Do not store together with alkalis (caustic solutions).

Do not store together with oxidizing and acidic materials.

· Further information about storage conditions:

 $Store\ receptacle\ in\ a\ well\ ventilated\ area.$ 

Protect from heat and direct sunlight.

Keep container well-sealed in cool, dry location.

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

Protect from exposure to the light.

· Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Keep away from food and beverages.

Immediately remove all soiled and contaminated clothing.

Avoid contact with the eyes and skin.

• Respiratory equipment: Use suitable respiratory protective device in case of insufficient ventilation.

(Contd. on page 5)

(Contd. of page 4)



## Safety Data Sheet acc. to OSHA HCS

Printing date 08/14/2019 Reviewed on 08/14/2019

Trade name: 2200 PMMA Series Resists in Anisole

· Protection of hands:



Protective gloves

Contact golve manufacturerer for break-through time.

- · Material of gloves Nitrile rubber, NBR
- · Penetration time of glove material Contact glove manufacture for break-through time.
- · Eye protection:



Tightly sealed goggles

| 9 Physical  | and c  | hemical        | nronerties |
|-------------|--------|----------------|------------|
| / I hysical | unu ci | <i>temueut</i> | properties |

| · Information on basic physical and c | chemical properties  |
|---------------------------------------|--|
| · General Information                 | • •  |
| · Appearance:                         |  |
| Form:                                 | Liquid   |
| Color:                                | Clear to light yellow  |
| · Odor:                               | Strong   |
| · Odor threshold:                     | Not determined.  |
| · pH-value:                           | Not determined.  |
| · Change in condition                 |  |
| Melting point/Melting range:          | Undetermined.  |
| Boiling point/Boiling range:          | 184 °C (363.2 °F)  |
| · Flash point:                        | 43 °C (109.4 °F)   |
| · Flammability (solid, gaseous):      | Not applicable.  |
| · Ignition temperature:               | 475 °C (887 °F)  |
| · Decomposition temperature:          | Not determined.  |
| · Auto igniting:                      | Product is not selfigniting.   |
| · Danger of explosion:                | Product is not explosive. However, formation of explosive air/vapor mixtures are possible. |
| · Explosion limits:                   |  |
| Lower:                                | Not determined.  |
| Upper:                                | Not determined.  |
| · Vapor pressure at 20 °C (68 °F):    | 0.4 hPa (0.3 mm Hg)  |
| · Density:                            | Not determined.  |
| · Relative density                    | See Table 1 Other Information  |
| · Vapor density                       | Not determined.  |
| · Evaporation rate                    | Not determined.  |
| · Solubility in / Miscibility with    |  |
| Water:                                | Water miscible No  |

(Contd. on page 6)



Printing date 08/14/2019 Reviewed on 08/14/2019

Trade name: 2200 PMMA Series Resists in Anisole

(Contd. of page 5)

| · Partition coefficient | (n-octanol | !/water): | Not a | letermined. |
|-------------------------|------------|-----------|-------|-------------|
|-------------------------|------------|-----------|-------|-------------|

· Viscosity:

**Dynamic:** Not determined. **Kinematic:** Not determined.

· Other information Table 1. Product specific gravity and VOC data.

| Name     | Number  | Sp.Grav. | Vol.(%by wt.) | <i>VOC</i> ( <i>g/L</i> ) |
|----------|---------|----------|---------------|---------------------------|
| 2200A1.5 | M830501 | 1 1.000  | 98.5          | 985                       |
| 2200A2   | M830002 | 2 1.000  | 98            | 980                       |
| 2200A3   | M830003 | 3 1.003  | 97            | 970                       |
| 2200A4   | M830004 | 1.004    | 96            | 960                       |
| 2200A5   | M830003 | 5 1.005  | 95            | 955                       |
| 2200A6   | M830000 | 1.006    | 94            | 945                       |
| 2200A7   | M830007 | 7 1.007  | 93            | 935                       |
| 2200A8   | M830008 | 8 1.009  | 92            | 930                       |
| 2200A9   | M830009 | 9 1.011  | 91            | 920                       |
| 2200A10  | M830010 | 0 1.012  | 90            | 910                       |

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid

Contact with incompatible materials.

Heat, flames and sparks. Extremes of temperature and direct sunlight.

- · Incompatible materials: Strong Oxidizing Agents, Strong Acids, Strong Bases
- · Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Phenol

methyl methacrylate

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

| · LD/LC50 values that are relevant for classification: |      |                      |
|--|------|----------------------|
| 100-66-3 Anisole                                       |      |                      |
| Oral   | LD50 | 3700 mg/kg (Rat)     |
| Dermal   | LD50 | >5000 mg/kg (rabbit) |

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.

(Contd. on page 7)

(Contd. of page 6)



## Safety Data Sheet acc. to OSHA HCS

Printing date 08/14/2019 Reviewed on 08/14/2019

Trade name: 2200 PMMA Series Resists in Anisole

· Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

9011-14-7 Poly(methyl methacrylate)

3

· NTP (National Toxicology Program)

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

### 12 Ecological information

· Toxicity

· Aquatic toxicity:

#### 100-66-3 Anisole

 $EC50/24 h \mid 40 \text{ mg/l (daphnia magna)}$ 

EC50/96 hr | 162 mg/l (green algae)

LC50/48 hr | 120 mg/L (Cyprinus carpio (common carp))

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of as regular garbage/trash. Do not allow product to reach sewage system. Disposal must be made in accordance with Federal, State, and Local regulations.

- · Uncleaned packagings:
- Recommendation: Disposal must be made in accordance with Federal, State, and Local regulations.

## 14 Transport information

- · UN-Number
- · DOT, ADR, IMDG, IATA

UN1866

(Contd. on page 8)



Printing date 08/14/2019 Reviewed on 08/14/2019

Trade name: 2200 PMMA Series Resists in Anisole

(Contd. of page 7) · UN proper shipping name  $\cdot$  DOT, ADR Resin solution RESIN SOLUTION · IMDG, IATA · Transport hazard class(es)  $\cdot DOT$ · Class 3 Flammable liquids · Label · ADR, IMDG, IATA · Class 3 Flammable liquids · Label · Packing group · DOT, ADR, IMDG, IATA III· Environmental hazards: · Marine pollutant: · Special precautions for user Warning: Flammable liquids · Danger code (Kemler): F-E,S-D· EMS Number: · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · UN ''Model Regulation'': UN1866, Resin solution, 3, III

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

Anisole

Poly(methyl methacrylate)

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients are listed.

(Contd. on page 9)



Printing date 08/14/2019 Reviewed on 08/14/2019

Trade name: 2200 PMMA Series Resists in Anisole

(Contd. of page 8)

#### · Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

#### · Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

#### · Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

#### · Carcinogenic categories

#### · EPA (Environmental Protection Agency)

None of the ingredients are listed.

#### · TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

#### · New Jersey State Right To Know List

100-66-3 Anisole

- · California SCAQMD Rule 443.1 VOC's: See Table 1 Section 9
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS02 GHS07

- · Signal word Warning
- · Hazard-determining components of labeling:

An isole

#### · Hazard statements

H226 Flammable liquid and vapor.

H332 Harmful if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

#### · Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P280 Wear protective gloves/protective clothing/eye protection/face protection.

*P301+P310 If swallowed: Immediately call a poison center/doctor.* 

*P302+P352 If on skin: Wash with plenty of soap and water.* 

P304+P341 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for

breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P370+P378 In case of fire: Use for extinction: Alcohol resistant foam.
P370+P378 In case of fire: Use for extinction: Fire-extinguishing powder.

P370+P378 In case of fire: Use for extinction: Carbon dioxide.

(Contd. on page 10)



Printing date 08/14/2019 Reviewed on 08/14/2019

Trade name: 2200 PMMA Series Resists in Anisole

(Contd. of page 9)

*P403+P233* Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: Tom Cole, EHS Manager (tcole@kayakuAM)
- · Revision History:

The business address of the manufacturer in Section 1 was updated. The hazard classification and precautionary statements for the mixture in Section 2 were revised. The toxicology data in Sections 11 and 12 were revised.

- · Date of preparation / last revision 08/14/2019 / 1
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

 ${\it HMIS: Hazardous\ Materials\ Identification\ System\ (USA)}$ 

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· HS