Reviewed on 08/14/2019



# Safety Data Sheet acc. to OSHA HCS

*Printing date 08/14/2019* 

## **1** Identification

· Product identifier

· Trade name: <u>950 PMMA Series Resists in Anisole</u>

- Product number: M230001, M230002, M230003, M230004, M230504, M230005, M230505, M230006, M230007, M230008, M230009, M230010, M230011, M230012, M230013, M230015
- $\cdot$  Application of the substance / the mixture Photoresist
- Details of the supplier of the safety data sheet
  Manufacturer/Supplier: Kayaku Advanced Materials
  200 Flanders Road
  Westborough, MA 01581
  Tel: (617) 965-5511
- **Information department:** Product Safety Email: productsafety@kayakuAM.com
- Emergency telephone number: Kayaku Advanced Materials : <u>617-965-5511</u> Chemtrec USA Emergency : <u>800-424-9300</u> Chemtrec International Emergency : <u>703-527-3887</u>

# 2 Hazard(s) identification

Fax: (617) 965-5818

· Classification of the substance or mixture

GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.

GHS07

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Warning

• *Hazard-determining components of labeling: Anisole* 

(Contd. on page 2)

US



Reviewed on 08/14/2019

Trade name: 950 PMMA Series Resists in Anisole

	(Contd. of page 1
Hazard stateme	
	le liquid and vapor.
H332 Harmful	
H315 Causes sk	
	prious eye irritation.
	e respiratory irritation.
Precautionary s	statements
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P302+P352	If on skin: Wash with plenty of soap and water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if presen
	and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	<i>If eye irritation persists: Get medical advice/attention.</i>
P370+P378	In case of fire: Use for extinction: Alcohol resistant foam.
P370+P378	In case of fire: Use for extinction: Fire-extinguishing powder.
P370+P378	In case of fire: Use for extinction: Carbon dioxide.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international
Classification s	regulations.
NFPA ratings (	
	Iealth = 1
	ire = 2
1 $0 $ $R$	Peactivity = 0
$\checkmark$	
HMIS-ratings (	
	Health = 1
FIRE 2	Fire = 2
REACTIVITY 0	Reactivity = 0
Other hazards	
	and vPvB assessment
<b>PBT:</b> Not appli	
vPvB: Not appl	
<b>vi vb.</b> Not appl	
Composition	/information on ingredients

Safety Data Sheet acc. to OSHA HCS

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
100-66-3 Anisole	80-100%	
Flam. Liq. 3, H226; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335		
(Con	ttd. on page 3)	



# Safety Data Sheet acc. to OSHA HCS

Printing date 08/14/2019

Reviewed on 08/14/2019

Trade name: 950 PMMA Series Resists in Anisole

(Contd. of page 2)

1-20%

· Additional Components:

9011-14-7 Poly(methyl methacrylate)

### 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

• After swallowing:

Do not induce vomiting unless instructed to do so by a physician. Wash out mouth with water and keep person at rest. Seek immediate medical attention.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed Treat symptomatically.

#### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Alcohol resistant foam Fire-extinguishing powder Carbon dioxide
- For safety reasons unsuitable extinguishing agents: Water with full jet Water

• Special hazards arising from the substance or mixture Containers may explode due to pressure increase when container is exposed to extreme heat. Vapors may travel a considerable distance to a source of ignition and flash back along vapor trail.

- · Advice for firefighters
- · Protective equipment: Wear SCBA.

### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Keep away from ignition sources Ensure adequate ventilation Wear protective equipment. Keep unprotected persons away.
  Environmental precautions: Do not allow to enter sewers/ surface or ground water.
  Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

(Contd. on page 4)

US

(Contd. of page 3)



Printing date 08/14/2019

### Safety Data Sheet acc. to OSHA HCS

Reviewed on 08/14/2019

Trade name: 950 PMMA Series Resists in Anisole

· Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

# 7 Handling and storage

#### · Handling:

- · Precautions for safe handling
- Use only under yellow light
- Ensure good ventilation/exhaust at the workplace.
- Prevent formation of aerosols.
- Information about protection against explosions and fires: Use explosion-proof apparatus / fittings and spark-proof tools. Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- *Requirements to be met by storerooms and containers:* Store in inert atmosphere or keep well sealed to prevent the formation of peroxides and other oxidation products.
- Information about storage in one common storage facility: Do not store together with alkalis (caustic solutions).
- Do not store together with oxidizing and acidic materials.
- · Further information about storage conditions:
- Keep container well-sealed in cool, dry location.
- Protect from heat and direct sunlight.
- Store receptacle in a well ventilated area.

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

· Specific end use(s) Preparation of radiation sensitive layers in fabrication of microelectronic devices

# 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists that were valid during the creation were used as basis.

#### · Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from food and beverages. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Respiratory equipment:

In case of low exposure, use cartridge respirator. In case of intensive or longer exposure, use SCBA.

us –



# Safety Data Sheet acc. to OSHA HCS

Reviewed on 08/14/2019

Trade name: 950 PMMA Series Resists in Anisole

(Contd. of page 4)

· Protection of hands:



Protective gloves

- *The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Material of gloves Nitrile rubber, NBR*
- · Penetration time of glove material Contact glove manufacture for break-through time.
- Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

# 9 Physical and chemical properties

General Information	
Appearance:	
Form:	Liquid
Color:	Clear to light yellow
Odor: Odor threshold:	Strong Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	184 °C (363.2 °F)
Flash point:	43 °C (109.4 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	475 °C (887 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 $^{\circ}C$ (68 $^{\circ}F$ ):	0.4 hPa (0.3 mm Hg)
Density:	See Table 1 Other Information below
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.

US –



Reviewed on 08/14/2019

Trade name: 950 PMMA Series Resists in Anisole

		(Contd. of pag
· Solubility in / Miscibility with		
Water:	Water miscible No	
Partition coefficient (n-octanol/wa	ter): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
VOC content:	See Table 1 below	
Other information	Table 1. Product specfic gravity and VOC data.	
	Name Number Sp.Grav. Vol.(%by wt.) VOC (g/L)	
	950A1 M230001 0.994 99 985	
	950A2 M230002 0.996 98 975	
	950A3 M230003 0.998 97 970	
	950A4 M230004 1.000 96 960	
	950A4.5 M230504 1.001 95.5 958	
	950A5 M230005 1.004 95 955	
	950A5.5 M230505 1.004 94.5 950	
	950A6 M230006 1.005 94 945	
	950A7 M230007 1.007 93 935	
	950A8 M230008 1.009 92 930	
	950A9 M230009 1.010 91 920	
	950A10 M230010 1.012 90 910	
	950A11 M230011 1.014 89 900	
	950A12 M230012 1.016 88 895	
	950A13 M230013 1.018 87 885	
	950A15 M230015 1.022 85 870	

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- *Conditions to avoid Heat, flames and sparks. Extremes of temperature and direct sunlight. Exposure to strong acids and oxidizing agents.*
- · Incompatible materials: Strong Oxidizing Agents, Strong Acids, Strong Bases
- Hazardous decomposition products:
- Carbon monoxide and carbon dioxide Phenol

methyl methacrylate

(Contd. on page 7)



## Safety Data Sheet acc. to OSHA HCS

Reviewed on 08/14/2019

Trade name: 950 PMMA Series Resists in Anisole

(Contd. of page 6)

3

### 11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

100-66-3 Anisole

*Oral LD50 3700 mg/kg (Rat)* 

Dermal LD50 >5000 mg/kg (rabbit)

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- *Experience with humans:* No further relevant information available.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

9011-14-7 Poly(methyl methacrylate)

· NTP (National Toxicology Program)

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

# 12 Ecological information

· Toxicity

• Aquatic toxicity:

100-66-3 Anisole

EC50/24 h 40 mg/l (daphnia magna)

EC50/96 hr 162 mg/l (green algae)

LC50/48 hr | 120 mg/L (Cyprinus carpio (common carp))

· Persistence and degradability Moderately /partly biodegradable

· Behavior in environmental systems:

- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

(Contd. on page 8)

<sup>-</sup> US



# Safety Data Sheet acc. to OSHA HCS

Reviewed on 08/14/2019

Trade name: 950 PMMA Series Resists in Anisole

(Contd. of page 7)

· Other adverse effects No further relevant information available.

## 13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of as regular garbage/trash. Do not allow product to reach sewage system. Disposal must be made in accordance with Federal, State, and Local regulations.

· Uncleaned packagings:

• Recommendation: Disposal must be made in accordance with Federal, State, and Local regulations.

· UN-Number · DOT, ADR, IMDG, IATA	UN1866	
	0111000	
· UN proper shipping name · DOT, ADR	Resin solution	
· IMDG, IATA	RESIN SOLUTION	
Transport hazard class(es)		
DOT		
3		
· Class	3 Flammable liquids	
· Label	3	
ADR, IMDG, IATA		
· Class	3 Flammable liquids	
Label	3	
Packing group		
· DOT, ADR, IMDG, IATA	III	
Environmental hazards:		
• Marine pollutant:	No	
Special precautions for user	Warning: Flammable liquids	
Danger code (Kemler):	30	
EMS Number:	F-E,S-D	
	II of	

us —



# Safety Data Sheet acc. to OSHA HCS

Printing date 08/14/2019

#### Reviewed on 08/14/2019

Trade name: 950 PMMA Series Resists in Anisole

(Contd. of page 8)

· UN ''Model Regulation'':

UN1866, Resin solution, 3, III

### 15 Regulatory information

- $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara
- · Section 355 (extremely hazardous substances):
- None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act): All ingredients are listed or comply with TSCA regulations.

#### · Proposition 65

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients are listed.

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

· New Jersey State Right To Know List

100-66-3 Anisole

· California SCAQMD Rule 443.1 VOC's: See Table 1 - Section 9

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Warning

- Hazard-determining components of labeling: Anisole
- Hazard statements H226 Flammable liquid and vapor. H332 Harmful if inhaled.

(Contd. on page 10)



Reviewed on 08/14/2019

Trade name: 950 PMMA Series Resists in Anisole

	(Contd. of page 9)
H315 Causes sk	in irritation.
H319 Causes se	prious eye irritation.
H335 May caus	e respiratory irritation.
Precautionary s	statements
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P302+P352	If on skin: Wash with plenty of soap and water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
<i>P305+P351+P</i> .	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
<i>P370+P378</i>	In case of fire: Use for extinction: Alcohol resistant foam.
<i>P370+P378</i>	In case of fire: Use for extinction: Fire-extinguishing powder.
<i>P370+P378</i>	In case of fire: Use for extinction: Carbon dioxide.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
CI	

Safety Data Sheet acc. to OSHA HCS

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: Tom Cole, EHS Manager (tcole@kayakuAM)
- · Revision History:

The manufacturer's information in Section 1, the product hazard information in Section 2 and the component hazard information in Section 3 have been updated.

- · Date of preparation / last revision 08/14/2019 / 2
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- *VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent*
- LD50: Lethal dose, 50 percent
- *PBT: Persistent, Bioaccumulative and Toxic*
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

(Contd. on page 11)

<sup>—</sup> U



Reviewed on 08/14/2019

Trade name: 950 PMMA Series Resists in Anisole

(Contd. of page 10)

US

Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Safety Data Sheet acc. to OSHA HCS