KAYAKU ADVANCED MATERIALS

Safety Data Sheet
acc. to OSHA HCS

Printing date 08/16/2019 Reviewed on 08/16/2019

1 Identification

· **Product identifier**

· **Trade name: EBR PG**

· **Product number:** G042075
· **Application of the substance / the mixture** Solvents

· **Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:**
Kayaku Advanced Materials
200 Flanders Road
Westborough, MA 01581
Tel: (617) 965-5511
Fax: (617) 965-5818

· **Information department:**
Product Safety
Email: productsafety@kayakuAM.com
· **Emergency telephone number:**
Kayaku Advanced Materials : 617-965-5511
Chemtrec USA Emergency : 800-424-9300
Chemtrec International Emergency : 703-527-3887

2 Hazard(s) identification

· **Classification of the substance or mixture**

GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

GHS08 Health hazard

Repr. 1B H360 May damage fertility or the unborn child.

GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.
STOT SE 3 H336 May cause drowsiness or dizziness.

· **Label elements**
· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
· **Hazard pictograms**

GHS02 GHS07 GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**
1,3-dioxolane

(Contd. on page 2)

KAYAKU ADVANCED MATERIALS

Safety Data Sheet
acc. to OSHA HCS

Printing date 08/16/2019 Reviewed on 08/16/2019

Trade name: EBR PG

(Contd. of page 1)

1-methoxy-2-propanol

· **Hazard statements**
H225 Highly flammable liquid and vapor.
H319 Causes serious eye irritation.
H360 May damage fertility or the unborn child.
H336 May cause drowsiness or dizziness.

· **Precautionary statements**

P210	Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P302+P352	If on skin: Wash with plenty of soap and water.
P304+P341	If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use for extinction: Alcohol resistant foam.
P370+P378	In case of fire: Use for extinction: Fire-extinguishing powder.
P370+P378	In case of fire: Use for extinction: Carbon dioxide.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**
· **NFPA ratings (scale 0 - 4)**

Health = 2
Fire = 3
Reactivity = 1

· **HMIS-ratings (scale 0 - 4)**



Health = 2
Fire = 3
Reactivity = 1

· **Other hazards**
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**
· **Description:** Solvent mixture

· **Dangerous components:**			
646-06-0	1,3-dioxolane	Flam. Liq. 2, H225; Repr. 1B, H360	50-80%
107-98-2	1-methoxy-2-propanol	Flam. Liq. 3, H226; STOT SE 3, H336	5-30%

US

(Contd. on page 3)

KAYAKU™ ADVANCED MATERIALS

Safety Data Sheet
acc. to OSHA HCS

Printing date 08/16/2019 *Reviewed on 08/16/2019*

Trade name: EBR PG

(Contd. of page 2)

4 First-aid measures

· **Description of first aid measures**
· **General information:** Immediately remove any clothing soiled by the product.
· **After inhalation:**
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
· **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
· **After eye contact:**
Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.
· **After swallowing:**
Do not induce vomiting unless instructed to do so by a physician. Wash out mouth with water and keep person at rest. Seek immediate medical attention.
· **Information for doctor:**
· **Most important symptoms and effects, both acute and delayed** No further relevant information available.
· **Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

5 Fire-fighting measures

· **Extinguishing media**
· **Suitable extinguishing agents:**
Alcohol resistant foam
Fire-extinguishing powder
ABC powder
· **For safety reasons unsuitable extinguishing agents:** Water with full jet
· **Special hazards arising from the substance or mixture**
In case of fire, the following can be released:
Formaldehyde
Can form explosive gas-air mixtures.
Containers may explode due to pressure increase when container is exposed to extreme heat. Vapors may travel a considerable distance to a source of ignition and flash back along vapor trail.
· **Advice for firefighters**
· **Protective equipment:** Wear SCBA.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**
Ensure adequate ventilation
Keep away from ignition sources
Use respiratory protective device against the effects of fumes/dust/aerosol.
Wear protective equipment. Keep unprotected persons away.
· **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
· **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.

(Contd. on page 4)

KAYAKU ADVANCED MATERIALS

Safety Data Sheet
acc. to OSHA HCS

Printing date 08/16/2019 *Reviewed on 08/16/2019*

Trade name: EBR PG

(Contd. of page 3)

· **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

· **Handling:**
· **Precautions for safe handling**
Keep away from heat and direct sunlight.
Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).
Prevent formation of aerosols.
· **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Protect from heat.
Use explosion-proof apparatus / fittings and spark-proof tools.
Protect against electrostatic charges.

· **Conditions for safe storage, including any incompatibilities**
· **Storage:**
· **Requirements to be met by storerooms and containers:**
Store in inert atmosphere or keep well sealed to prevent the formation of peroxides and other oxidation products.
Store in a cool location.
· **Information about storage in one common storage facility:**
Do not store together with alkalis (caustic solutions).
Do not store together with oxidizing and acidic materials.
· **Further information about storage conditions:**
Keep container tightly sealed.
Keep container well-sealed in cool, dry location.
Protect from heat and direct sunlight.
· **Specific end use(s)** Positive radiation resist edge bead remover

8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**	
646-06-0 1,3-dioxolane	
TLV	61 mg/m³, 20 ppm
107-98-2 1-methoxy-2-propanol	
REL	Short-term value: 540 mg/m³, 150 ppm Long-term value: 360 mg/m³, 100 ppm
TLV	Short-term value: (553) NIC-369 mg/m³, (150) NIC-100 ppm Long-term value: (369) NIC-184 mg/m³, (100) NIC-50 ppm NIC-A4

· **Additional information:** The lists that were valid during the creation were used as basis.

(Contd. on page 5)

KAYAKU ADVANCED MATERIALS

Safety Data Sheet
acc. to OSHA HCS

Printing date 08/16/2019 *Reviewed on 08/16/2019*

Trade name: EBR PG

(Contd. of page 4)

· ***Exposure controls***
· ***Personal protective equipment:***
· ***General protective and hygienic measures:***
Keep away from food and beverages.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
Do not inhale gases / fumes / aerosols.
· ***Respiratory equipment:*** *Use suitable respiratory protective device in case of insufficient ventilation.*
· ***Protection of hands:***
Selection of glove material on consideration of the penetration times, rates of diffusion and degradation

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Contact golve manufacturerer for break-through time.
· ***Material of gloves***
Butyl rubber, BR
Nitrile rubber, NBR
· ***Penetration time of glove material*** *Contact glove manufacture for break-through time.*
· ***Eye protection:***

Tightly sealed goggles

9 Physical and chemical properties

· ***Information on basic physical and chemical properties***	
· ***General Information***	
· ***Appearance:***	
Form:	*Liquid*
Color:	*Clear to light yellow*
· ***Odor:***	*Etheral*
· ***Odor threshold:***	*Not determined.*
· ***pH-value:***	*Not determined.*
· ***Change in condition***	
Melting point/Melting range:	*Undetermined.*
Boiling point/Boiling range:	*74-120 °C (165.2-248 °F)*
· ***Flash point:***	*<7.5 °C (<45.5 °F)*
· ***Flammability (solid, gaseous):***	*Not applicable.*
· ***Ignition temperature:***	*270 °C (518 °F)*
· ***Decomposition temperature:***	*Not determined.*
· ***Auto igniting:***	*Product is not selfigniting.*

(Contd. on page 6)

(Contd. of page 5)

· **Danger of explosion:**	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· **Explosion limits:**	
Lower:	2.1 Vol %
Upper:	20.5 Vol %
	Not determined.
· **Vapor pressure at 20 °C (68 °F):**	133 hPa (99.8 mm Hg)
· **Density at 20 °C (68 °F):**	1.0355 g/cm³ (8.64125 lbs/gal)
· **Relative density**	Not determined.
· **Vapor density**	Not determined.
· **Evaporation rate**	Not determined.
· **Solubility in / Miscibility with**	
Water:	Fully miscible.
· **Partition coefficient (n-octanol/water):**	Not determined.
· **Viscosity:**	
Dynamic:	Not determined.
Kinematic:	Not determined.
· **Solvent content:**	
VOC content:	100 %
· **Other information**	No further relevant information available.

10 Stability and reactivity

· **Reactivity** No further relevant information available.
· **Chemical stability** Stable
· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
· **Possibility of hazardous reactions**
Polymerization.
Possible formation of peroxide.
· **Conditions to avoid** No further relevant information available.
· **Incompatible materials:** Strong Oxidizing Agents, Strong Acids, Strong Bases
· **Hazardous decomposition products:**
Formaldehyde
Carbon monoxide and carbon dioxide

11 Toxicological information

· **Information on toxicological effects**
· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**		
646-06-0 1,3-dioxolane		
Oral	LD50	3000 mg/kg (Rat)
Dermal	LD50	8480 mg/kg (rabbit)
Inhalative	LC50	68.4 mg/L (Rat)

(Contd. on page 7)

KAYAKU ADVANCED MATERIALS

Safety Data Sheet
acc. to OSHA HCS

Printing date 08/16/2019 Reviewed on 08/16/2019

Trade name: EBR PG

(Contd. of page 6)

107-98-2 1-methoxy-2-propanol		
Oral	LD50	5660 mg/kg (Rat)
Dermal	LD50	13000 mg/kg (rabbit)
Inhalative	LC50/4 h	54.6 mg/l (Rat)

· **Primary irritant effect:**
· **on the skin:** Irritant to skin and mucous membranes.
· **on the eye:** Strong irritant with the danger of severe eye injury.
· **Sensitization:** No sensitizing effects known.
· **Experience with humans:** No further relevant information available.
· **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant
Inhalation of concentrated vapours as well as oral intake will lead to anaesthesia-like conditions and headache, dizziness, etc.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**
None of the ingredients are listed.

· **NTP (National Toxicology Program)**
None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**
None of the ingredients are listed.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:**		
646-06-0 1,3-dioxolane		
Oral	14 day NOEC	>1000 mg/l (algae)
	EC50	7650 mg/kg (daphnia magna)
	LC50 48 hr	12000 mg/L (Sheepshead minnow)
107-98-2 1-methoxy-2-propanol		
	EC50 96 hr	23300 (daphnia magna)
		>1000 (green algae)
	LC50/96 h	20800 mg/l (Pimephales promelas)

· **Persistence and degradability** The single components are biodegradable
· **Behavior in environmental systems:**
· **Bioaccumulative potential**
Due to the distribution coefficient n-octanol/water a worth-mentioning accumulation in organisms is not expected.
· **Mobility in soil**
Component: Propylene glycol monomethyl ether, rapid dissipation in soil expected. Koc value between 1 and 50 indicating very high soil mobility.
· **Additional ecological information:**
· **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 8)

KAYAKU ADVANCED MATERIALS

Safety Data Sheet
acc. to OSHA HCS

Printing date 08/16/2019 *Reviewed on 08/16/2019*

Trade name: EBR PG

(Contd. of page 7)

· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.
· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**
· **Recommendation:**
Must not be disposed of as regular garbage/trash. Do not allow product to reach sewage system.
Disposal must be made in accordance with Federal, State, and Local regulations.

· **Uncleaned packagings:**
· **Recommendation:** Disposal must be made in accordance with Federal, State, and Local regulations.
· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· **UN-Number**	
· **DOT, ADR, IMDG, IATA**	UN1166
· **UN proper shipping name**	
· **DOT, IMDG, IATA**	DIOXOLANE
· **ADR**	1166 DIOXOLANE
· **Transport hazard class(es)**	
· **DOT**	
· **Class**	3 Flammable liquids
· **Label**	3
· **ADR, IMDG, IATA**	
· **Class**	3 Flammable liquids
· **Label**	3
· **Packing group**	
· **DOT, ADR, IMDG, IATA**	II
· **Environmental hazards:**	
· **Marine pollutant:**	No
· **Special precautions for user**	Warning: Flammable liquids
· **Danger code (Kemler):**	33
· **EMS Number:**	F-E,S-D

(Contd. on page 9)

KAYAKU ADVANCED MATERIALS

Safety Data Sheet
acc. to OSHA HCS

Printing date 08/16/2019 Reviewed on 08/16/2019

Trade name: EBR PG

(Contd. of page 8)

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**	Not applicable.
· **UN "Model Regulation":**	UN1166, DIOXOLANE, 3, II

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**
· **Sara**

· **Section 355 (extremely hazardous substances):**
None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**
None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):** All ingredients are listed or comply with TSCA regulations.
· **Proposition 65**

· **Chemicals known to cause cancer:**
None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**
None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**
None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**
None of the ingredients are listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**
None of the ingredients are listed.

· **TLV (Threshold Limit Value established by ACGIH)**
None of the ingredients are listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**
None of the ingredients are listed.

· **Massachusetts State Right To Know List**

107-98-2	1-methoxy-2-propanol

· **New Jersey State Right To Know List**

646-06-0	1,3-dioxolane
107-98-2	1-methoxy-2-propanol

· **Pennsylvania Hazardous Substances List**

646-06-0	1,3-dioxolane
107-98-2	1-methoxy-2-propanol

· **California SCAQMD Rule 443.1 VOC's:** No information available.
· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 10)

KAYAKU ADVANCED MATERIALS

Safety Data Sheet
acc. to OSHA HCS

Printing date 08/16/2019 *Reviewed on 08/16/2019*

Trade name: EBR PG

(Contd. of page 9)

· **Hazard pictograms**

GHS02 GHS07 GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**
1,3-dioxolane
1-methoxy-2-propanol

· **Hazard statements**
H225 Highly flammable liquid and vapor.
H319 Causes serious eye irritation.
H360 May damage fertility or the unborn child.
H336 May cause drowsiness or dizziness.

· **Precautionary statements**

P210	Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P302+P352	If on skin: Wash with plenty of soap and water.
P304+P341	If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use for extinction: Alcohol resistant foam.
P370+P378	In case of fire: Use for extinction: Fire-extinguishing powder.
P370+P378	In case of fire: Use for extinction: Carbon dioxide.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Product safety department
· **Contact:** Tom Cole, EHS Manager (tcole@kayakuAM)

· **Revision History:**
The manufacturer's information in Section 1, the product hazard information in Section 2 and the component hazard information in Section 3 have been updated.
· **Date of preparation / last revision** 08/16/2019 / 3
· **Abbreviations and acronyms:**
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 11)

KAYAKU™ ADVANCED MATERIALS

Safety Data Sheet
acc. to OSHA HCS

Printing date 08/16/2019 *Reviewed on 08/16/2019*

Trade name: EBR PG

(Contd. of page 10)

DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Flam. Liq. 2: Flammable liquids – Category 2
Flam. Liq. 3: Flammable liquids – Category 3
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
Repr. 1B: Reproductive toxicity – Category 1B
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3