


Printing date 09.09.2019

## Version number 3

Revision: 09.09.2019



· 1.1 Product identifier

· Trade name: PMGI SF Slow Series Resists

· Article number:

*G213102, G213103, G213104, G213105, G213106, G213107, G213108, G213109, G213111, G213113, G213115, G213119* 

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Sector of Use SU16 Manufacture of computer, electronic and optical products, electrical equipment • Application of the substance / the mixture Photoresist
- $\cdot$  1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Kayaku Advanced Materials 200 Flanders Road Westborough, MA 01581 Tel: (617) 965-5511 Fax: (617) 965-5818
- Further information obtainable from: Product Safety
   Email: productsafety@kayakuAM.com
   1.4 Emergency telephone number:
- Kayaku Advanced Materials : 617-965-5511 Chemtrec USA Emergency : 800-424-9300 (24 hr) Chemtrec International Emergency : 703-527-3887 (24 hr)

# SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008

GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS08 health hazard

*Repr.* 2 H361 Suspected of damaging fertility or the unborn child.



Acute Tox. 4H302Harmful if swallowed.Skin Irrit. 2H315Causes skin irritation.

*Eye Irrit.* 2 H319 Causes serious eye irritation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

EU -

EU



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.09.2019

Version number 3

Revision: 09.09.2019

#### Trade name: PMGI SF Slow Series Resists



· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 120-92-3 EINECS: 204-435-9 Index number: 606-025-00-9	Cyclopentanone Flam. Liq. 3, H226; 🚸 Skin Irrit. 2, H315; Eye Irrit. 2, H319	65-85%
CAS: 97-99-4 EINECS: 202-625-6 Index number: 603-061-00-7	Tetrahydrofurfuryl alcohol	1-15%



Printing date 09.09.2019

Version number 3

Trade name: PMGI SF Slow Series Resists

	(Conte	d. of page 2)
CAS: 102322-80-5	Polyaliphatic imide copolymer	1-25%
	<b>W</b> Skin Irrit. 2, H315; Eye Irrit. 2, H319	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

• After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

• After swallowing: If symptoms persist consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

## **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

• Suitable extinguishing agents: Alcohol resistant foam Fire-extinguishing powder Carbon dioxide

- For safety reasons unsuitable extinguishing agents: Water with full jet Water
- · 5.2 Special hazards arising from the substance or mixture

Containers may explode due to pressure increase when container is exposed to extreme heat. Vapors may travel a considerable distance to a source of ignition and flash back along vapor trail.

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

## **SECTION 6:** Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources.
6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents

(Contd. on page 4)

<sup>-</sup> EU



Printing date 09.09.2019

#### Version number 3

Revision: 09.09.2019

(Contd. of page 3)

#### Trade name: PMGI SF Slow Series Resists

· 6.4 Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaust at the workplace. Keep receptacles tightly sealed. Use only under yellow light Prevent formation of aerosols.

• Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Use explosion-proof apparatus / fittings and spark-proof tools. Protect against electrostatic charges.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and containers: Store in a cool location.
- Store in inert atmosphere or keep well sealed to prevent the formation of peroxides and other oxidation products. • Information about storage in one common storage facility:
- Do not store together with oxidising and acidic materials. Do not store together with alkalis (caustic solutions).
- Further information about storage conditions:
   Store in cool, dry conditions in well sealed containers.
   Protect from heat and direct sunlight.
   Store receptacle in a well ventilated area.
- 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.

#### · 8.2 Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from food and beverages. Do not inhale gases / fumes / aerosols. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

· Respiratory protection:

In case of low exposure use cartridge respirator. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 5)

<sup>· 8.1</sup> Control parameters

<sup>----</sup> EU



Printing date 09.09.2019

Version number 3

Revision: 09.09.2019

(Contd. of page 4)

### Trade name: PMGI SF Slow Series Resists

· Protection of hands:



Protective gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • *Material of gloves* Nitrile rubber, NBR

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

# SECTION 9: Physical and chemical properties

9.1 Information on basic physical and ch General Information	
Appearance:	
Form:	Liquid
Colour:	According to product specification
Odour:	Slightly sweet
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	130 °C
Flash point:	30 °C
Flammability (solid, gas):	Not applicable.
Ignition temperature:	280 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapou mixtures are possible.
Explosion limits:	
Lower:	1.5 Vol %
Upper:	9.7 Vol %
Vapour pressure at 20 °C:	0.3 hPa
Density:	Not determined
Relative density	See Table 1 Other Information
Vapour density	Not determined.
Evaporation rate	Not determined.

- EU



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.09.2019

Version number 3

Revision: 09.09.2019

Trade name: PMGI SF Slow Series Resists

Not dete	ermined.				
	Not determined.				
Not determined.					
Name	Number	Sp. Grav.	Vol.(%by wt.)	VOC(g/L)	
SF2S	G213102	0.968	98	950	
SF3S	G213103	0.970	97	945	
SF4S	G213104	0.973	96	935	
SF5S	G213105	0.975	95	930	
SF6S	G213106	0.980	94	920	
SF7S	<i>G213107</i>	0.981	93	915	
SF8S	G213108	0.984	92	905	
SF9S	<i>G213109</i>	0.985	91	900	
SF11S	G213111	0.992	89	880	
SF13S	G213113	0.998	87	860	
SF15S	G213115	1.003	85	850	
	SF2S SF3S SF4S SF5S SF6S SF7S SF7S SF8S SF9S SF11S SF13S SF15S	F2S       G213102         F3S       G213103         F4S       G213104         F5S       G213105         F6S       G213106         F7S       G213107         F8S       G213108         F9S       G213109         F11S       G213111	SF2S       G213102       0.968         SF3S       G213103       0.970         SF4S       G213104       0.973         SF5S       G213105       0.975         SF6S       G213106       0.980         SF7S       G213107       0.981         SF8S       G213108       0.984         SF9S       G213109       0.985         SF11S       G213111       0.992         SF13S       G213113       0.998         SF15S       G213115       1.003	GF2S       G213102       0.968       98         GF3S       G213103       0.970       97         GF4S       G213104       0.973       96         GF5S       G213105       0.975       95         GF6S       G213106       0.980       94         GF7S       G213107       0.981       93         GF8S       G213108       0.984       92         GF9S       G213109       0.985       91         GF11S       G213111       0.992       89         GF13S       G213113       0.998       87         GF15S       G213115       1.003       85	SF2S       G213102       0.968       98       950         SF3S       G213103       0.970       97       945         SF4S       G213104       0.973       96       935         SF5S       G213105       0.975       95       930         SF6S       G213106       0.980       94       920         SF7S       G213107       0.981       93       915         SF8S       G213108       0.984       92       905         SF9S       G213109       0.985       91       900         SF11S       G213111       0.992       89       880         SF13S       G213113       0.998       87       860         SF15S       G213115       1.003       85       850

## SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability Stable
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid
- Contact with incompatible materials.

Heat, flames and sparks. Extremes of temperature and direct sunlight.

- · 10.5 Incompatible materials: Strong Oxidizing Agents, Strong Bases, Strong Acids, Amines
- 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

## SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity

Harmful if swallowed.

· LD/LC50 values relevant for classification:

Oral	LD50	800 mg/kg (Guinea pig)	
		2300 mg/kg (mouse)	
		1600 mg/kg (Rat)	
Dermal	LD50	5000 mg/kg (Guinea pig)	
120-92-3	Cyclopen	tanone	
Oral	LD50	1180 mg/kg (Rat)	
Dermal	LD50	>2000 mg/kg (rabbit)	
			(Contd. on pa



Printing date 09.09.2019

#### Version number 3

Revision: 09.09.2019

#### Trade name: PMGI SF Slow Series Resists

			(Contd. of page
Inhalativ	e LC50/4	h > 19.5 mg/l (Rat)	
102322-8	0-5 Polya	liphatic imide copolymer	
Oral	LD50	>5000 mg/kg (Rat) (Data for compositionally similar material)	
Dermal	LD50	>5000 mg/kg (Rat) (Data for compositionally similar material)	
· Primary	irritant ef	fect:	
· Skin corr	osion/irri	tation	
Causes sk	kin irritati	on.	
· Serious e	ye damag	e/irritation	
Causes se	erious eye	irritation.	
· Respirato	ory or skin	sensitisation Based on available data, the classification criteria are not met.	
· CMR effe	ects (carci	nogenity, mutagenicity and toxicity for reproduction)	
· Germ cel	l mutagen	<i>icity</i> Based on available data, the classification criteria are not met.	
· Carcinog	enicity Ba	used on available data, the classification criteria are not met.	
· Reproduc	ctive toxic	ity	
Suspected	l of damag	ging fertility or the unborn child.	
· STOT-sir	igle expos	ure Based on available data, the classification criteria are not met.	
· STOT-re	peated exp	posure Based on available data, the classification criteria are not met.	
· Aspiratio	n hazard	Based on available data, the classification criteria are not met.	
<b>SECTI</b>	ON 12: 1	Ecological information	
• 12.1 Toxi	icity		
· Aquatic t	oxicity:		
120-92-3	Cyclopen	tanone	
		$\Lambda(1,\dots,1,\dots,1,\dots,n)$	

EC50/48 h 100 mg/l (daphnia magna)

EC50/72 h >100 mg/l (scenedesmus subspicatus)

LC50/96 h >100 mg/l (fish)

· 12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

• Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

· 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Disposal must be made in accordance with International, National, and regional regulations.

(Contd. on page 8)

EU-



Version number 3

Revision: 09.09.2019

(Contd. of page 7)

Trade name: PMGI SF Slow Series Resists

· Uncleaned packaging:

• *Recommendation:* Disposal must be made according to official regulations.

14.1 UN-Number		
ADR, IMDG, IATA	UN1866	
14.2 UN proper shipping name		
ADR	1866 RESIN SOLUTION	
IMDG, IATA	RESIN SOLUTION	
14.3 Transport hazard class(es)		
ADR, IMDG, IATA		
Class	3 Flammable liquids.	
Label	3	
14.4 Packing group		
ADR, IMDĞ, IATA	III	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Warning: Flammable liquids.	
Danger code (Kemler):	33	
EMS Number:	<i>F-E</i> , <u><i>S-E</i></u>	
14.7 Transport in bulk according to Anna	ex II of	
Marpol and the IBC Code	Not applicable.	
Transport/Additional information:		
ADR		
Limited quantities (LQ)	5L	
Transport category	3	
Tunnel restriction code	D/E	

# SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 9)

EU



Printing date 09.09.2019

#### Version number 3

Revision: 09.09.2019

#### Trade name: PMGI SF Slow Series Resists

(Contd. of page 8)

FU

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H226 Flammable liquid and vapour. H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H361 Suspected of damaging fertility or the unborn child. · Classification according to Regulation (EC) No 1272/2008 Art. 9(1) of Regulation (EC) No. 1272/2008 was used for classification purposes. · Department issuing SDS: Product safety department · Contact: Tom Cole, EHS Manager (tcole@kayakuAM) · Revision History: The manufacturer's information in Section 1, the product hazard information in Section 2 and the component hazard information in Section 3 have been updated. · Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Repr. 2: Reproductive toxicity - Category 2