

Applied Ink Solutions<sup>®</sup> accord

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.08.2018

# Version number 1

Revision: 13.08.2018

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: <u>AG-500A Silver</u> Conductive Ink

- $\cdot$  1.2 Relevant identified uses of the substance or mixture and uses advised against
- Sector of Use SU16 Manufacture of computer, electronic and optical products, electrical equipment
- · Application of the substance / the mixture Functional electronic screen printing ink
- $\cdot$  1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Applied Ink Solutions 200 Flanders Road Westborough, MA 01581 USA
- Further information obtainable from: Product Safety Email: sales@appliedinksolutions.com
- **1.4 Emergency telephone number:** Applied Ink Solutions <u>: 617-965-5511</u> Chemtrec USA Emergency <u>: 800-424-9300 (24 hr)</u> Chemtrec International Emergency <u>: 703-527-3887 (24 hr)</u>

## SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008



Aquatic Acute 1H400Very toxic to aquatic life.Aquatic Chronic 1H410Very toxic to aquatic life with long lasting effects.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



· Signal word Warning

· Hazard-determining components of labelling: Silver · Hazard statements H410 Very toxic to aquatic life with long lasting effects. · Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P273 Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. P280 P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

(Contd. on page 2)

<sup>–</sup> EU

Applied Ink Solutions<sup>®</sup> acco

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.08.2018

Version number 1

Revision: 13.08.2018

#### Trade name: AG-500A Silver Conductive Ink

	(Contd. of page 1)
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use for extinction: Alcohol resistant foam.
P370+P378	In case of fire: Use for extinction: Fire-extinguishing powder.
P370+P378	In case of fire: Use for extinction: Carbon dioxide.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
· 2.3 Other hazards	

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

### **SECTION 3:** Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous compone	ents:		
CAS: 7440-22-4 EINECS: 231-131-3	Silver	line Aquatic Acute 1, H400; Aquatic Chronic 1, H410	40-60%
· Additional Compone	ents:		
CAS: 1119-40-0 EINECS: 214-277-2	Pentanedioic acid, 1,5-d	imethyl ester	10-25%
CAS: 627-93-0 EINECS: 211-020-6	Dimethyl adipate		5-15%
CAS: 106-65-0 EINECS: 203-419-9	Dimethyl succinate		5-15%
	Proprietary polyester		1-5%
	Proprietary vinyl		1-5%
· Additional informati	on: For the wording of th	e listed hazard phrases refer to section 16.	1

## **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

· After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

• After swallowing: If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)



Printing date 13.08.2018

## Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision: 13.08.2018

Trade name: AG-500A Silver Conductive Ink

(Contd. of page 2)

• 4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

#### **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

• Suitable extinguishing agents: Alcohol resistant foam

Fire-extinguishing powder ABC powder

· For safety reasons unsuitable extinguishing agents: Water with full jet

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

## **SECTION 6:** Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
 Ensure adequate ventilation Keep away from ignition sources.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Keep away from heat and direct sunlight. Ensure good ventilation/exhaust at the workplace.

- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility: Store away from oxidising agents.
- Further information about storage conditions: Store in cool, dry conditions in well sealed containers. Protect from heat and direct sunlight. Store receptacle in a well ventilated area.
  7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)



Applied Ink Solutions®

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.08.2018

Version number 1

Revision: 13.08.2018

Trade name: AG-500A Silver Conductive Ink

(Contd. of page 3)

## SECTION 8: Exposure controls/personal protection


- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- · Material of gloves Nitrile rubber, NBR
- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection:



#### **SECTION 9: Physical and chemical properties** · 9.1 Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Colour: Silver grey · Odour: Sweetish · Odour threshold: Not determined. · pH-value: Not determined. · Change in condition Undetermined. *Melting point/freezing point:* Initial boiling point and boiling range: 96 °C

· Flash point:	90 °C	
· Flammability (solid, gas):	Not applicable.	
· Decomposition temperature:	Not determined.	
• Auto-ignition temperature:	Product is not selfigniting.	
		(Contd. on page 5)



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.08.2018

Version number 1

Revision: 13.08.2018

Trade name: AG-500A Silver Conductive Ink

	(Ca	ontd. of page
· Explosive properties:	Not determined.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not determined.	
• Density at 20 •C:	6.31469 g/cm <sup>3</sup>	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0 %	
Solids content:	63.5 %	
• 9.2 Other information	No further relevant information available.	

## SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability Stable under normal use conditions
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid
- *Heat, flames and sparks. Extremes of temperature and direct sunlight. Contact with incompatible materials.*
- 10.5 Incompatible materials: Strong oxidizing agents
- · 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

## SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 6)

<sup>•</sup> EU -



Printing date 13.08.2018

# Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision: 13.08.2018

Trade name: AG-500A Silver Conductive Ink

· Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity:

7440-22-4 Silver

LC50/96 h (static) 0.0062 mg/l (Lepomis macrochirus (Bluegill)) 0.00155-0.00293 mg/l (Pimephales promelas)

• 12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Disposal must be made in accordance with International, National, and regional regulations.

• Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

· 14.1 UN-Number · ADR, IMDG, IATA	UN3082
· 14.2 UN proper shipping name	
ADR	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID
	N.O.S. (Silver)
·IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID
	N.O.S. (Silver), MARINE POLLUTANT
· IATA	Environmentally hazardous substance, liquid, n.o.s. (Silver)

(Contd. of page 5)

EU



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.08.2018

Version number 1

Revision: 13.08.2018

Trade name: AG-500A Silver Conductive Ink

	(Contd. of page
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
<b>A</b>	
Alb	
Class	9 Miscellaneous dangerous substances and articles.
Label	9
14.4 Packing group	
ADR, IMDĞ, IATA	III
14.5 Environmental hazards:	Product contains environmentally hazardous substances: Silve
	-
14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
Danger code (Kemler):	90 E 4 6 E
EMS Number:	F-A,S-F
Stowage Category	A
14.7 Transport in bulk according to Ann	
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: El
Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Transport category	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml 3
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Transport category	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml 3
Transport category Tunnel restriction code	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml 3
Transport category Tunnel restriction code IMDG	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml 3 E
Transport category Tunnel restriction code IMDG Limited quantities (LQ)	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml 3 E 5L
Transport category Tunnel restriction code IMDG Limited quantities (LQ)	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml 3 E 5L Code: E1
Transport category Tunnel restriction code IMDG Limited quantities (LQ)	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml 3 E 5L Code: E1 Maximum net quantity per inner packaging: 30 ml

## SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E1 Hazardous to the Aquatic Environment

 $\cdot$  Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t

• Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

(Contd. on page 8)

EU



Applied Ink Solutions®

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.08.2018

#### Version number 1

Revision: 13.08.2018

Trade name: AG-500A Silver Conductive Ink

(Contd. of page 7)

#### · National regulations:

#### • Other regulations, limitations and prohibitive regulations

*RoHS* (*EU*)2015/863 along with *EU* Directive 2022/19/*EU* – Waste from Electrical and Electronic Equipment (WEEE):

Applied Ink Solutions products do not exceed the amount of allowable levels concerning: Cadmium (Cd); Mercury (Hg); Lead (Pb); Hexavalent chromium (Cr6+); Polybrominated biphenyls (PBB); Polybrominated diphenyl ethers (PBDE); Bis(2-Ethylhexyl) phthalate (DEHP); Benzyl butyl phthalate (BBP); Dibutyl phthalate (DBP); Diisobutyl phthalate (DIBP); Bis(2-Ethylhexyl) phthalate (DEHP); Benzyl butyl phthalate (BBP); Dibutyl phthalate (DBP); Diisobutyl phthalate (DIBP).

Applied Ink Solutions has confirmed with our precious metal suppliers that they do not use conflict minerals, as outlined in the Dodd-Frank Wall Street Reform and Consumer Protection Act in Title XV, Section 1502.

Registration, Evaluation and Authorization of Chemicals (REACH) & Substances of Very High Concern (SVHC): This product does not contain substances on the SVHC list.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. · Classification according to Regulation (EC) No 1272/2008 Art. 9(1) of Regulation (EC) No. 1272/2008 was used for classification purposes. · Department issuing SDS: Product safety department · Contact: Mr. Cole Revision History: New SDS. · Abbreviations and acronvms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1