

Printing date 12/20/2016

### Safety Data Sheet acc. to OSHA HCS

Reviewed on 12/20/2016

## 1 Identification of the substance/mixture and of the company

- · Product identifier
- · Trade name: XM-TD-1219 Thermal Dry Binder
- · Application of the substance / the mixture Thermal Dry Binder
- $\cdot$  Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Applied Ink Solutions 17 Hampshire Drive, Unit 8 Hudson, NH 03051 USA

• Information department: Product Safety Email: sales@appliedinksolutions.com

• Emergency telephone number: Chemtrec USA Emergency : <u>800-424-9300</u> Chemtrec International Emergency : <u>703-527-3887</u> Applied Ink Solutions : <u>603-595-6221</u>

## 2 Hazard(s) identification

· Classification of the substance or mixture

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H332 Harmful if inhaled.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

· Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



· Signal word Warning

· Hazard-determining components of labeling: gamma-Butyrolactone · Hazard statements H302+H332 Harmful if swallowed or if inhaled. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. · Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapors/spray P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

(Contd. on page 2)

US



Printing date 12/20/2016

Reviewed on 12/20/2016

### Trade name: XM-TD-1219 Thermal Dry Binder

	(Contd. of page 1)
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	<i>If eye irritation persists: Get medical advice/attention.</i>
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification s	0
· NFPA ratings (	
F	$\begin{aligned} \text{lealth} &= 1\\ \text{ire} &= 1\\ \text{eactivity} &= 0 \end{aligned}$
· HMIS-ratings (	(scale 0 - 4)
FIRE 1	Health = 1 Fire = 1 Reactivity = 0
• Other hazards • Results of PBT • PBT: Not appli • vPvB: Not appl	

### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

96-48-0 gamma-Butyrolactone 🚯 Acute Tox. 4, H302; Eye Irrit. 2A, H319; STOT SE 3, H336

• Additional Components: Polyurethane polymer

4 First-aid measures

#### · Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact:

Wash eyes immediately with a large amount of water or normal saline, occasionally lifting upper and lower eye lids until no evidence of chemical remains (about 20 minutes). Remove contact lenses if present and easy to remove. Seek immediate medical attention.

• After swallowing: Do not induce vomiting; immediately call a doctor.

· Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

60-80%

10-25%

us -



Printing date 12/20/2016

Reviewed on 12/20/2016

Trade name: XM-TD-1219 Thermal Dry Binder

(Contd. of page 2)

• Indication of any immediate medical attention and special treatment needed Treat symptomatically.

## 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Alcohol resistant foam Fire-extinguishing powder ABC powder
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Wear SCBA.

## 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Keep away from ignition sources
Environmental precautions: Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
Reference to other sections
See Section 7 for information on safe handling.
See Section 13 for disposal information.
Personal protection equipment.

• Protective Action Criteria for Chemicals

• PAC-1:

96-48-0 gamma-Butyrolactone

96-48-0 gamma-Butyrolactone

3.6 mg/m3

310 mg/m3

0

39 mg/m3

· PAC-3:

· PAC-2:

96-48-0 gamma-Butyrolactone

## 7 Handling and storage

· Handling:

- Precautions for safe handling
- Ensure good ventilation/exhaust at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
- Protect against electrostatic charges.
- $\cdot$  Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and containers: No special requirements.

(Contd. on page 4)

<sup>—</sup> US –

Applied Ink Solutions

Printing date 12/20/2016

## Safety Data Sheet acc. to OSHA HCS

Reviewed on 12/20/2016

#### Trade name: XM-TD-1219 Thermal Dry Binder

(Contd. of page 3)

- Information about storage in one common storage facility: Do not store together with alkalis (caustic solutions). Do not store together with oxidizing and acidic materials.
- Further information about storage conditions: Keep container well-sealed in cool, dry location. Protect from heat and direct sunlight. Store receptacle in a well ventilated area.
- *Specific end use(s) No further relevant information available.*

### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · Additional information: The lists that were valid during the creation were used as basis.

#### · Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from food and beverages. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Respiratory equipment:
- In case of low exposure, use cartridge respirator. In case of intensive or longer exposure, use SCBA. Protection of hands:

Protective gloves

- *The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Material of gloves Nitrile rubber, NBR*
- · Penetration time of glove material Contact glove manufacture for break-through time.
- · Eye protection:



Tightly sealed goggles

# 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:
- Form: Color:

· Odor:

Liquid Light yellow Mild

(Contd. on page 5)

\_\_\_\_\_US



Printing date 12/20/2016

Reviewed on 12/20/2016

Trade name: XM-TD-1219 Thermal Dry Binder

		(Contd. of page
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	205 °C (401 °F)	
· Flash point:	100 °C (212 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	445 °C (833 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	2.7 Vol %	
Upper:	15.6 Vol %	
• Vapor pressure at 20 •C (68 •F):	> 1 hPa (> 1 mm Hg)	
• Density at 20 •C (68 •F):	1.114 g/cm <sup>3</sup> (9.296 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
Evaporation rate	1.6-2.3 (BuAc=1)	
· Solubility in / Miscibility with		
Water:	Water miscible No	
Partition coefficient (n-octanol/wate	r <b>):</b> Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	80.0 %	
VOC content:	80.0 %	
Solids content:	20.0 %	
Other information	No further relevant information available.	

# 10 Stability and reactivity

- $\cdot \textit{\it Reactivity} \ \textit{No further relevant information available}.$
- $\cdot$  Chemical stability Stable under normal use conditions
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid


Heat, flames and sparks. Extremes of temperature and direct sunlight.

- Contact with incompatible materials.
- · Incompatible materials: Strong Oxidizing Agents, Strong Acids, Strong Bases
- · Hazardous decomposition products:

Carbon monoxide and carbon dioxide

(Contd. on page 6)

US



Printing date 12/20/2016

Reviewed on 12/20/2016

Trade name: XM-TD-1219 Thermal Dry Binder

(Contd. of page 5)

No dangerous decomposition products known.

### 11 Toxicological information

Applied Ink Solutions

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

#### 96-48-0 gamma-Butyrolactone

 Oral
 LD50
 1540 mg/kg (Rat)

 Dermal
 LD50
 5000 mg/kg (gui)

 Inhalative
 LC50/4 h
 >5.1 mg/l (Rat)

· Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: Irritating effect.

- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

96-48-0 gamma-Butyrolactone

· NTP (National Toxicology Program)

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

## 12 Ecological information

· Toxicity

· Aquatic toxicity:

96-48-0 gamma-Butyrolactone

LC50/96 h > 220 - <460 mg/l (golden orfe)

EC50/48 h >500 mg/l (daphnia magna)

EC50/72 h 360 mg/l (green algae)

*EC50/17 h* >10000 mg/l (bacterium)

· Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

· Bioaccumulative potential No further relevant information available.

• *Mobility in soil* No further relevant information available.

• Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

(Contd. on page 7)

3

Printing date 12/20/2016

Reviewed on 12/20/2016

Trade name: XM-TD-1219 Thermal Dry Binder

Applied Ink Solutions

(Contd. of page 6)

• Other adverse effects No further relevant information available.

#### 13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of as regular garbage/trash. Do not allow product to reach sewage system. Disposal must be made in accordance with Federal, State, and Local regulations.

· Uncleaned packagings:

• Recommendation: Disposal must be made in accordance with Federal, State, and Local regulations.

UN-Number DOT, ADR, ADN, IMDG, IATA	Not Regulated	
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Not Regulated	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA		
Class	Not Regulated	
Packing group		
DOT, ADR, IMDG, IATA	Not Regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
UN "Model Regulation":	Not Regulated	

#### **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act): All ingredients are listed or comply with TSCA regulations.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

(Contd. on page 8)

US -



Printing date 12/20/2016

Reviewed on 12/20/2016

Trade name: XM-TD-1219 Thermal Dry Binder

(Contd. of page 7)

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

 $\cdot$  Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients are listed.

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

· New Jersey State Right To Know List

96-48-0 gamma-Butyrolactone

· Pennsylvania Hazardous Substances List

96-48-0 gamma-Butyrolactone

· California SCAQMD Rule 443.1 VOC's: No information available.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Warning

Hazard state	Harmful if swallowed or if inhaled.
	Causes serious eye irritation.
	May cause drowsiness or dizziness.
Precautionar	
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
	-P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if presen and easy to do. Continue rinsing.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
National reg	ulations:
Other regula	tions, limitations and prohibitive regulations

(Contd. on page 9)



Printing date 12/20/2016

Reviewed on 12/20/2016

Trade name: XM-TD-1219 Thermal Dry Binder

(Contd. of page 8) Hexavalent Chromium (CrVI); Mercury (Hg); Lead (Pb); Polybrominated Biphenyls (PBB's) as bromide; Polybrominated Diphenyl Ethers (PBDEs) as bromide, decaBDE.

Applied Ink Solutions has confirmed with our precious metal suppliers that they do not use conflict minerals, as outlined in the **Dodd-Frank Wall Street Reform and Consumer Protection Act in Title XV, Section 1502.** 

Registration, Evaluation and Authorization of Chemicals (REACH) & Substances of Very High Concern (SVHC): This product does not contain substances on the SVHC list. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: Mr. Cole

· Revision History: New SDS

· Date of preparation / last revision 12/20/2016 / -

· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity – Category 4 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3